CONTENTS

Proceedings

PAGE

Summary of Proceedings of the Sixty-eighth Annual Meeting 1
Annual Report of the Board of Directors 43
Appendix I. Report of the Auditors for the Fiscal Year December 1, 1963 to November 30, 1964 69
Appendix II. Report of Administrative Committee on Standards 79
Appendix III. Report of Administrative Committee on Research 85
Appendix IV. Report of Administrative Committee on Papers and Publications 87
Appendix V. Report of Administrative Committee on District Activities 93
Appendix VI. Report of Administrative Committee on Simulated Service Testing 94

COMMITTEE REPORTS

Ferrous Metals

Report of Committee A-1 on Steel 96
Appendix. Proposed Recommendations Affecting Standards on Steel 101
Report of Committee A-4 on Iron Castings 117
Report of Committee A-5 on Corrosion of Iron and Steel 120
Appendix I. Report of Subcommittee XIV on Field Tests of Atmospheric Corrosion of Metallic-Coated Panels 126
Appendix II. Report of Subcommittee XVI on Field Tests of Atmospheric Corrosion of Hardware 129
Report of Committee A-6 on Magnetic Properties 137
Report of Committee A-9 on Ferro-Alloys 139
Report of Committee A-10 on Iron-Chromium, Iron-Chromium-Nickel, and Related Alloys 142
Appendix. Report of 1964 Inspection of Stainless Steels in Architectural Applications 145

Nonferrous Metals

Report of Committee B-1 on Wires for Electrical Conductors 156
Report of Joint Task Group of Committees B-1 and B-2 on Survey of Methods for Determining Annealing Properties of Commercial Coppers 160
Report of Committee B-2 on Nonferrous Metals and Alloys 165
Report of Committee B-3 on Corrosion of Nonferrous Metals and Alloys 169
Appendix I. Report of Subcommittee VIII on Five-Year Atmospheric Exposures of Magnesium Panel-Type Galvanic Couples 172
Appendix II. Stress Corrosion Testing Methods 182
Report of Committee B-4 on Metallic Materials for Thermostats and for Electrical Resistance, Heating, and Contacts 198
Report of Committee B-5 on Copper and Copper Alloys, Cast and Wrought 201
Appendix. Proposed Recommendations Affecting Standards for Copper and Copper Alloys, Cast and Wrought 205
Report of Committee B-6 on Die-Cast Metals and Alloys 208
Appendix. Effects of Elevated Temperatures on the Properties of Die-Cast SC84A Aluminum Alloy With 1 and 3 Per Cent Zinc 212
Report of Committee B-7 on Light Metals and Alloys, Cast and Wrought 219
Appendix I. Proposed Recommendations Affecting Standards on Light Metals and Alloys, Cast and Wrought 225
Appendix II. Atmospheric Exposure of Aluminum and Magnesium Sand and Permanent Mold Castings, by L. H. Adam and M. Dougherty 237
Appendix III. Statistical Aspects of Mechanical Property Assurance, by W. P. Goepfert 267

PAGE

Report of Committee B-8 on Electrodeposited Metallic Coatings and Related Finishes ... 278
Appendix. Performance of Decorative Nickel-Chromium Coatings on Steel ... 280
Report of Committee B-9 on Metal Powders and Metal Powder Products ... 292

Report of ASTM-ASME Joint Committee on Effect of Temperature on the Properties of Metals ... 296

Cementitious, Ceramic, Concrete, and Masonry Materials

Report of Committee C-1 on Cement ... 301
Report of Committee C-3 on Chemical-Resistant Nonmetallic Materials ... 307
Report of Committee C-4 on Clay Pipe ... 310
Report of Committee C-5 on Manufactured Carbon and Graphite Products ... 311
Report of Committee C-6 on Pyrolytic Materials ... 313
Report of Committee C-7 on Lime ... 314
Report of Committee C-8 on Refractories ... 317
Report of Committee C-9 on Concrete and Concrete Aggregates ... 321
Report of Committee C-11 on Gypsum ... 329
Report of Committee C-12 on Mortars for Unit Masonry ... 330
Report of Committee C-13 on Concrete Pipe ... 331
Report of Committee C-14 on Glass and Glass Products ... 337
Report of Committee C-15 on Manufactured Masonry Units ... 339
Report of Committee C-16 on Thermal Insulating Materials ... 342
Report of Committee C-17 on Asbestos-Cement Products ... 346
Report of Committee C-18 on Natural Building Stones ... 350
Report of Committee C-20 on Acoustical Materials ... 352
Report of Committee C-21 on Ceramic Whitewares and Related Products ... 353
Report of Committee C-22 on Porcelain Enamel and Related Ceramic-Metal Systems ... 355
Report of Committee C-24 on Joint Sealants ... 356
Report of Committee C-25 on Ceramics for Electronics ... 358

Miscellaneous Materials

Report of Committee D-1 on Paint, Varnish, Lacquer, and Related Products ... 360
Report of Committee D-2 on Petroleum Products and Lubricants ... 370
Report of Committee D-3 on Gaseous Fuels ... 382
Report of Committee D-4 on Road and Paving Materials ... 383
Report of Committee D-5 on Coal and Coke ... 390
Report of Committee D-6 on Paper and Paper Products ... 394
Report of Committee D-7 on Wood ... 396
Report of Committee D-8 on Bituminous and Other Organic Materials for Roofing, Waterproofing, and Related Building or Industrial Uses ... 402
Report of Committee D-9 on Electrical Insulating Materials ... 406
Report of Committee D-10 on Packaging ... 413
Report of Committee D-11 on Rubber and Rubber-Like Materials ... 415
Report of Committee D-12 on Soaps and Other Detergents ... 425
Report of Committee D-13 on Textile Materials ... 430
Appendix. Proposed Recommendations Affecting Standards on Textile Materials ... 432
Report of Committee D-14 on Adhesives ... 437
Report of Committee D-15 on Engine Antifreezes ... 440
Report of Committee D-16 on Industrial Aromatic Hydrocarbons and Related Materials ... 442
Report of Committee D-18 on Soil and Rock for Engineering Purposes ... 445
Report of Committee D-19 on Industrial Water ... 449
Report of Committee D-20 on Plastics ... 457
Report of Committee D-21 on Wax Polishes and Related Materials ... 472
Report of Committee D-22 on Methods of Atmospheric Sampling and Analysis ... 473
Report of Committee D-23 on Cellulose and Cellulose Derivatives ... 475
Report of Committee D-24 on Carbon Black ... 477

PAGE

Report of Committee D-26 on Halogenated Organic Solvents ... 479
Report of Committee D-27 on Electrical Insulating Liquids and Gases ... 480
Report of Committee D-28 on Activated (Active) Carbon ... 486
Report of Committee D-30 on Inorganic and High Modulus Fibers ... 487
Report of ALCA-ASTM Joint Committee on Leather ... 488

Miscellaneous Subjects

Report of Committee E-1 on Methods of Testing ... 492
Report of Committee E-2 on Emission Spectroscopy ... 503
Report of Committee E-3 on Chemical Analysis of Metals ... 508
Report of Committee E-4 on Metallography ... 516
Report of Committee E-5 on Fire Tests of Materials and Construction ... 518
Report of Committee E-6 on Methods of Testing Building Constructions ... 520
Report of Committee E-7 on Nondestructive Testing ... 522
Report of Committee E-8 on Nomenclature and Definitions ... 527
Report of Committee E-9 on Fatigue ... 528
Report of Committee E-10 on Radioisotopes and Radiation Effects ... 530
Report of Committee E-11 on Statistical Methods ... 532
Report of Committee E-12 on Appearance of Materials ... 533
Report of Committee E-13 on Absorption Spectroscopy ... 536
Report of Committee E-14 on Mass Spectrometry ... 537
Report of Committee E-15 on Analysis and Testing of Industrial Chemicals ... 538
Report of Committee E-16 on Sampling and Analysis of Metal Bearing Ores and Related Materials ... 543
Report of Committee E-17 on Skid Resistance ... 546
Report of Committee E-18 on Sensory Evaluation of Materials and Products ... 547
Report of Committee E-19 on Gas Chromatography ... 548
Report of Committee E-20 on Temperature Measurement ... 550
Report of Committee E-21 on Space Simulation ... 552
Report of Committee E-23 on Resinography ... 554
Report of Committee E-24 on Fracture Testing of Metals ... 556

Materials for Specific Applications

Report of Committee F-1 on Materials for Electron Devices and Microelectronics ... 557
Report of Committee F-2 on Flexible Barrier Materials ... 563
Report of Committee F-3 on Gaskets ... 564
Report of Committee F-4 on Surgical Implant Materials ... 565

Deterioration of Materials

Report of Committee G-1 on Corrosion of Metals ... 567
Appendix. Report of Subcommittee IV, Section 4 on Atmospheric Corrosion of Nonferrous Metals ... 569
Report of Committee G-2 on Erosion by Cavitation or Impingement ... 571
Report of Advisory Committee on Exposure Testing Facilities ... 572

TECHNICAL PAPERS

Metals

Plastic Deformation of an Aluminum Alloy in the Tension Test—T. C. Hsu and A. S. Williamson ... 575
Elongation and Yield Strength of Aluminum Alloys as Related to Gage Length and Offset—G. W. Stickley and D. J. Brownhill ... 597
Discussion ... 613
A Secondary Standard for the Eddy Current Inspection of Aluminum Alloy Tube—F. R. Hoch ... 617
Notch Toughness of Some Aluminum Alloys by Proposed ASTM Recommended Practice—J. G. Kaufman ... 626
Low-Temperature Mechanical Properties and Fracture Toughness of Ti-6Al-6V-2Sn—T. S. DeSisto and C. F. Hickey, Jr. ... 641
Tension Tests of Large-Size Deformed Concrete Reinforcing Bars—W. W. Sanders, Jr., and C. P. Siess ... 654

Cement and Concrete

The Damping Capacity of Hardened Cement Paste and Mortar in Specimens Vibrating at Very Low Frequencies—D. G. Cole and D. C. Spooner ... 661

PAGE

Concrete Strength Measurement—Cores versus Cylinders—D. L. Bloem 668
Discussion 688
The Behavior of Plain Mortar and Concrete Under Triaxial Stress—N. W. Krahl, S. P. Victory, Jr., E. Erkmen, and J. R. Sims 697
Discussion 710
A Technique for Evaluation of Tensile and Volume Change Characteristics of Structural Lightweight Concrete—W. B. Ledbetter and J. Neils Thompson 712
Discussion 727

Fatigue

A New Specimen for Fatigue Testing Longitudinal Fillet Weldments—H. S. Reemsnyder 729
The Effect of a Temperature Change on Cumulative Fatigue Damage—J. A. Dunsby 736
Fatigue and Tensile Properties of Zirconium at Elevated Temperatures—Knud Pedersen and Glenn Murphy 762

General Testing

Pulsed Radiation Effects in Crystalline Polyethylene—D. B. Ebeoglu 777
Prediction of Cavitation Damage in the Alkali Liquid Metals—W. C. Leith 789
A Single-Particle Freezing Resistance Test for Concrete Aggregate—R. C. Meininger, J. F. Fox, Jr., and H. A. Lepper, Jr. 801
Comparison of Xenon and Carbon Arcs as Radiation Sources for Laboratory Weathering of Asphalts—K. G. Martin, P. G. Campbell, and J. R. Wright 809
A Recessed Rogowski Electrode for Electric Strength Testing—O. Milton 831
Correlation of Tensile and Slow-Bend Data on Charpy-Type Specimen—John Nunes 844
Gas-Bearing Facilities for Determining Axial Stress-Strain and Lateral Strain of Brittle Materials to 5500 F—C. D. Pears and F. J. Digesu 855
Elongation in the Tension Test as a Measure of Ductility—T. C. Hsu, G. S. Littlejohn, and B. M. Marchbank 874

1965 Technical Papers Published in Materials Research & Standards 899
1965 List of Special Technical Publications and Data Series Publications 902
Index 903

INDEX

This index covers all technical papers and committee reports (exclusive of standards) published by the Society during 1965. References to papers in the monthly journal *Materials Research & Standards* are designated in this index as *MR&S* with month of issue and page number given. A more comprehensive index to *Materials Research & Standards* for 1965 appears in the December issue. References to papers published as Special Technical Publications are designated in this index by the STP number only.

A

Abbott, P. A. (discussions), *STP 392*.

Abendroth, R. P.: Oxide formation and adherence on an iron-cobalt-nickel glass sealing alloy, *MR&S*, September, 459.

Abrams, M. S., and Orals, D. L.: Drying methods for concrete and their effect on fire resistance, *STP 385*.

Abrams, M. S. (discussions), *STP 385*.

Abrasion, effect of mechanical damage on glass yarn strength (Butler and Senyk), *MR&S*, August, 406.

Absorption spectroscopy
- hydrocarbons (LeTourneau), *STP 389*.
- quantitative analysis by atomic absorption (Kahn), *MR&S*, July, 337.

Accelerometers, technique for measurement of shock-induced soil-structural motion (McCutcheon, Yong and Savage), *STP 392*.

Acoustical materials, report of Committee C-20, 352.

Acrylic plastics, designing and fabricating implants with rigid polymers (Pierson), *STP 386*.

Adams, L. H., and Dougherty, M.: Atmospheric exposure of aluminum and magnesium sand and permanent mold castings, 237.

Adherence, iron-cobalt-nickel glass sealing alloy, effect of oxide formation on (Abendroth), *MR&S*, September, 459.

Adhesion, indium, measuring surface cleanliness by (Krieger and Wilson), *MR&S*, July, 341.

Adhesives
- analysis of a proposed test (Sherrer), *MR&S*, March, 125.
- report of Committee D-14, 437.

Adler, P. (discussion), *STP 374*.

Aerospace materials
- ductile beryllium-aluminum wrought alloys (Fenn, Crooks, and Pasternak), *STP 379*.
- energy absorption in space-vehicle landings (Warner and Marble), *STP 379*.
- fused silica (Hallse and Rizley), *STP 379*.
- high-temperature, structural applications (Kendall and McClelland), *STP 379*.
- intermetallic composite material (Anthony), *STP 379*.
- techniques for insulation (Light), *STP 373*.
- thermal structural composites for (Beasley and Clapper), *STP 379*.

Agarwal, S. L., and Venkatesan, S.: An instrument to measure skin friction and normal earth pressure on deep foundations, *STP 392*.

Age hardening
- precipitation-hardening stainless steels (Wilkins, Pence, and Perry), *STP 369*.
- stainless steels, martensitic (Aggen, Hammond, and Lula), *STP 369*.

Agfa Vulcameter, continuous measurement of rubber vulcanization (Gehman and Ogilby), *STP 383*.

Aggen, G. N., Hammond, C. M., and Lula, R. A.: New martensitic age hardening stainless steels, *STP 369*.

Aggen, G. N., and Kaltenhauser, R. H.: Relationship between metallurgical structure and properties of a precipitation hardening stainless steel, *STP 369*.

Aggregates
- concrete strength measurement—cores vs. cylinders (Bloem), 668.
- single-particle freezing resistance test for concrete (Meininger, Fox, and Lepper), 801.

Aging
- causes of polypropylene oven aging variability (Forsman), *STP 375*.
- evaluation of the 18N-9Co-5Mo maraging steel sheet (Corn), *STP 370*.

Albertin, L. (discussion), *STP 381*.

Alemayehu, Teferra, *see* Wiseman, Gdalyah, and Alemayehu, Teferra.

Alfrey, T., Jr.: Molecular structure and properties of macromolecules (abstract only), *STP 386*.
Alkali metals, prediction of cavitation damage in (Leith), 789.
Allotropes, sulfur, mechanical properties of (Dale and Ludwig), *MR&S*, August, 411.
Alloys, *see* individual metals.
Alper, R. H. (discussion), *MR&S*, May, 231.
Aluminum and aluminum alloys
anodic coatings on testing of (Cochran and Englehart), *STP 388*.
anodizing of aluminum alloys—metallurgical structure factors (Morris), *STP 388*.
atmospheric exposure of aluminum and magnesium sand and permanent mold castings, 237.
chemical preparation of aluminum for chemical, electrochemical brightening and anodic coating (Andrus and Pettit), *STP 388*.
comparison of ultrasonic and conventional axial fatigue tests (Fox), *MR&S*, February, 60.
effect of a fatigue crack on the fatigue strength of (Bennett), *MR&S*, May, 235.
effect of a temperature change on cumulative fatigue damage (Dunsby), 736.
elongation and yield strength as related to gage length and offset (Stickley and Brownhill), 597.
engineering the sulfuric anodic process (Darrow), *STP 388*.
evaluation of sharp-notch tension testing (Heyer), *STP 381*.
fracture toughness testing at Alcoa Research Laboratories (Kaufman and Hunsicker), *STP 381*.
mechanical properties and deformation characteristics under pressure (Pugh), *STP 374*.
mechanism of anodic coating formation on (Kissin), *STP 388*.
mechanisms of radiation-induced mechanical property changes in (Barnes), *STP 380*.
notch toughness of, by proposed ASTM recommended practice (Kaufman), 626.
sealing and post anodic treatments (Barkman), *STP 388*.
secondary standard for eddy current inspection of tube (Hoch), 617.
Am. Petroleum Inst. Project 6 aromatic hydrocarbons in high-boiling fractions (Mair), *STP 389*.
Ames, S. L., and Burk, D. L.: A simple oxidation balance, *MR&S*, June, 311.
Anderson, P. J. (discussion), *STP 373*.
Andrus, J. M., and Pettit, Ralph: Chemical preparation of aluminum for chemical, electrochemical brightening and anodic coating, *STP 388*.
Anelasticity, metals and nonmetallics (Nowick), *STP 378*.
Annealing
behavior of irradiation damage in molybdenum (Eyre and Roberts), *STP 380*.
effects of irradiation in austenitic steels and other high-temperature alloys (Pfeil and Harries), *STP 380*.
finite BCC iron specimens, computer studies of neutron irradiation (Beeler), *STP 380*.
neutron embrittlement and embrittlement relief of reactor pressure vessel steels (Steele and Hawthorne), *STP 380*.
stainless steel, production bright annealing of (Boyer and Perrine), *STP 369*.
stainless steel, type 304, effect of small columbium additions (Yeo and Scott), *STP 369*.
vacuum, effect on the properties of austenitic stainless steels (Roach, Leffingwell, and Hall), *STP 369*.
Anodic Coatings
anodizing of aluminum alloys—metallurgical structure factors (Morris), *STP 388*.
chemical preparation of aluminum for chemical, electrochemical brightening and anodic coating (Andrus and Pettit), *STP 388*.
engineering the sulfuric anodic process (Darrow), *STP 388*.
mechanism of formation on aluminum (Kissin), *STP 388*.
on aluminum, testing of (Cochran and Englehart), *STP 388*.
sealing and post anodic treatments (Barkman), *STP 388*.
Anthony, F. M.: An approach to scale up of an intermetallic composite materials for structural applications, *STP 379*.
Anthony, M. V. (discussion), *STP 373*.
Antifreezes, report of Committee D-15, 440.
Antigenticity
implants, biological endpoints for compatibility (Woodward), *STP 386*.
synthetic polypeptide antigens (Maurer) (abstract only), *STP 386*.
Appearance
anodic coatings on aluminum (Cochran and Englehart), *STP 388*.
report of Committee E-12, 533.
Argon, spectrochemical analysis of high temperature alloys by spark excitation in (Dilworth), *STP 376*.
Armiento, D. F., *see* Carman, C. M., Strachan, R. W., Armiento, D. F., and Markus, H.
Aromatic compounds, hydrocarbons in high-boiling fractions (Mair), *STP 389*.
Arrak, A. (discussion), *STP 376*.
Asbestos-cement, report of Committee C-17, 346.
Asphaltic crudes, molecular complex comprising heavy petroleum fractions (Erdman), *STP 389*.
Asphalts
comparison of xenon and carbon arcs as radiation sources for laboratory weathering of (Martin, Campbell, and Wright), 809.
vacuum extractor for bituminous mixtures (Brakey), *MR&S*, December, 622.
Astbury, N. F., and Moore, F.: Torsional hysteresis in plastic clay and its interpretation, *MR&S*, April, 178.
ASTM
Annual Meeting, sixty-eighth, summary of, 1; Board of Directors, annual report, highlights, 43; district activities commit-

tee, report, 93; finances, 69; papers and publications committee, report, 87; research committee, report, 85; simulated service testing committee, report, 94; standards committee, report, 79.
ASTM Standards
preparation of definitions (ASTM Committee E-8), *MR&S*, April, 184.
structural steel surges forward (Stetina), *MR&S*, November, 582.
thermocouples and their usage in (Zabawsky and Gavan), *MR&S*, February, 80.
ASTM technical committees, carbon and graphite activities in ASTM (Etris), *MR&S*, December, 630.
Atlas, S. M., and Mark, H. F.: Resistance of polymers to degradation, *STP 386*.
Atmospheric sampling, report of Committee D-22, 473.
Atomic absorption, quantitative analysis by (Kahn), *MR&S*, July, 337.
Atwater, H. A.: EPR measurements of radiation immunization in poly(methyl methacrylate) by organic additives, *STP 384*.
Auld, J. R.: Effect of heat treatment and welding on corrosion resistance of austenitic stainless steels, *STP 369*.
Ault, R. T., *see* Brisbane, A. W., Hawn, J. M., and Ault, R. T.
Aungst, R. C., and Defferding, L. J.: Crack propagation tests on Zircaloy-2 reactor pressure-tubing in both the normal and hydrided conditions, *STP 380*.
Ausforming, fabrication and properties of high-strength alloy steel (Gerberich, Williams, Martin, and Heise), *STP 370*.
Automobile trim, stainless steel, appraisal of evaluation tests (Bates and Phelps), *STP 369*.
Avery, H. S. (discussion), *STP 369*.
Axial fatigue tests, comparison with ultrasonic fatigue tests on aluminum alloy rod (Fox), *MR&S*, February, 60.

B

Bainites, ultrahigh-strength, thermomechanical treatments applied to (Kalish, Kulin, and Cohen), *STP 370*.
Baker, A. J., Lauta, F. J., and Wei, R. P.: Relationships between microstructure and toughness in quenched and tempered ultra-high-strength steels, *STP 370*.
Balance, simple oxidation (Ames and Burk), *MR&S*, June, 311.
Ball, J. S. (introduction):
Hydrocarbon and non-hydrocarbon impurities, *STP 389*.
(discussion), *STP 389*.
Banerjee, B. R.: Fracture micromechanics in high-strength steels, *STP 370*.
Banerjee, B. R., Hauser, J. J., and Capenos, J. M.: Fine structure and properties of a 12 Cr MoWV martensitic stainless steel, *STP 369*.
Banerjee, B. R. (discussions), *STP 369*.
Banerjee, D. K., *see* Castrantas, H. M., Banerjee, D. K., and Noller, D. C.
Banus, M. D. (discussion), *STP 374*.
Barclay, W. F.: The mechanisms of deformation and work hardening in AISI type 301 stainless steel, *STP 369*.
Barden, L. (discussion), *STP 361*.
Barker, J. F. (discussion), *STP 369*.
Barkman, E. F.: Sealing and post anodic treatments, *STP 388*.
Barksdale, R. D. (discussion), *STP 361*.
Barnes, R. S.: Mechanisms of radiation-induced mechanical property changes, *STP 380*.
Barrett, J. J.: Advancements in extrusion and cold finishing of stainless steel irregular shapes, *STP 369*.
Basic nitrogen compounds in petroleum (Jewell, Yevich, and Snyder), *STP 389*.
Basic-oxygen steel, elevated-temperature properties of (Spaeder), *DS 46*.
Bates, J. F., *see* Phelps, E. H., and Bates, J. F.
Bauschinger effect, reinforcing steel, behavior under reversed loading (Singh, Gerstle, and Tulin), *MR&S*, January, 12.
Bazett, D. J., and Bell, E. S.: Influence of placement condition on shear test results on compacted soil, *STP 361*.
Beachem, C. D., and Pelloux, R. M. N.: Electron fractography—a tool for the study of micromechanisms of fracturing processes, *STP 381*.
Beams
correlation of tensile and slow-bend data on Charpy-type specimens (Nunes), 844.
low cycle fatigue crack propagation in rotating-beam specimens (Lange, Crooker, and Morey), *MR&S*, July, 352.
Bean, B. L., and Mulligan, B. W.: X-ray spectrochemical analysis of materials: cement and dental alloys, *STP 373*.
Bearing ratio strength, soils, ultimate densities and considerations of (Winnitoy), *STP 377*.
Beasley, R. M., and Clapper, R. B.: Thermal-structural composites for aerospace applications, *STP 379*.
Beck, F. H., Schoefer, E. A., Flowers, J. W., and Fontana, M. G.: New cast high-strength alloy grades by structure control, *STP 369*.
Beeghly, H. F.: The flow and fracture properties of unirradiated stainless steels, *STP 380*.
Beeler, J. R., Jr.: Computer studies of neutron irradiation damage and annealing in finite BCC iron specimens, *STP 380*.
Beeston, J. M. (discussion), *STP 380*.
Beeston, J. M.: Gas formation and compression fractures in irradiated beryllium, *STP 380*.
Behun, M. F., Burton, M. S., and Smith, G. V.: A low-temperature testing cell with controlled temperatures between −50 and −150C, *MR&S*, December, 629.
Bell, E. S., *see* Bazett, D. J., and Bell, E. S.
Bement, A. L., *see* Irvin, J. E., Bement, A. L., and Hoagland, R. G.
Bement, A. L., Tobin, J. C., and Hoagland, R. G.: Effects of neutron irradiation on the flow and fracture behavior of Zircaloy-2, *STP 380*.

Bend test, correlation of tensile and slow-bend data on Charpy-type specimens (Nunes), 844.
Bennett, J. A.: The effect of a fatigue crack on the fatigue strength of an aluminum alloy, *MR&S*, May, 235.
Berg, R. H.: Sensing zone methods in fine particle size analysis, *MR&S*, March, 119.
Berg, S., *see* Zack, Jr., J. F., and Berg, S.
Berggren, C. C., *see* Honnold, V. R., Berggren, C. C., Emmert, R. R., and Peffley, W. M.
Bernstein, H., *see* Craven, J. P., and Bernstein, H.
Bernstein, H., *see* Kies, J. A., Smith, H. L., Romine, H. E., and Bernstein, H.
Beryllides, high-temperature structural applications (Kendall and McClelland), *STP 379*.
Beryllium
  gas formation and compression fractures in (Beeston), *STP 380*.
  mechanical properties and deformation characteristics under pressure (Pugh), *STP 374*.
  structural shapes (Siergiej), *STP 379*.
Beryllium-aluminum alloys, ductile, wrought (Fenn, Crooks, and Pasternak), *STP 379*.
Bias control, variable illumination control for the electron microscope (McPartland and Daniel), *STP 372*.
Bierlein, T. K. (discussion), *STP 380*.
Bigelow, W. C., and Smith, J. V.: Two new indexes to the powder diffraction file, *STP 372*.
Bingham, C. D. (discussion), *MR&S*, May, 228.
Birley, A. W.: The use and misuse of plastics standards, *MR&S*, July, 366.
Bishop, A. W., and Gibson, R. E.: The influence of the provisions for boundary drainage on strength and consolidation characteristics of soils measured in the triaxial apparatus, *STP 361*.
Bitumen content
  report of Committee D-8, 402.
  road surfaces by neutron diffusion (Lachaud and Paquet), *STP 373*.
  vacuum extractor for (Brakey), *MR&S*, December, 622.
Black, H. L., and Lherbier, L. W.: Development of a modified alloy 20 stainless steel, *STP 369*.
Blackwell, P. L.: Impact of nuclear technology on highway engineering, *STP 373*.
Blight, G. E.: The effect of nonuniform pore pressures on laboratory measurements of the shear strength of soils, *STP 361;* (discussion), *STP 361*.
Bloem, D. L., Concrete strength measurement—core vs. cylinders, 668.
Blood clots
  artificial heart valves, development of (Davila), *STP 386*.
  effects of implants on (Sears), *STP 386*.
Bluhm, J. I. (discussions), *STP 378* and *STP 381*.
Bolting materials, ultrahigh-strength steel fasteners (Hood and Sproat), *STP 370*.
Bonding, effect, resistance of polymers to degradation (Atlas and Mark), *STP 386*.
Boot, A. R., and Watson, A.: Applications of centimetric radio waves in nondestructive testing, *STP 373*.
Bootzin, D., *see* LeMar, R., and Bootzin, D.
Borides, high-temperature structural applications (Kendall and McClelland), *STP 379*.
Boron carbide, intermetallic composite materials for structural applications (Anthony), *STP 379*.
Boron nitride, cubic, formation by high-pressure treatment (Bundy), *STP 374*.
Borowicka, H.: Vienna method of shear testing, *STP 361*.
Boundary drainage, strength and consolidation characteristics of soils measured in the triaxial apparatus, influence of the provisions (Bishop and Gibson), *STP 361*.
Bower, J. E.: Use of springback tester with steels having nonlinear stress-strain curves, *MR&S*, December, 607.
Boyer, R. C., and Perrine, R. J.: Practical aspects of production bright annealing of stainless steel, *STP 369*.
Bradbury, E. J., and Leininger, R. I.: Irreversible effects of high temperature and high pressure on organic materials, *STP 374*.
Brakey, B. A.: A vacuum extractor for bituminous mixtures, *MR&S*, December, 622.
Braski, D. N.
  (discussions), *MR&S*, June, 304.
  see also Heimerl, G. J. and Braski, D. N.
Brass, mechanical properties and deformation characteristics under pressure (Pugh), *STP 374*.
Brick, walls, radiometric method for moisture in (Rossinski, Przedecki, and Stachowitz), *STP 373*.
Brickner, K. G. *see also* Spaeder, C. E., Jr., and Brickner, K. G.
Brickner, K. G., Ratz, G. A., and Domagala, R. F.: Creep-rupture properties of stainless steels at 1600, 1800, 2000 F, *STP 369*.
Brinkman, J. A., and Wiedersich, H.: Mechanisms of radiation damage in reactor materials, *STP 380*.
Brisbane, A. W., Hawn, J. M., and Ault, R. T.: Fracture toughness and delayed failure behavior of 18 per cent nickel maraging steel, *MR&S*, August, 395.
Brittle fracture
  crack propagation tests on Zircaloy-2 reactor pressure tubing in both the normal and hydrided conditions (Aungst and Defferding), *STP 380*.
  important materials parameters affecting the performance of nuclear reactor pressure vessels (Wylie), *STP 380*.
Brittleness, refractory compounds and ductility of metals (Carniglia) *MR&S*, May, 244.
Brooks, E. H.: Introduction, *STP 384*.
Brown, D. E. (discussion), *STP 376*.
Brown, J. B., Fryer, M. P., Ohlwiler, O., Kollias, P., and Templeton, J. B.: Synthetic prostheses, silicone, teflon, and etheron, with

laboratory and clinical studies, including full jaw substitutions, (abstract only), *STP 386*.
Brown, R. A.: The mass spectrometry of hydrocarbons, *STP 389*.
Brown, R. R.: Proton and electron permanent damage in silicon semi-conductor devices, *STP 384*.
Brown, W. F., Jr., and Srawley, J. E.: Fracture toughness testing, *STP 381*.
Brownhill, D. J., *see* Stickley, G. W, and Brownhill, D. J.
Bucher, J. H. (discussion), *STP 370*.
Bueckner, H. F. (discussion), *STP 381*.
Building construction
centimetric radio waves in nondestructive testing, (Boot and Watson), *STP 373*.
effect of moisture on the fire endurance of (Harmathy), *STP 385*.
moisture equilibrium and migration in (Sereda and Hutcheon), *STP 385*.
moisture of wood in buildings (Verall), *STP 385*.
report of Committee E-6, 520.
Bulk modulus, ultrasonic determination of the bulk modulus of hydraulic fluids (Noonan), *MR&S*, December, 615.
Bundy, F. P.: Formation of new materials and structures by high-pressure treatment, *STP 374*.
Burk, D. L., *see* Ames, S. L., and Burk, D. L.
Burmister, D. M.: Environmental factors in soil compaction, *STP 377*.
Burn, K. N.: A transducer to measure pore water pressures in soil tests, *STP 361*.
Burns, N. H., *see* Perry, E. S., and Burns, N. H.
Burton, M. S., *see* Behun, M. F., Burton, M. S., and Smith, G. V.
Bush, G. F., Garwood, W. J., and Tiffany, B. E.: Accelerated tests as a method of predicting service corrosion of exterior automotive trim, *STP 369*.
Bush, S. H., and Tobin, J. C.: The effects of neutron exposure and reactor environments on stainless steels, *STP 369;* (discussion), *STP 380*.
Bush, S. H. (discussion), *STP 380*.
Butler, J. B. and Senyk, B. M.: Effect of mechanical damage on glass yarn strength, *MR&S*, August, 406.

C

Calcium carbide, used to determine moisture content of solid materials (Dahl), *MR&S*, September, 446.
Calcium tungstate, laser materials (Nassau), *MR&S*, January, 3.
Calibrating, electrical potential method, studying slow crack growth (Johnson), *MR&S*, September, 442.
Campanella, R. G., *see* Mitchell, J. K., and Campanella, R. G.
Campbell, P. G., *see* Martin, K. C., Campbell, P. G., and Wright, J. R.
Capenos, J. M., *see* Banerjee, B. R., Hauser, J. J., and Capenos, J. M.
Carbides
high-temperature structural applications (Kendall and McClelland), *STP 379*.
microconstituents in high-speed steel (Koh and Nikkel), *STP 372*.
morphology, effect on properties of a precipitation hardening stainless steel (Aggen and Kaltenhauser), *STP 369*.
Carbon
report of Committee D-28, 486.
report of Committee C-5, 311.
status of carbon and graphite activities in ASTM (Etris), *MR&S*, December, 630.
Carbon arcs, comparison of xenon, and as radiation sources for laboratory weathering of asphalts (Martin, Campbell, and Wright), 809.
Carbon black, report of Committee D-24, 477.
Carbon steels, behavior of reinforcing steels under reversed loading (Singh, Gerstle, and Tulin), *MR&S*, January, 12.
Carbonate rocks, effective diffusivity with chemical reaction in porous rocks (Huang and Sherwood), *MR&S*, July, 362.
Carbonitrided, single edge notched specimens for measuring plane-strain fracture toughness (Wei and Lauta), *MR&S*, June, 305.
Carey, R. H.: Simulated service testing in the plastics industry, *STP 375*.
Carlson, C. C. (discussion), *STP 385*.
Carman, C. M., Strachan, R. W., Armiento, D. F., and Markus, H.: The effect of solidification practice on the properties of high-strength steels, *STP 370*.
Carniglia, S. C.: Brittleness of refractory compounds and ductility of metals, *MR&S*, May, 244.
Cass test, appraisal of evaluation tests for stainless steel automotive trim (Bates and Phelps), *STP 369*.
Castings
anodizing of aluminum alloys-metallurgical structure factors (Morris), *STP 388*.
atmospheric exposure of aluminum and magnesium sand and permanent mold castings, 237.
high-strength alloy steel grades by structure control (Beck, Schoefer, Flowers, and Fontana), *STP 369*.
Castrantas, H. M., Banerjee, D. K., and Noller, D. C.: Fire and explosion hazards of peroxy compounds, *STP 394*.
Catudal, F. W.: Insurance aspects of radiation damage in reactor structures, *STP 380*.
Cavitation
characteristics of the light flash produced upon impact of a liquid with a surface (DeCorso and Kothmann), *MR&S*, October 525.
in the alkali metals, prediction of damage (Leith), 789.
Cellulose
effect of moisture on surface flammability of coated and uncoated cellulosic materials (Lee, Loftus, and Gross), *STP 385*.
report of Committee D-23, 475.

Cement
content of hardened concrete, nondestructive estimation of (Yaltkaya, Enüstün, Urkan, Sentürk, and Köksal), *STP 373*.
damping capacity of hardened cement paste and mortar in specimens vibrating at very low frequencies (Cole and Spooner), 661.
hydrating, analyzing SO_3-bearing phases in (Kalousek), *MR&S*, June, 292.
report of Committee C-1, 301.
X-ray spectrochemical analysis (Bean and Mulligan), *STP 373*.
Cement-lime waters
consistency (discussions), *MR&S*, April, 171.
consistency (Halsted), *MR&S*, April, 171.
CEPAR, measurements of curing constants (Conant and Claxton), *STP 383*.
Ceramics
for Electronics, report of Committee C-25, 358.
fused silica as an aerospace material (Hallse and Rizley), *STP 379*.
gas bearing facilities for determining axial stress-strain and lateral strain of brittle materials to 5500 F (Pears and Digesu), 855.
Ceramic-metal systems, report of Committee C-22, 355.
Ceramic whitewares, report of Committee C-21, 353.
Cesium, prediction of cavitation damage in the alkali liquid metals (Leith), 789.
Chain length, polymer degradation processes (Jellinek), *STP 382*.
Chalfant, W. E. (discussion), *STP 389*.
Chamberlain, N. F. (discussion), *STP 389*.
Chambers, H. L., *see* Frank, Max, Taulbee, C. D., and Chambers, H. L.
Chan, L. G., and Rivard, P. J.: The effect of test techniques on the shear strengths of western Canadian clays, *STP 361*.
Chao, H. C., and Van Vlack, L. H.: Flow of steel near inclusions during deformation, *MR&S*, December, 611.
Chard, J. E. (discussion), *STP 381*.
Charpy impact tests, determining in-depth embrittlement of a simulated pressure vessel wall of A302-B steel (Serpan and Steele), *STP 380*.
Charpy test, correlation of tensile and slow-bend data on (Nunes), 844.
Chemical analysis, report of Committee E-3, 508.
Chemical polishing, chemical preparation of aluminum for chemical, electrochemical brightening and anodic coating (Andrus and Pettit), *STP 388*.
Chemical-resistant materials, report of Committee C-3, 307.
Chow, J. G. Y., and McRickard, S. B.: Low-temperature embrittlement of iron, iron alloys, and steels by neutron irradiations, *STP 380*.
Christian, J. L. (discussions), *MR&S*, May, 231.
Chromium, mechanical properties and deformation characteristics under pressure (Pugh), *STP 374*.
Chromium content, modified type 316 stainless steel with low tendency to form sigma (Spaeter and Brickner), *STP* 369.
Chryssafopoulos, N. (discussion), *STP 377*.
Clapper, R. B., *see* Beasley, R. M., and Clapper, R. B.
Clarke, P. C., and Kay, M. M. B.: Effect of surface films on fatigue life of steels, *MR&S*, December, 600.
Clarke, W. C., Jr., and Garvin, H. W.: Effect of composition and section size on mechanical properties of some precipitation hardening stainless steels, *STP 369*.
Claudson, T. T., and Pessl, H. J.: Irradiation effects on high-temperature reactor structural metals, *STP 380*.
Claxton, W. E., *see* Conant, F. S., and Claxton, W. E.
Clays
effect of test conditions on shear strength of western Canadian (Chan and Rivard), *STP 361*.
graphical approach to stress-strain relationship of normally consolidated (Pooroshasb and Roscoe), *STP 361*.
influence of stress history on stress paths in undrained triaxial tests on (Henkel and Sowa), *STP 361*.
influence of stress path on triaxial test results (Simons), *STP 361*.
Leda, some deficiencies in testing (Coates and McRostie), *STP 361*.
pore pressure functions in saturated soils (Juarez-Badillo), *STP 361*.
pore pressures within soil specimens in triaxial compression (Crawford), *STP 361*.
saturated, creep studies on (Mitchell and Campanella), *STP 361*.
shear failure, Mohr-Coulomb concept (Geuze), *STP 361*.
stress-dilatancy performance of (Rowe, Oates, and Skermer), *STP 361*.
torsional hysteresis in plastic clay (Astbury and Moore), *MR&S*, April, 178.
triaxial testing with large-scale high pressure equipment (Hall and Gordon), *STP 361*.
"undisturbed," strength determined from undrained tests, (Ladd and Lambe), *STP 361*.
Vienna method of shear testing (Borowicka), *STP 361*.
X-ray diffraction study of (Lachaud and Paquet), *STP 373*.
Clay pipe, report of Committee C-4, 310.
Cleaning, engineering the sulfuric anodic process (Darrow), *STP 388*.
Cleanliness
high-strength steel forgings (Henning), *STP 370*.
surfaces by indium adhesion, measuring (Krieger and Wilson), *MR&S*, July, 341.
Clupper, J. L. (discussion), *STP 370*.
Coal and coke, report of Committee D-5, 390.
Coates, D. F., and McRostie, G. C.: Some deficiences in testing Leda clay, *STP 361*.

Cobalt 60
influence of operating conditions on radiation damage to transistor gain (Frank, Taulbee, and Chambers), *STP 384*.
radiation induced surface effects on selected semiconductor devices (Cocca and Koepp-Baker), *STP 384*.
Cocca, U., and Koepp-Baker, N. B.: Radiation induced surface effects on selected semiconductor devices, *STP 384*.
Cochran, W. C., and Englehart, E. T.: Testing of anodic coatings on aluminum, *STP 388*.
Coefficient of adhesion, indium, measuring surface cleanliness (Krieger and Wilson), *MR&S*, July, 341.
Coefficient of friction, road surface (Dillard and Mahone), *STP 366*.
Coffman, B. S. (panel discussion), *STP 377*.
Cohen, A. (discussions), *STP 369*.
Cohen, M., *see* Kalish, D., Kulin, S. A., and Cohen, M.
Cold finishing, stainless steel irregular shapes (Barrett), *STP 369*.
Cold-rolled, Am-350 and Am-355 steels, metallurgy and properties of (McCunn, Aggen, and Lula), *STP 370*.
Cold work
effect on in-reactor creep of Zircaloy-2 (Holmes, Williams, Nyman, and Tobin), *STP 380*.
effect of neutron irradiation and, on the flow and fracture behavior of Zircaloy-2 (Bement, Tobin and Hoagland), *STP 380*.
Cole, D. G., and Spooner, D. C.: The damping capacity of hardened cement paste and mortar in specimens vibrating at very low frequencies, 661.
Coleman, H. J., *see* Thompson, C. J., Coleman, H. J., Hopkins, R. L., and Rall, H. T.
Columbium
additions, small, properties of 12 per cent chromium alloys modified with (Tanczyn), *STP 369*.
alloys, effect of irradiation on bend transition temperatures of (McCoy and Weir), *STP 380*.
hardened nickel-chromium-iron alloy, metallurgy of (Eiselstein), *STP 369*.
irradiation hardening and embrittlement in (Wronski, Sargent, and Johnson), *STP 380*.
Compaction
comparison of shear strengths of laboratory- and field-compacted soils (Holtz and Ellis), *STP 361*.
effect of rock content on compaction characteristics of clayey gravel (Gordon, Hammond, and Miller), *STP 377*.
influence of placement condition on shear test results on compacted soil, (Bazett and Bell), *STP 361*.
soils, environmental factors in (Burmister), *STP 377*.
soils (panel discussion), *STP 377*.
ultimate densities and strength considerations of base and subgrade soils (Winnitoy), *STP 377*.
vibratory maximum density test for cohesionless soils (Pettibone and Hardin), *STP 377*.
Compatibility
antigenicity of synthetic polypeptide antigens (abstract only) (Maurer), *STP 386*.
implants and blood (Sears), *STP 386*.
implants, biological endpoints for (Woodward), *STP 386*.
polymer implants in humans (Johnson), *STP 386*.
Composite materials
intermetallic for structural applications (Anthony), *STP 379*.
macromechanisms of damping in (Kerwin), *STP 378*.
thermal-structural for aerospace applications (Beasley and Clapper), *STP 379*.
Composition, effect on corrosion of 18Cr-8Ni-Ti stainless steels in acids (Streicher), *STP 369*.
Compressive strength
chromium-manganese-nitrogen stainless steel, high strength (Heger), *STP 369*.
concrete strength measurement—cores vs. cylinders (Bloem), 668.
1-mil molybdenum-faced foil sandwich up to 1800 F (Hunter), *STP 379*.
Compression test
constrained sand specimens (Selig and Vey), *MR&S*, March, 111.
effect of mechanical damage on glass yarn strength (Butler and Senyk), *MR&S*, August, 406.
graphical approach to stress-strain relationship of normally consolidated clays (Poorooshasb and Roscoe), *STP 361*.
rocks (Udd), *STP 373*.
void ratio effects on the hyperbolic stress-strain response of a sand (Kondner and Zelasko), *STP 361*.
Computers
computer assessment of fast neutron flux (Gardner and Shoemaker), *STP 384*.
studies of neutron irradiation and annealing in finite BCC iron specimens (Beeler), *STP 380*.
Conant, F. S., and Claxton, W. E.: CEPAR measurements of curing constants, *STP 383*.
Concrete
drying methods and fire resistance (Abrams and Orals), *STP 385*.
exposed to the sea, waterproofing strain gages on reinforcing bars in (Dryburgh, Peter, and Plewes), *MR&S*, July, 350.
hardened, nondestructive estimation of cement content of (Yaltkaya, Enüstün, Urkan, Sentürk, and Köksal), *STP 373*.
instrument to measure skin friction and normal earth pressure on deep foundations (Agarwal and Venkatesan), *STP 392*.
measuring density, by gamma ray transmission (Preiss), *MR&S*, June, 285.
report of Committee C-9, 321.
strength measurement—cores vs. cylinders (Bloem), 668.
tensile strength, evaluating (Pincus and Gesund), *MR&S*, September, 454.

Concrete (*continued*)
tensile properties and volume change of structural lightweight (Ledbetter and Thompson), 712.
Concrete dams, measurement of rock deformations in foundations for mass concrete dams (Rouse, Richardson, and Misterek), *STP 392*.
Concrete pipe, report of Committee C-13, 331.
Concrete reinforcement, tension tests of large-size deformed bars (Saunders and Siess), 654.
Conditioning, concrete drying methods and fire resistance (Abrams and Orals), *STP 385*.
Conductivity
pulsed radiation effects in crystalline polyethylene (Ebeoglu), 777.
radiation-induced, in polyethylene (Zack and Berg), *STP 384*.
Consistency
(discussion), *MR&S*, April, 171.
(Halsted), *MR&S*, April, 171.
Consolidation, soils, triaxial tests, influence of the provisions for boundary drainage on strength (Bishop and Gibson), *STP 361*.
Copper
mechanisms of radiation-induced mechanical property changes in (Barnes), *STP 380*.
mechanical properties and deformation characteristics under pressure (Pugh), *STP 374*.
report of Committee B-5, 201.
report of joint task group of Committees B-1 and B-2, 160.
Copper sulfate test, evaluation of accelerated Strauss testing (Scharfstein and Eisenbrown), *STP 369*.
Corbett, B. O. (discussion), *STP 361*.
Cores, concrete strength measurement—cores vs. cylinders (Bloem), 668.
Corn, D. L.: An evaluation of the 18 Ni-9 Co-5Mo maraging steel sheet, *STP 370*.
Corrodkote test, appraisal of tests for stainless steel automotive trim (Bates and Phelps), *STP 369*.
Corrosion
12-Cr MoWV martensitic stainless steel (Banerjee, Hauser, and Capenos), *STP 369*.
18 Cr-8Ni-Ti stainless steels in acids, effect of heat treatment, composition and microstructure (Streicher), *STP 369*.
austenitic stainless steels, effect of vacuum melting and vacuum annealing on (Roach, Leffingwell, and Hall), *STP 369*.
Crucible 422 stainless steel, effect of (Westgren and Dulis), *STP 369*.
effect of sealing and post anodic treatments on (Barkman), *STP 388*.
evaluation of accelerated Strauss testing (Scharfstein and Eisenbrown), *STP 369*.
in AM 350 steel for supersonic transport, electron microscopy of (Tiner), *STP 372*.
intergranular, of 430 stainless steel (Parker), *STP 369*.
products, electron beam microprobe identification (Landis, Merchant, and Zemany), *MR&S*, May, 219.
report of Committee A-5, 120.
report of Committee B-3, 169.
report of Committee G-1, 567.
resistance, austenitic stainless steels, effect of heat treatment and welding on (Auld), *STP 369*.
resistance, chromium-manganese-nitrogen-stainless steel high-strength (Heger), *STP 369*.
resistance, high-temperature reactor structural metals, irradiation effects on (Claudson and Pessl), *STP 380*.
resistance, laboratory test for determining susceptibility of nickel-molybdenum and nickel-molybdenum-chromium alloys to intercrystalline corrosion and its use in development of resistant alloys (Grafen), *STP 369*.
resistance, metallurgical structure and properties of a precipitation hardening stainless steel, relationship between (Aggen and Kaltenhauser), *STP 369*.
resistance, modified alloy 20 stainless steel (Black and Lherbier), *STP 369*.
resistance, prediction of cavitation damage in the alkali liquid metals (Leith), 789.
resistance, relationship of heat treatment and microstructure to in wrought Ni-Cr-Mo alloys (Streicher), *STP 369*.
stainless steels, time-temperature-sensitization (TTS) diagrams for types 347, 304L, and 316L (Ebling and Scheil), *STP 369*.
structural sheet materials, stress corrosion test for (Heimerl and Braski), *MR&S*, January, 18.
Coulomb-Mohr theory (Meyerhof), *STP 361*.
Cox, D. (discussion), *STP 382*.
Crack propagation
calibrating electrical potential method for studying (Johnson), *MR&S*, September, 442.
crack-velocity considerations (Krafft and Irwin), *STP 381*.
Crucible 422 stainless steel austrolling on the properties of (Westgren and Dulis), *STP 369*.
effect of a fatigue crack on the fatigue strength of an aluminum alloy (Bennett), *MR&S*, May, 235.
electron microscopy of stress-corrosion cracking in AM 350 steel for supersonic transport (Tiner), *STP 372*.
plane-strain fracture toughness with carbonitrided single-edge-notch specimens, measuring (Wei and Lauta), *MR&S*, June, 305.
rotating-beam specimens, low cycle fatigue (Lange, Crooker, and Morey), *MR&S*, July, 352.
stainless steels in cryogenic environments (Hurlich and Scheck), *STP 369*.
Zircaloy-2 reactor pressure tubing in both the normal and hydrided conditions (Aungst and Defferding), *STP 380*.
Cracks
applied fracture mechanics (Tiffany and Masters), *STP 381*.
fracture toughness testing methods (Srawley and Brown), *STP 381*.
growth, calibrating electrical potential method

(Johnson), *MR&S*, September, 442.
plasticity aspects of fracture mechanics (McClintock and Irwin), *STP 381*.
stress analysis of (Paris and Sih), *STP 381*.
Craven, John P., and Bernstein, Harold: Materials for deep submergence—a development dilemma, *MR&S*, November, 551.
Crawford, C. B.: Pore pressures within soil specimens in triaxial compression, *STP 361*; (discussion), *STP 361*.
Creep
damage in metals (Freeman and Voorhees), *STP 391*.
elevated-temperature properties of basic-oxygen steel (Spaeder), *DS 40*.
in-reactor, cold-worked Zircaloy-2, (Holmes, Williams, Nyman, and Tobin), *STP 380*.
mechanisms of radiation damage in reactor materials (Brinkman and Wiedersich), *STP 380*.
saturated clays (Mitchell and Campanella), *STP 361*.
stainless steels, effect of neutron exposure and reactor environments on (Bush and Tobin), *STP 369*.
stainless steels at 1600, 1800, and 2000 F (Brickner, Ratz, and Domagala), *STP 369*.
stainless steel, high-strength weldable, for elevated temperature service (Hull), *STP 369*.
Cremisio, R. S. (discussion), *STP 370*.
Crooker, T. W., *see* Lange, E. A., Crooker, T. W., and Morey, R. E.
Crooks, D. D., *see* Fenn, R. W., Jr., Crooks, D. D., and Pasternak, R. C.
Cross linking, studies of rubber using the Wallace-Shawbury Curometer (Norman, Hickman, and Payne), *STP 383*.
Crowe, J. W., and Sauer, A. J.: Transient radiation effects in semiconductor devices, *STP 384*.
Crushing strength, 1-mil molybdenum-faced foil sandwich up to 1800 F (Hunter), *STP 379*.
Cryogenic welding 3½ and 9 per cent nickel steels and 36 per cent nickel-iron alloy for cryogenic service (discussion), *MR&S*, May, 231.
Cryogenics
environments, evaluation and application of stainless steels in (Hurlich and Scheck), *STP 369*.
fracture toughness testing at Alcoa Research Laboratories (Kaufman and Hunsicker), *STP 381*.
high-strength stainless steel by deformation at low temperatures (Floreen and Mihilisin), *STP 369*.
impact testing, temperature variations in (D'Annessa and Lewis), *MR&S*, May, 229.
radiation-induced electronic phenomena in polyethylene (Zack and Berg), *STP 384*.
Crystal defects, lasers and laser materials (Nassau), *MR&S*, January, 3.
Crystalline polymers
pulsed radiation effects in crystalline polyethylene (Ebeoglu), 777.
radiation-induced, in polyethylene (Zack and Berg), *STP 384*.
Crystallinity, effect on resistance of polymers to degradation (Atlas and Mark), *STP 386*.
Crystals
internal friction studies of dislocations (Granato), *STP 378*.
lasers and laser materials (Nassau), *MR&S*, January, 3.
Cure rate
CEPAR measurements of constants (Conant and Claxton), *STP 383*.
rubber, continuous measurement with Agfa vulcameter (Gehman and Ogilby), *STP 383*.
rubber using the Wallace-Shawbury curometer (Norman, Hickman, and Payne), *STP 383*.
viscurometer—variables associated with (Veith), *STP 383*.
Curing
concrete strength measurement—cores vs. cylinders (Bloem) 668.
measurement using the Instron tester (Rowley), *STP 383*.
Cutting, specimen damage during (Szirmae and Fisher), *STP 372*.
Cyclic loading, damping studies in materials science and materials engineering (Lazan), *STP 378*.
Cyclic strain range, metals, correlation with low-cycle fatigue life (Morrow and Johnson), *MR&S*, January, 30.
Cylinders, concrete strength measurement—cores vs. cylinders (Bloem), 668.

D

Dahl, Sverre: Determining moisture in solid materials by reaction with calcium carbide, *MR&S*, September, 446.
Dale, J. M., and Ludwig, A. C.: Mechanical properties of sulfur allotropes, *MR&S*, August, 411.
Damage
influence of operating conditions on radiation damage to transitor gain (Frank, Taulbee, and Chambers), *STP 384*.
mechanical, effect on glass yarn strength (Butler and Senyk), *MR&S*, August, 406.
radiation induced surface effects on selected semiconductor devices (Cocca and Koepp-Baker), *STP 384*.
to houses, giant sonic boom causes only minor, (Shuman), *MR&S*, February, 79.
Damping
capacity, hardened cement paste and mortar in specimens vibrating at very low frequencies (Cole & Spooner), 661.
macromechanisms of, in composite structures (Kerwin), *STP 378*.
polymers, micromechanisms and phenomenology of (Kaelble), *STP 378*.
studies in materials science and materials engineering (Lazan), *STP 378*.
Dams
instrumentation for movements within rockfill dams (Wilson and Hancock), *STP 392*.
measurement of rock deformations in foundations for mass concrete (Rouse, Richardson and Misterek), *STP 392*.

Daniel, J. L., *see* McPartland, J. O., and Daniel, J. L.
D'Annessa, A. T., and Lewis, R. E.: Temperature variations in cryogenic impact testing, *MR&S*, May, 229.
Darrow, G. R.: Engineering the sulfuric anodic process, *STP 388*.
Davidson, T. E. (discussion), *STP 374*.
Davila, J. C.: The deveopment of artificial heart valves, *STP 386*.
Dawson, L. C.: Current and future applications of hydrocarbon analysis in quality control, *STP 389*.
Decker, G. E., *see* Wise, R. W., and Decker, G. E.
DeCorso, S. M., and Kothmann, R. E.: Characteristics of the light flash produced upon impact of a liquid with a surface, *MR&S*, October, 525.
DeCoste, J. B.: Lacquer marring by plasticizer migration from vinyl chloride plastics, *STP 375*.
Deep drawing, correlation of deep drawing press performance with tensile properties, *STP 390*.
Deep sea vehicles
  design considerations for manned deep-sea vehicles (Oakley), *MR&S*, November, 557.
  environmental test chambers for submersible vehicles (DeHart), *MR&S*, November, 564.
  materials for deep submergence—a development dilemma (Craven and Bernstein), *MR&S*, November, 551.
Defects
  anelastic phenomena in metals and nonmetallics (Nowick), *STP 378*.
  anodizing of aluminum alloys—metallurgical structure factors (Morris), *STP 388*.
  mechanisms of radiation-induced mechanical property changes (Barnes), *STP 380*.
  recovery of, in neutron-irradiated tungsten (Moteff and Smith), *STP 380*.
Defferding, L. J., *see* Aungst, R. C., and Defferding, L. J.
Definitions
  preparation of ASTM standard (ASTM Committee E-8), *MR&S*, April, 184.
  report of Committee E-8, 527.
Deformation
  characteristics of metals and alloys under pressure, mechanical properties and (Pugh), *STP 374*.
  high-strength stainless steels at room temperature (Floreen and Mayne), *STP 370*.
  plastic of an aluminum alloy in the tension test (Hsu and Williamson), 575.
  thermomechanical treatments applied to ultra-high-strength bainites (Kalish, Kulin, and Cohen), *STP 370*.
DeFusco, R. (discussion), *STP 369*.
Degradation
  effect of polymer structure on shear stability of polymer-thickened power transfer fluids (Foster and Mueller), *STP 382*.
  plastics during implantation (Leininger), *STP 386*.
  polymer implants in humans (Johnson), *STP 386*.
  polymer, processes (Jellinek), *STP 382*.
  polymer systems on the basis of reduced viscosity loss (Selby), *STP 382*.
  resistance of polymers (Atlas and Mark), *STP 386*.
  viscosity loss in polymer-thickened oils during use (Vick and Goodson), *STP 382*.
DeHart, R. C.: Environmental test chambers for submersible vehicles, *MR&S*, November, 564.
Delayed failure, fracture toughness and, behavior of 18 per cent nickel maraging steel (Brisbane, Hawn, and Ault), *MR&S*, August, 395.
DeLory, F. A.: Test methods and new equipment, *STP 361*.
Density
  measurements by radioactivity methods (Lachaud and Paquet), *STP 373*.
  pavements by nuclear methods (Blackwell), *STP 373*.
  research on vibratory maximum density test for cohesionless soils (Pettibone and Hardin), *STP 377*.
  ultimate, and strength considerations of base and subgrade soils (Winnitoy), *STP 377*.
Dental gold alloys, X-ray spectrochemical analysis (Bean and Mulligan), *STP 373*.
DeSisto, T. S., and Hickey, C. F., Jr.,: Low-temperature mechanical properties and fracture toughness of Ti-6Al-6V-2Sn, 641.
Despres, T. A.:
  Application of a conducting mask for thinning metallic foils for electron transmission microscopy, *STP 372*.
Detergents, report of Committee D-12, 425.
Diametral compression test (discussion), *MR&S*, July, 348.
Diamond formation of new materials and structures by high-pressure treatment (Bundy), *STP 374*.
Die-cast metals and alloys, report of Committee B-6, 208.
Dielectric constant
  metallized polymer film guard rings for measurement of (Scott), *MR&S*, February, 76.
  study of wet materials by means of (Lachaud and Paquet), *STP 373*.
Dielectric properties
  centimetric radio waves in nondestructive testing (Boot and Watson), *STP 373*.
  recessed Rogowski electrode for electric strength testing (Milton), 831.
Dielectrics, fused silica (Hallse and Rizley), *STP 379*.
Dietz, A. G. H. (discussion), *STP 373*.
Dietz, J. M.: Applications of gas chromatography to hydrocarbon analysis, *STP 389*.
Differential thermal analysis, SO_3-bearing phases in hydrating cements (Kalousek), *MR&S*, June, 292.
Diffusion, porous rocks, diffusivity with chemical reaction in (Huang and Sherwood), *MR&S*, July, 362.

Digesu, F. J., *see* Pears, C. D., and Digesu, F. J.
Dillard, J. H., and Mahone, D. C.: Measuring road surface slipperiness, *STP 366*.
Dilworth, H. C.: Spectrochemical analysis of high-temperature alloys by spark excitation in argon and nitrogen, *STP 376*.
Diodes
  proton and electron permanent damage in silicon semiconductor devices (Brown), *STP 384*.
  radiation induced surface effects on selected semiconductor devices (Cocca and Koepp-Baker), *STP 384*.
  transient radiation effects in semiconductor devices (Crowe and Sauer), *STP 384*.
Dipole moment, use of centimetric radio waves in nondestructive testing (Boot and Watson), *STP 373*.
Direction, effect of solidification practice on the properties of high-strength steels (Carman, Strachan, Armiento, and Markus), *STP 370*.
Discharge, comparison of xenon and carbon arcs as radiation sources for laboratory weathering of asphalts (Martin, Campbell, and Wright), 809.
Dislocations, internal friction studies of (Granato), *STP 378*.
Displacement, mechanisms of radiation damage in reactor materials (Brinkman and Wiedersich), *STP 380*.
Dolomite lime, an unsoundness test for limes without cement (Ramachandran, Feldman, and Sereda), *MR&S*, October, 510.
Domagala, R. F., *see* Brickner, K. G., Ratz, G. A., and Domagala, R. F.
Dougherty, M., *see* Adam, L. H., and Dougherty, M.
Drawing, extrusions and cold finishing of stainless steel irregular shapes (Barrett), *STP 369*.
Dryburgh, R. B., Peter, B. G. W., and Plewes, W. G.: Waterproofing strain gages on reinforcing bars in concrete exposed to the sea, *MR&S*, July, 350.
Drying
  methods for concrete and fire resistance (Abrams and Orals), *STP 385*.
  process (Hansen), *STP 385*.
  wood, kiln drying of (Rietz), *STP 385*.
Ductility
  ausforming fabrication and properties of high-strength alloy steel (Gerberich, Williams, Martin, and Heise), *STP 370*.
  austenitic stainless steels, effect of vacuum melting and vacuum annealing on (Roach, Leffingwell, and Hall), *STP 369*.
  beryllium-aluminum wrought alloys (Fenn, Crooks, and Pasternak), *STP 379*.
  beryllium structural shapes (Sierfiej), *STP 379*.
  high-strength steel forgings (Henning), *STP 370*.
  mechanical properties and deformation characteristics of metals and alloys under pressure (Pugh), *STP 374*.
  metallurgical structure precipitation hardening stainless steel, relationship between (Aggen and Kaltenhauser), *STP 369*.
  metals, refractory compounds, brittleness of (Carniglia), *MR&S*, May, 244.
  precipitation hardening stainless steels, effect of composition and section size on (Clarke and Garvin), *STP 369*.
  radiation-induced mechanical property changes, mechanisms of (Barnes), *STP 380*.
  use of materials properties by the reactor vessel designer (Langer), *STP 380*.
Dulis, E. J. (discussions), *STP 369*.
Dulis, E. J., *see also* Westgren, R. C., and Dulis, E. J.
Dunn, E. J. (discussion), *STP 370*.
Dunsby, J. A.: The effect of a temperature change on cumulative fatigue damage, 736.
Durability, single particle freezing resistance test for concrete aggregates (Meininger, Fox, and Lepper), 801.
Dynamic loads
  planning soil dynamics instrumentation (Selig and Joyce), *STP 392*.
  simple setup for applying impact loads (Perry and Burns), *MR&S*, October, 515.
  the development of a free-field soil stress gage for static and dynamic measurements (Ingram), *STP 392*.

E

Earth pressures, hydraulic earth pressure cell (Peaker), *STP 392*.
Ebeoglu, D. B.: Pulsed radiation effects in crystalline polyethylene, 777.
Ebling, J. F. (discussion), *STP 369*.
Ebling, H. F., and Scheil, M. A.: Time-temperature-sensitization (TTS) diagrams for types 347, 304L, and 316L stainless steels, *STP 369*.
Ebner, M. L. (discussions), *STP 143*.
Eckel, J. F., and Manning, C. R., Jr.: A study of internal-friction peaks in type 304 stainless steel containing nitrogen, *STP 369*.
Eddy currents, secondary standard for inspection of aluminum alloy tube (Hoch), 617.
Edman, T.: Designing and fabricating with textiles, *STP 386*.
Ehrler, A. J., Farrell, R. E., Ingber, N. M., and Nawrocka, I. M.: Analysis of kerosine and gas oils, *STP 389*.
Eiselstein, H. L.: Metallurgy of a columbium-hardened nickel-chromium-iron alloy, *STP 369*.
Eisenbrown, C. M., *see* Scharfstein, L. R., and Eisenbrown, C. M.
Elastomers, designing and fabricating implants with (Konkle), *STP 386*.
Electrical charge, function of dynamic stress in a mica-filled epoxy (Fitzgerald), *MR&S*, May, 240.
Electrical conductors, report of Committee B-1, 156.
Electrical insulating liquids and gases, report of Committee D-27, 480.
Electrical insulating materials
  recessed Rogowski electrode for electric strength testing (Milton), 831.
  report of Committee D-9, 406.

Electrical potential
fracture toughness testing methods (Srawley and Brown), *STP 381*.
method, calibrating, for studying slow crack growth (Johnson), *MR&S*, September, 442.
Electrical properties, fused silica (Hallse and Rizley), *STP 379*.
Electrical resistance, heating, and contacts, report of Committee B-4, 198.
Electrical resistivity, effects of high-pressure, high-temperature treatment on electronic materials (Warekois), *STP 374*.
Electrodeposited coatings, report of Committee B-8, 278.
Electromagnetic testing, secondary standard for eddy current inspection of aluminum alloy tube (Hoch), 617.
Electromagnets, high-field superconductivity (Kunzler), *MR&S*, April, 161.
Electromyography, human reactions to hardness of floor coverings (Schöjdt), *MR&S*, January, 33.
Electron and proton permanent damage in silicon semiconductor devices (Brown), *STP 384*.
Electron diffraction, mechanisms of deformation and work hardening in AISI type 301 stainless steel (Barclay), *STP 369*.
Electron microprobe
(Landis), *MR&S*, May, 219.
microconstituents in high-speed steel (Koh and Nikkel), *STP 372*.
Electron microscopy
application of a conducting mask for thinning metallic foils (Despres), *STP 372*.
determination of aging mechanisms in precipitation-hardening stainless steels (Wilkins, Pence, and Perry), *STP 369*.
determination of gas formation and compression fractures in irradiated beryllium (Beeston), *STP 380*.
determining mechanisms of radiation-induced mechanical property changes (Barnes), *STP 380*.
electron fractography—micromechanisms of fracturing processes (Beachem and Pelloux), *STP 381*.
investigation of microstructure and room-temperature fracture in SM-200 nickel-base alloy (Hertzberg and Ford), *STP 372*.
nature and annealing behavior of irradiation damage in molybdenum (Eyre and Roberts), *STP 380*.
relationships between microstructure and toughness in quenched and tempered ultra-high-strength steels (Baker, Lauta, and Wei), *STP 370*.
specimen damage during cutting and grinding (Szirmae and Fisher), *STP 372*.
stress-corrosion cracking in AM 350 steel for a supersonic transport (Tiner), *STP 372*.
studies of effects of irradiation in iron and steels (Harries and Eyre), *STP 380*.
variable bias illumination control for the electron microscope (McPartland and Daniel), *STP 372*.
Electron paramagnetic resonance, radiation immunization in poly(methyl methacrylate) by organic additives (Atwater), *STP 384*.
Electronic materials
effects of high-pressure, high-temperature treatment on the properties, (Warekois), *STP 374*, 163.
report of Committee F-1, 557.
Electropolishing, preparation of aluminum for chemical, electrochemical brightening and anodic coating (Andrus and Pettit), *STP 388*.
Ellis, W., *see* Holtz, W. G., and Ellis, W.
Elongation
low-temperature mechanical properties and fracture toughness of Ti-6Al-6V-2Sn (DeSisto and Hickey), 641.
plastics during implantation (Leininger), *STP 386*.
yield strength and as related to gage length and offset (Stickley and Brownhill), 597.
Embrittlement
12 to 16 per cent chromium steels, further formation of sigma in (Ludwigson and Link, *STP 369*.
by irradiation in body-centered cubic transition metals (Wronski, Sargent, and Johnson), *STP 380*.
effects of irradiation in austenitic steels and other high-temperature alloys (Pfeil and Harries), *STP 380*.
iron, iron alloys, and steels, low-temperature, by neutron irradiations (Chow and McRickard), *STP 380*.
neutron embrittlement and embrittlement relief of reactor pressure vessel steels (Steele and Hawthorne), *STP 380*.
simulated pressure vessel wall of A 302B steel (Serpan and Steele), *STP 380*.
Emmert, R. R., *see* Honnold, V. R., Berggren, C. C., Emmert, R. R., and Peffley, W. M.
Englehart, E. T., *see* Cochran, W. C., and Englehart, E. T.
Enrick, N. L. (discussions), *STP 366*.
Environmental test, chambers for submersible vehicles (DeHart), *MR&S*, November, 564.
Environment, effect on
resistance of polymers to degradation (Atlas and Mark), *STP 386*.
stress cracking of high density polyethylene (Suezawa, Hōjō, Ikeda, and Okamura), *MR&S*, February, 55.
Epoxy resins, electrical charge as a function of dynamic stress in a mica-filled epoxy (Fitzgerald), *MR&S*, May, 240.
Erdman, J. G.: The molecular complex comprising heavy petroleum fractions, *STP 389*.
Erkmen, E., *see* Krahl, N. W., Victory, S. P., Jr., Erkmen, E., and Sims, J. R.
Ernst, D. W. (discussion), *STP 374*.
Erosion
characteristics of the light flash produced upon impact of a liquid with a surface (DeCorso and Kothmann), *MR&S*, October, 525.
fused silica (Hallse and Rizley), *STP 379*.
report of Committee G-2, 571.
Etheron, synthetic prostheses, with laboratory and clinical, including full jaw substitutions

(Brown, Fryer, Ohlwiler, Kollias, and Templeton) (abstract only), *STP 386*.
Etris, S. F.: Status of carbon and graphite activities in ASTM, *MR&S*, December, 630.
Evaporation, thermal stability of sedimenting suspensions used to measure particle-size distribution (Kaye and Treasure), *MR&S*, November, 568.
Expansion, unsoundness test for limes without cement (Ramachandran, Feldman, and Sereda), *MR&S*, October, 510.
Explosion, hazards of peroxy compounds (Castrantas, Banerjee, and Noller), *STP 394*.
Exposure testing, report of Advisory Committee, 572.
Extractor, vacuum extractor for bituminous mixtures (Brakey), *MR&S*, December, 622.
Extrusion
  beryllium structural shapes (Siergiej), *STP 379*.
  stainless steel irregular shapes (Barrett), *STP 369*.
Eyes, polymer implant applications (Stone, Yasuda, Seiderman, and Ore), *STP 386*.
Eyre, B. L., and Roberts, A. C.: The nature and annealing behavior of irradiation damage in molybdenum, *STP 380*.
Eyre, B. L., *see* Harries, D. R., and Eyre, B. L.

F

Fabrication techniques, ausforming and properties of high-strength alloy steel (Gerberich, Williams, Martin, and Heise), *STP 370*.
Failure, delayed, and fracture toughness behavior of 18 per cent nickel maraging steel, (Brisbane, Hawn, and Ault), *MR&S*, August, 395.
Farrell, R. E., *see* Ehrler, A. J., Farrell, R. E., Ingber, N. M., and Nawrocka, I. M.
Fasteners, ultrahigh-strength steel (Hood and Sproat), *STP 370*.
Fatigue
  comparison of ultrasonic and conventional axial tests, on aluminum alloy rod (Fox), *MR&S*, February, 60.
  cyclic plastic strain energy of metals (Morrow), *STP 378*.
  effect of a fatigue crack on strength of an aluminum alloy (Bennett). *MR&S*, May, 235.
  effect of a temperature change on cumulative fatigue damage (Dunsby), 736.
  effect of surface films on fatigue life of steels (Clarke and Kay), *MR&S*, December, 600.
  in-reactor studies of, of a nuclear pressure vessel steel (Hawthorne and Steele), *STP 380*.
  low cycle, crack propagation in rotating-beam specimens (Lange, Crooker, and Morey), *MR&S*, July, 352.
  materials parameters affecting the performance of nuclear reactor pressure vessels (Wylie), *STP 380*.
  metals, correlation between cyclic strain range and low-cycle fatigue life (Morrow and Johnson), *MR&S*, January, 30.
  new specimen for testing longitudinal fillet weldments (Reemsnyder), 729.
  report of Committee E-9, 528.
  stainless steels, neutron exposure and reactor environments on (Bush and Tobin), *STP 369*.
  use of materials properties by the reactor vessel designer (Langer), *STP 380*.
  zirconium at elevated temperatures (Pederson and Murphy), 762.
Feldman, R. F., *see* Ramachandran, V. S., Feldman, R. F., and Sereda, P. J.
Fenn, R. W., Jr., Crooks, D. D., and Pasternak, R. C.: New ductile beryllium-aluminum wrought alloys, *STP 379*.
Ferric chloride immersion test, stainless steel automotive trim (Bates and Phelps), *STP 369*.
Ferrimagnetics, quenchable effects of high-temperature, high-pressure treatment on nonmetallic materials (Roy), *STP 374*.
Ferro-alloys, report of Committee A-9, 139.
Fiberboard, effect of moisture on surface flammability of (Lee, Loftus, and Gross), *STP 385*.
Fiberglass, effect of the drying process on (Hansen), *STP 385*.
Fibers
  designing and fabricating implants with textiles (Edman), *STP 386*.
  report of Committee D-30, 487.
Fidleris, V. (discussion), *STP 380*.
Filament winding, glass roving strands (Petker), *MR&S*, August, 387.
Filament-wound structures (Young), *STP 375*.
Fillets, new specimen for fatigue testing longitudinal weldments (Reemsnyder), 729.
Fine structure, 12-Cr MoWV martensitic stainlss steel (Banerjee, Hauser, and Capenos), *STP 369*.
Finn, W. D. L., and Mittal, H. K.: Shear strength of soil in a general stress field, *STP 361*.
Fire hazards of peroxy compounds (Castrantas, Banerjee, and Noller), *STP 394*.
Fire tests
  building materials, moisture equilibrium and migration in (Sereda and Hutcheon), *STP 385*.
  concrete drying methods and fire resistance (Abrams and Orals), *STP 385*.
  drying process (Hansen), *STP 385*.
  effect of moisture on surface flammability of coated and uncoated cellulosic materials (Lee, Loftus, and Gross), *STP 385*.
  effect of moisture on the fire endurance of building elements (Harmathy), *STP 385*.
  endurance of small gypsum slabs (Ryan), *STP 385*.
  moisture content of wood in buildings (Verrall), *STP 385*.
  report of Committee E-5, 518.
Fischer, J. A. (discussion), *STP 392*.
Fisher, R. M., *see* Szirmae, A., and Fisher, R. M.
Fitzgerald, R. G.: Electrical charge as a function of dynamic stress in a mica-filled epoxy, *MR&S*, May, 240.

Flame photometry, porous rocks, effective diffusivity with chemical reaction in (Huang and Sherwood), *MR&S*, July, 362.
Flannery, J. W. (discussion), *MR&S*, May, 231.
Fleming, P. G. (discussion), *STP 375*.
Flexible barrier materials, report of Committee F-2, 563.
Flexure test, plywood, machine and method (Post), *MR&S*, February, 64.
Floor coverings, human reactions to hardness of (Schöjdt), *MR&S*, January, 33.
Flooring, human reactions to hardness of (Schöjdt), *MR&S*, January, 33.
Floreen, S., and Mayne, C. R.: High-strength stainless steels by deformation at room temperature, *STP 370*.
Floreen, S., and Mihalisin, J. R.: High-strength stainless steel by deformation at low temperatures, *STP 369*.
Flow index, relation between liquid limit and shear strength of soils (Wiseman and Teferra), *MR&S*, November, 579.
Flowers, J. W., *see* Beck, F. H., Schoefer, E. A., Flowers, J. W., and Fontana, M. G.
Fluid jet, characteristics of the light flash produced upon impact of a liquid with a surface (DeCorso and Kōthmann), *MR&S*, October, 525.
Flux measurement, computor assessment of fast neutron flux (Gardner and Shoemaker), *STP 384*.
Flynn, P. W., *see* Trozera, T. A., and Flynn, P. W.
Foil
  application of a conducting mask for thinning metallic foils for electron transmission microscopy (Despres), *STP 372*.
  insulation in space environment (Light), *STP 373*.
  sandwich, 1-mil molybdenum-faced testing (Hunter), *STP 379*.
  specimen damage during cutting and grinding (Szirmae and Fisher), *STP 372*.
Fontana, M. G., *see* Beck, F. H., Schoefer, E. A., Flowers, J. W., and Fontana, M. G.
Fontana, M. G. (discussion), *STP 369*.
Ford, J. A., *see* Hertzberg, R. W., and Ford, J. A.
Forgings, high-strength steel (Henning), *STP 370*.
Forrer, T. H. (discussion), *STP 366*.
Forsman, J. P.: Causes of polypropylene oven aging variability, *STP 375*.
Foster, T. D., Jr., and Mueller, E. R.: Effect of polymer structure on shear stability of polymer-thickened power transfer fluids, *STP 382*.
Foster, T. D. (discussion), *STP 382*.
Foundations, instrument to measure skin friction and normal earth pressure on deep foundations (Agarwal and Venkatesan), *STP 392*.
Fox, A.: A comparison of ultrasonic and conventional axial fatigue tests on aluminum alloy rod, *MR&S*, February, 60; (discussion), *MR&S*, June, 304.
Fox, J. F., *see* Meininger, R. C., Fox, J. F., and Lepper, H. A.
Fox, K. M. (discussion), *STP 373*.
Fracture
  and flow and properties of unirradiated stainless steels (Beeghly), *STP 380*.
  irradiated beryllium, gas formation and (Beeston), *STP 380*.
  SM-200 nickel-base alloy, investigation of microstructure and room-temperature (Hertzberg and Ford), *STP 372*.
  use of materials properties by the reactor vessel designer (Langer), *STP 380*.
Fracture mechanics
  application of, to the development of a family of alloy steels (Pascover, Hill, and Matas), *STP 381*.
  applied (Tiffany and Masters), *STP 381*.
  crack-velocity considerations (Krafft and Irwin), *STP 381*.
  critical appraisal of (Weiss and Yukawa), *STP 381*.
  Crucible 422 stainless steel, effect of austrolling on the properties of (Westgren and Dulis), *STP 369*.
  electron fractography—micromechanisms of fracturing processes (Beachem and Pelloux), *STP 381*.
  fracture toughness testing at Alcoa Research Laboratories (Kaufman and Hunsicker), *STP 381*.
  fracture toughness testing in alloy development (Wei), *STP 381*.
  fracture toughness testing methods (Srawley and Brown), *STP 381*.
  high-strength steels (Banerjee), *STP 370*.
  incorporation of fracture information in specifications (Payne), *STP 381*.
  notch toughness of some aluminum alloys by proposed ASTM recommended practice (Kaufman), 626.
  panel discussion (Brown, W. F., Jr.), *STP 381*.
  plasticity aspects of (McClintock and Irwin), *STP 381*.
  relation to the safety of reactor pressure vessels (Irvine), *STP 380*.
  report of Committee E-24, 556.
  stress analysis of cracks (Paris and Sih), *STP 381*.
  testing of weldments (Kies, Smith, Romine, and Bernstein), *STP 381*.
Fracture toughness
  alloying precipitation hardening stainless steels (Berry and Marshall), *STP 369*.
  application to the development of a family of alloy steels (Pascover, Hill, and Matas), *STP 381*.
  applied mechanics (Tiffany and Masters), *STP 381*.
  ausforming fabrication and properties of high-strength alloy steel (Gerberich, Williams, Martin, and Heise), *STP 370*.
  crack-velocity considerations (Krafft and Irwin), *STP 381*.
  critical appraisal of fracture mechanics (Weiss and Yukawa), *STP 381*.
  Crucible 422 stainless steel, effects of austrolling on (Westgren and Dulis), *STP 369*.

delayed failure behavior of 18 per cent nickel maraging steel (Brisbane, Hawn, and Ault), *MR&S*, August, 395.
effect of solidification practice on the properties of high-strength steels (Carman, Strachan, Armiento, and Markus), *STP 370*.
electron fractography—a tool for the study of micromechanisms of fracturing processes (Beachem and Pelloux), *STP 381*.
evaluation of proposed recommended practice for sharp-notch tension testing (Heyer), *STP 381*.
fracture micromechanics in high-strength steels (Banerjee), *STP 370*.
incorporation of fracture information in specifications (Payne), *STP 381*.
low-temperature mechanical properties and, of Ti-6Al-6V-2Sn (DeSisto and Hickey), 641.
microstructure in quenched and tempered ultrahigh-strength steels, relationships between (Baker, Lauta, and Wei), *STP 370*.
panel discussion (Brown, W. F., Jr.), *STP 381*.
plane-strain, measuring, with carbonitrided single-edge-notch specimens (Wei and Lauta), *MR&S*, June, 305.
plasticity aspects of fracture mechanics (McClintock and Irwin), *STP 381*.
relationships between structure and properties in the 9Ni-4Co alloy system (Pascover and Matas), *STP 370*.
stress analysis of cracks (Paris and Sih), *STP 381*.
testing of weldments (Kies, Smith, Romine, and Bernstein), *STP 381*.
testing at Alcoa Research Laboratories (Kaufman and Hunsicker), *STP 381*.
testing in alloy development (Wei), *STP 381*.
testing methods (Srawley and Brown), *STP 381*.
Frank, Max, Taulbee, C. D., and Chambers, H. L.: Influence of operating conditions on radiation damage to transistor gain, *STP 384*.
Freeman, J. W., and Voorhees, H. R.: Creep damage in metals, *STP 391*.
Freezing
single-particle test for concrete aggregate (Meininger, Fox, and Lepper), 801.
Friction, measuring road surface slipperiness (Dillard and Mahone), *STP 366*.
Fry, D. L. (discussions), *STP 376*.
Fryer, M. P., *see* Brown, J. B., Fryer, M. P., Ohlwiler, O., Kollias, P., and Templeton, J. B., *STP 386*.
Furnace, centrifugal plasma jet (Grosse, McGonigal, Murphy, and Stokes), *MR&S*, April, 173.

G

Gage length, elongation and yield strength as related to offset and (Stickley and Brownhill), 597.
Gain, transistor influence of operating conditions on radiation damage to transistor (Frank, Taulbee, and Chambers), *STP 384*.
Gamma radiation
determination of moisture in brick walls (Rossinski, Przedecki, and Stachowitz), *STP 373*.
effect of high-energy sources on polymer-thickened lubricants (Klaus, Tewksbury, Jolie, Lloyd, and Manning), *STP 382*.
transmission, measuring concrete density by (Preiss), *MR&S*, June, 285.
Gardner, G. D. (discussions), *STP 369*.
Gardner, L. B., and Shoemaker, N. F.: A computor assessment of fast neutron flux, *STP 384*.
Garvin, H. W., *see* Clarke, W. C., Jr., and Garvin, H. W.
Garwood, W. J., *see* Bush, G. F., Garwood, W. J., and Tiffany, B. E.
Gas bearings, facilities for determining axial stress-strain and lateral strain of brittle materials to 5500 F (Pears and Digesu), 855.
Gas chromatography
determination of trace hydrocarbon impurities in high purity chemicals from petroleum (Klett and Korous), *STP 389*.
hydrocarbon analysis (Dietz), *STP 389*.
report of Committee E-19, 548.
Gas formation
effect on irradiated beryllium compression fractures and (Beeston), *STP 380*.
mechanisms of radiation-induced mechanical property changes (Barnes), *STP 380*.
Gas oils
and kerosine, analysis of (Ehrler, Farrell, Ingber, and Nawrocka), *STP 389*.
aromatic hydrocarbons in high-boiling fractions (Mair), *STP 389*.
Gaseous fuels, report of Committee D-3, 382.
Gaskets, report of Committee F-3, 564.
Gehman, S. D. and Ogilby, S. R.: Continuous measurement of rubber vulcanization with the Agfa vulcameter, *STP 383*.
Gerberich, W. W., Williams, A. J., Martin, C. F., and Heise, R. E.: Ausform fabrication and properties of high-strength alloy steel, *STP 370*.
Gerberich, W. W. (discussion), *STP 381*.
Gericke, O. R.: Ultrasonic spectroscopy of steel, *MR&S*, Jan., 23.
Gerstle, K. H., *see* Singh, Awtar, Gerstle, K. H., and Tulin, L. G.
Gesund, Hans, *see* Pincus, George, and Gesund, Hans.
Geuze, E. C. W. A.: The uniqueness of the Mohr-Coulomb concept in shear failure, *STP 361*.
Gibbs, H. J.: Pore pressure control and evaluation for triaxial compression, *STP 361*.
Gibbud, J. H. (discussion), *STP 373*.
Gibson, R. E., *see* Bishop, A. W., and Gibson, A. W.
Gillieson, A. H., Reed, D. J., Milliken, K. S., and Young M. J.: X-ray spectrochemical analysis of high-temperature alloys, *STP 376*.
Glass, report of Committee C-14, 337.
Glass fiber
effect of mechanical damage on glass yarn

Glass fiber (*continued*)
strength (Butler and Senyk), *MR&S*, August, 406.
filament-wound structures (Young), *STP 375*.
roving strands (Petker), *MR&S*, August, 387.
Glass-metal seals, iron-cobalt-nickel, oxide formation and adherence on (Abendroth), *MR&S*, September, 459.
Goda, K. J. (discussions), *STP 369*.
Goepfert, W. P.: Statistical aspects of mechanical property assurance, 267.
Gold alloys, X-ray spectrochemical analysis (Bean and Mulligan), *STP 373*.
Goldblatt, A. (discussion), *STP 376*.
Goodson, R. M., *see* Vick, G. K., and Goodson, R. M.
Gordon, B. B., *see* Hall, E. B., and Gordon, B. B.
Gordon, B. B., Hammond, W. D., and Miller, R. K.: Effect of rock content on compaction characteristics of clayey gravel, *STP 377*.
Gordon, D. I. (discussion), *STP 374*.
Grafen, H.: A laboratory test for determining susceptibility of nickel-molybdenum and nickel-molybdenum-chromium alloys to intercrystalline corrosion and its use in the development of resistant alloys, *STP 369*.
Grain, moisture in, determined by reaction with calcium carbide (Dahl), *MR&S*, September, 446.
Grain size, steel, ultrasonic spectroscopy of (Gericke), *MR&S*, January, 23.
Granato, A. V.: Internal friction studies of dislocations, *STP 378;* (discussion), *STP 378*.
Grant, S. P. (discussion), *STP 373*.
Granular material in sulfur mortars, measuring (Thompson), *MR&S*, May, 242.
Graphites
high-temperature structural applications (Kendall and McClelland), *STP 379*.
report of Committee C-5, 311.
status of carbon and graphite activities in ASTM (Etris), *MR&S*, December, 630.
Gravel, clayey, effect of rock content on compaction characteristics of (Gordon, Hammond, and Miller), *STP 377*.
Grinding, specimen damage during (Szirmae and Fisher), *STP 372*.
Gross, D. (discussion), *STP 385; see also* Lee, T. G., Loftus, J. J., and Gross, D.
Grosse, A. V., McGonigal, P. J., Murphy, W. J., and Stokes, C. S.: The centrifugal plasma jet furnace, *MR&S*, April, 173.
Guard rings, metallized polymer film, for dielectric measurements (Scott), *MR&S*, February, 76.
Gubbay, J. D. (discussion), *MR&S*, May, 228.
Gunderman, W. G. (discussion), *STP 373*.
Gyer, J. F. (discussion), *STP 382*.
Gypsum
fire endurance of small gypsum slabs (Ryan), *STP 385*.
report of Committee C-11, 329.

H

Hagan, R. S., and Thomas, J. R.: Plastic part properties and their relationship to end-use performance, *STP 375*.
Haines, W. E., *see* Latham, D. R., Okuno, I., and Haines, W. E.
Hall, E. B., and Gordon, B. B.: Triaxial testing with large-scale high pressure equipment, *STP 361*.
Hall, R. C. (discussion), *STP 369*.
Halsted, L. E. (discussion), *MR&S*, April, 171.
Hammond, C. M.:
The development of new high-strength stainless steels, *STP 369*.
see also Aggen, G. N., Hammond, C. M., and Lula, R. A.
Hammond, W. D., *see* Gordon, B. B., Miller, R. K., and Hammond, W. D.
Hancock, C. W., Jr., *see* Wilson, S. D., and Hancock, C. W.
Hanson, David: The process of drying, *STP 385; also* (discussion), *STP 385*.
Hardenability, Zircaloy-2, effects of neutron irradiation on (Bement, Tobin and Hoagland), *STP 380*.
Hardin, B. O.:
Dynamic versus static shear modulus for dry sand, *MR&S*, May, 231.
and Music, J.: Apparatus for vibration of soil specimens during the triaxial test, *STP 392*.
Hardin, J., *see* Pettibone, H. C., and Hardin, J.
Hardness
12 per cent chromium alloys modified with small columbium additions (Tanczyn), *STP 369*.
floor coverings, human reactions to (Schöjdt), *MR&S*, January, 33.
Harmathy, T. Z.: Effect of moisture on the fire endurance of building elements, *STP 385*.
Harries, D. R.
see Pfeil, P. C. L., and Harries, D. R.
and Eyre, B. L.: Effects of irradiation in iron and steels, *STP 380*.
Hartbower, C. E. (discussion), *STP 381*.
Hauser, J. J., *see* Banerjee, B. R., Hauser, J. J., and Capenos, J. M.
Hawn, J. M., *see* Brisbane, A. W., Hawn, J. M., and Ault, R. T.
Hawthorne, J. R.
and Steele, L. E.: In-reactor studies of low-cycle fatigue properties of a nuclear pressure vessel steel, *STP 380*.
see Steele, L. E., and Hawthorne, J. R.
Heart valves, artificial, development of (Davila), *STP 386*.
Heat treatment, *see* respective metals.
Heger, J. J.: Mechanical properties and corrosion resistance of a high-strength chromium-manganese-nitrogen-stainless steel, *STP 369*, also (discussion), *STP 369*.
Heimerl, G. J., and Braski, D. N.: A stress corrosion test for structural sheet materials, *MR&S*, January, 18; *also*, (discussion), *MR&S*, June, 304.
Heinrich, K. F. J. (discussion), *STP 376*.
Heise, R. E., *see* Gerberich, W. W., Williams, A. J., Martin, C. F., and Heise, R. E.
Helenelund, K. V. (discussion), *STP 361*.
Helmuth, R. A. (discussion), *STP 373*.
Henkel, D. J., and Sowa, V. A.: The influence of stress history on stress paths in undrained

triaxial tests on clay, *STP 361;* (discussion), *STP 361.*
Henning, J.: High-strength steel forgings, *STP 370.*
Herman, Jack (discussion), *STP 389.*
Hertzberg, R. W., and Ford, J. A.: Investigation of microstructure and room-temperature fracture in SM-200 nickel-base alloy, *STP 372.*
Heyer, R. H.: Evaluation of proposed recommended practice for sharp-notch tension testing, *STP 381.*
Hickerson, J. F.: Preface, *STP 389.*
Hickey, C. F., *see* DeSisto, T. S., and Hickey, C. F.
Hickman, J. A., *see* Norman, R. H., Payne, A. R., and Hickman, J. A.
Highways, measuring road surface slipperiness (Dillard and Mahone), *STP 366.*
Hill, M.
(discussion), *STP 370.*
see also Pascover, J. S., Hill, M., and Matas, S. J.
Hillis, S. F. (discussion), *STP 361.*
Hirschfeld, R. C., and Poulos, S. J.: High-pressure triaxial tests on a compacted sand and an undisturbed silt, *STP 361.*
Hoagland, R. G.
see Bement, A. L., Tobin, J. C., and Hoagland, R. G.
see Irvin, J. E., Bement, A. L., and Hoagland, R. G.
Hoch, F. R.: A secondary standard for eddy current inspection of aluminum alloy tube, 617.
Hōjō, T., *see* Suezawa, Y., Hōjō, H., Ikeda, T., and Okamura, Y.
Holden, F. C. (discussion), *MR&S*, July, 349.
Holmes, J. J., Williams, J. A., Nyman, D. H., and Tobin, J. C.: In-reactor creep of cold-worked Zircaloy-2, *STP 380.*
Holtz, W. G.:
Laboratory shear testing of soils, *STP 361;* also (discussion), *STP 361.*
and Ellis W.: Comparison of the shear strengths of laboratory- and field-compacted soils, *STP 361.*
Honeycomb sandwich structures, 1-mil molybdenum-faced foil, testing up to 1800 F (Hunter), *STP 379.*
Honnold, V. R., Berggren, C. C., Emmert, R. R. and Peffley, W. M.: Transient high energy effects in semiconductors and insulators, *STP 384.*
Hood, A. C., and Sproat, R. L.: Ultrahigh-strength steel fasteners, *STP 370.*
Hopkins, R. L., *see* Thompson, C. J., Coleman, H. J., Hopkins, R. L., and Rall, H. T.
Housel, W. S. (discussion), *STP 361.*
Hsu, T. C., Littlejohn, G. S., and Marchbank, B. M.: Elongation in the tension test as a measure of ductility, 874.
Hsu, T. C., and Williamson, A. S.: Plastic deformation of an aluminum alloy in the tension test, 575.
Huang, Jinn-Huie, and Sherwood, W. C.: Effective diffusivity with chemical reaction in porous rocks, *MR&S*, July, 362.
Huggins, C. M.: Nuclear magnetic resonance in materials analysis and testing, *MR&S*, March, 131.
Hull, F. C.: A high-strength weldable stainless steel for elevated-temperature service, *STP 369.*
Hulls (structures)
design considerations for manned deep-sea vehicles (Oakley) *MR&S*, November, 557.
environmental test chambers for submersible vehicles (DeHart), *MR&S*, November, 564.
materials for deep submergence (Craven and Bernstein), *MR&S*, November, 551.
Humidity, performance of double-glazed units in accelerated and service tests (Mazzoni and King), *MR&S*, October, 517.
Hunsicker, H. Y., *see* Kaufman, J. G., and Hunsicker, H. Y.
Hunter, A. R.: Testing 1-mil molybdenum-faced foil sandwich up to 1800 F, *STP 379;* (discussion), *MR&S*, July, 349.
Hurlich, A., and Scheck, W. G.: Evaluation and application of stainless steels in cryogenic environments, *STP 369.*
Hutcheon, N. B., *see* Sereda, P. J., and Hutcheon, N. B.
Hvorslev components
shear resistance, generalizing and measuring (Schmertmann), *STP 361.*
strength of "undisturbed" clay determined from undrained tests (Ladd and Lambe), *STP 361.*
Hydration, sealing and post anodic treatments (Barkman), *STP 388.*
Hydraulics
a smooth zone melter drive (Lerner), *MR&S*, December, 613.
earth pressure cell (Peaker), *STP 392.*
Hydraulic fluids
degradation of polymer systems on the basis of reduced viscosity loss (Selby), *STP 382.*
discrepancies between mechanical and sonic shear methods in evaluating shear stability of (LeMar and Bootzin), *STP 382.*
effect of high-energy sources on polymer-thickened lubricants (Klaus, Tewksbury, Jolie, Lloyd, and Manning), *STP 382.*
polymer structure on shear stability of polymer-thickened power transfer fluids (Foster and Mueller), *STP 382.*
ultrasonic determination of the bulk modulus of hydraulic fluids (Noonan), *MR&S*, December, 615).
Hydraulic lime
Unsoundness test for limes without cement (Ramachandran, Feldman, and Sereda), *MR&S*, October, 510.
Hydrocarbons
absorption spectroscopy of (LeTourneau), *STP 389.*
analysis of gasoline and blended fuels by an integrated methods approach (Lawrey), *STP 389.*
analysis of kerosine and gas oils (Ehrler, Farrell, Ingber, and Nawrocka), *STP 389.*
applications of gas chromatography to (Dietz), *STP 389.*

Hydrocarbons(*continued*)
basic nitrogen compounds in petroleum (Jewell, Yevich, and Snyder), *STP 389.*
basis for future developments of (Kurtz), *STP 389.*
current and future applications of analysis in quality control (Dawson), *STP 389.*
determination of trace impurities in high purity chemicals from petroleum by gas chromatography (Klett and Korous), *STP 389.*
high-boiling fractions (Mair), *STP 389.*
identification of ultraviolet-sensitive impurities in petroleum naphthalene (King and Warren), *STP 389.*
linear elution adsorption chromatography for extraneous materials (Snyder), *STP 389.*
mass spectrometry of (Brown), *STP 389.*
molecular complex comprising heavy petroleum fractions (Erdman), *STP 389.*
NMR analysis of (Zimmerman), *STP 389.*
nonbasic nitrogen compounds in petroleum (Latham, Okuno, and Haines), *STP 389.*
report of Committee D-16, 442.
sulfur compounds in petroleum (Thompson, Coleman, Hopkins, and Rall), *STP 389.*
Hydrogen cracking, Crucible 422 stainless steel, austrolling on the properties of (Westgren and Dulis), *STP 369.*
Hydrostatic design stresses for thermoplastic pipe (Reinhart), *STP 375.*
Hydrostatic extrusion, metals and alloys under pressure (Pugh), *STP 374.*
Hydrostatic pressure
measurement of hydrostatic uplift pressure on spillway weirs with air piezometers (Warlam and Thomas), *STP 392.*
simple pore water pressure gage (Raymond), *STP 361.*
Hysteresis, torsional, in plastic clay (Astbury and Moore), *MR&S*, April, 178.

I

IDS test, Hvorslev effective components of shear resistance, (Schmertmann), *STP 361.*
Ikeda, T., *see* Suezawa, H., Hōjō, H., Ikeda, T., and Okamura, Y.
Impact
characteristics of the light flash produced upon impact of a liquid with a surface (DeCorso and Kothmann), *MR&S*, October, 525.
constrained sand specimens, testing of (Selig and Vey), *MR&S*, March, 111.
cryogenic, temperature variations in (D'Annessa and Lewis), *MR&S*, May, 229.
energy absorption in space-vehicle landings (Warner and Marble), *STP 379.*
simple setup for applying loads (Perry and Burns), *MR&S*, October, 515.
strength of elevated-temperature properties of basic-oxygen steel (Spaeder), *DS 40.*
Impurities
effect on chemical preparation of aluminum for chemical, electrochemical brightening and anodic coating (Andrus and Pettit) *STP, 388.*
in petroleum naphthalene, ultraviolet-sensitive, identification of (King and Warren), *STP, 389.*
Inclusions
electron beam microprobe as a tool in materials engineering (Landis, Merchant, and Zemany), *MR&S*, May, 219.
flow of steel near inclusions during deformation (Chao and van Vlack), *MR&S*, December, 611.
microconstituents in high-speed steel (Koh and Nikkel), *STP 372.*
Inconel, metallurgy of a columbium-hardened nickel-chromium-iron alloy (Eiselstein), *STP 369.*
Indium, adhesion, measuring surface cleanliness by (Krieger and Wilson), *MR&S*, July, 341.
Indium antimonide
formation of by high-pressure treatment (Bundy), *STP 374.*
high-pressure, high-temperature treatment on the properties of electronic materials, effects of (Warekois), *STP 374.*
Industrial chemicals, report of Committee E-15, 538.
Ingber, N. M., *see* Ehrler, A. J., Farrell, R. E., Ingber, N. M., and Nawrocka, I. M.
Ingram, J. K.: The development of a free-field soil stress gage for static and dynamic measurements, *STP 392.*
Inhomogeneities, critical appraisal of fracture mechanics (Weiss and Yukawa), *STP 381.*
Insley, A. E. (discussion), *STP 361.*
Instron tester, vulcanization measurement (Rowley), *STP 383.*
Insulation, *see* electrical insulating and thermal insulating materials.
Intergranular attack
evaluation of accelerated strauss testing (Scharfstein and Eisenbrown), *STP 369.*
laboratory test for determining susceptibility of nickel-molybdenum and nickel-molybdenum-chromium alloys to (Grafen), *STP 369.*
relationship of heat treatment and microstructure to corrosion resistance in wrought Ni-Cr-Mo alloys (Streicher), *STP 369.*
testing system for detecting susceptibility to rapid in various grades of austenitic stainless steels (Streicher), (summary only), *STP 369.*
Interlaboratory tests, evaluation of proposed recommended practice for sharp-notch tension testing (Heyer), *STP 381.*
Internal friction
anelastic phenomena in metals and nonmetallics (Nowick), *STP 378.*
macromechanisms of damping in composite structures (Kerwin), *STP 378.*
studies of dislocations (Granato), *STP 378.*
Iron and iron alloys
computer studies of neutron irradiation and annealing in finite BCC iron specimens (Beeler), *STP 380.*
determination of magnetic properties by re-

sidual stress analysis in soft ferromagnetic alloys (Koves), *MR&S*, November, 573.
effects of irradiation on (Harries and Eyre), *STP 380.*
high pressure and temperature on the mechanical properties of (Radcliffe), *STP 374.*
iron-cobalt-nickel, glass sealing alloy, oxide formation and adherence on (Abendroth), *MR&S*, September, 459.
iron-nickel-chromium, high-strength stainless steels by deformation at room temperature, (Corn) *STP 370.*
irradiation effects on high-temperature reactor structural metals (Claudson and Pessl), *STP 380.*
low-temperature embrittlement by neutron irradiations (Chow and McRickard), *STP 380.*
specimen damage during cutting and grinding (Szirmae and Fisher), *STP 372.*
spectrochemical analysis of high-temperature alloys by spark excitation in argon and nitrogen (Dilworth), *STP 376.*
Iron castings, report of Committee A-4, 117.
Irvin, J. E., Bement, A. L., and Hoagland, R. G.: The combined effects of temperature and irradiation on the mechanical properties of austenitic stainless steels, *STP 380.*
Irvine, W. H.: The significance of recent developments in fracture mechanics in Great Britain in relation to the safety of reactor pressure vessels, *STP 380.*
Irwin, G. R.: *see* Krafft, J. M., and Irwin, G. R. *see* McClintock, F. A., and Irwin, G. R.
Isenburg, J. E.: Predicting workability in masonry mortars, *MR&S*, July, 358.

J

Januskevicius, C. K., and Vey, E.: Stresses and strains in triaxial specimens, *STP 392.*
Jaw (human), synthetic prostheses, silcone, teflon, and etheron with laboratory and clinical studies (Brown, Fryer, Ohlwiler, Kollias, and Templeton) abstract only, *STP 386.*
Jellinek, H. H. G.: Some aspects of polymer degradation processes, *STP 382.*
Jet planes, sonic boom, giant, causes only minor damage to houses (Shuman), *MR&S*, February, 79.
Jewell, D. M., Yevich, J. P., and Snyder, R. E.: Basic nitrogen compounds in petroleum, *STP 389.*
Joanides, J. C. (discussion), *STP 379.*
Johns, I. B. (discussion), *STP 374.*
Johnson, A. A., *see* Wronski, A. S., Sargent, G. A., and Johnson, A. A.
Johnson, A. I. (discussion), *STP 361.*
Johnson, A. R. (discussions), *STP 370.*
Johnson, B. G. (discussion), *STP 381.*
Johnson, F. B.: Studies on polymer implants in humans, *STP 386.*
Johnson, H. H.: Calibrating the electric potential method for studying slow crack growth, *MR&S*, September, 442.
Johnson, T. A., *see* Morrow, JoDean, and Johnson, T. A.
Johnston, G. D. (discussion), *STP 375.*
Jolie, R. M., *see* Klaus, E. E., Tewksbury, E. J., Jolie, R. M., Lloyd, W. A., and Manning, R. E.
Joyce, R. P., *see* Selig, E. T., and Joyce, R. P.
Juarez-Badillo, E.: Pore pressure functions in saturated soils, *STP 361;* (discussion), *STP 361.*
Juve, A. E.: Introduction, *STP 383.*

K

Kaelble, D. H.: Micromechanisms and phenomenology of damping in polymers, *STP 378.*
Kahn, H. L.: Quantitative analysis by atomic absorption, *MR&S*, July, 337.
Kalish, D., Kulin, S. A., and Cohen, M.: Thermomechanical treatments applied to ultra-high-strength bainites, *STP 370.*
Kalousek, G. L.: Analyzing SO_3-bearing phases in hydrating cements, *MR&S*, June, 292.
Kaltenhauser, R. H., *see* Aggen, G. N., and Kaltenhauser, R. H.
Kaufman, A. B.: Neutron and neutron spectra contribution to damage in silicon F.E.T.'s, *STP* 384.
Kaufman, J. G.: Notch toughness of some aluminum alloys by proposed ASTM recommended practice, 626; *also* (discussion), *STP 381.*
and Hunsicker, H. Y.: Fracture toughness testing at Alcoa research laboratories, *STP 381;* (discussion), *STP 381.*
Kay, M. M. B., *see* Clarke, P. C., and Kay, M. M. B.
Kaye, B. H., and Treasure, C. R. G.: Thermal stability of sedimenting suspensions used to measure particle-size distribution, *MR&S*, November, 568.
Kelman, L. R. (discussion), *STP 380.*
Kendall, E. G., and McClelland, J. D.: Nonmetallic materials for high-temperature structural applications, *STP 379.*
Kennedy, W. R. (discussion), *STP 376.*
Kent, C. L.:
International standardization for steel, *MR&S*, September, 467.
Technological trends in steel production, *MR&S*, March, 138.
Kerosine, and gas oils, analysis of (Ehrler, Farrell, Ingber, and Nawrocka), *STP 389.*
Kerwin, E. M., Jr.: Macromechanisms of damping in composite structures, *STP 378.*
Kiefer, M. L., *see* Olson, R. E., and Kiefer, M. L.
Kies, J. A., Smith, H. L., Romine, H. E., and Bernstein, H.: Fracture testing of weldments, *STP 381.*
Kiln drying
concrete drying methods and their effect on fire resistance (Abrams and Orals), *STP 385.*
wood (Rietz), *STP 385.*
King, L. K., *see* Mazzoni, R. J., and King, L. K.

King, R. W.
(introduction): potential analytical developments, *STP 389; also* (discussion), *STP 389.*
and Warren, R. W.: Identification of ultraviolet-sensitive impurities in petroleum naphthalene, *STP 389.*
Kissin, G. H.: Mechanism of anodic coating formation on aluminum, *STP 388.*
Kissinger, H. E. (discussion), *STP 380.*
Klaus, E. E., Tewksbury, E. J., Jolie, R. M., Lloyd, W. A., and Manning, R. E.: Effect of some high-energy sources on polymer-thickened lubricants, *STP 382.*
Klett, R. A., and Korous, L. R.: Determination of trace hydrocarbon impurities in high purity chemicals from petroleums by gas chromatography, *STP 389.*
Kline, G. M. (discussion), *STP 375.*
Koepp-Baker, N. B., *see* Cocca, U., and Koepp-Baker, N. B.
Koh, P. K. and Nikkel, H.: Microconstituents in high-speed steel, *STP 372.*
Köksal, K., *see* Yaltkaya, E. R., Enüstün, B. V., Urkan, S., Sentürk, H. S., and Köksal, K.
Kollias, P., *see* Brown, J. B., Fryer, M. P., Ohlwiler, O., Kollias, P., and Templeton, J. B., *STP 386.*
Kondner, R. L., and Zelasko, J. S.: Void ratio effects on the hyperbolic stress-strain response of a sand, *STP 361.*
Konkle, G. M.: Designing and fabricating with elastomers, *STP 386.*
Korous, L. R., *see* Klett, R. A., and Korous, L. R.
Kothmann, R. E., *see* DeCorso, S. M., and Kothmann, R. E.
Koves, G.: Determination of magnetic properties by residual stress analysis in soft ferromagnetic alloys, *MR&S*, November, 573.
Krafft, J. M., and Irwin, G. R.: Crack-velocity considerations, *STP 381.*
Krahl, N. W., Victory, S. P., Jr., Erkmen, E., and Sims, J. R.: The behavior of plain mortar and concrete under triaxial stress, 697.
Krieger, G. L. and Wilson, G. J.: Measuring surface cleanliness by indium adhesion, *MR&S*, July, 341.
Kruse, G. H.: Measurement of embankment stresses on a hundred-foot-high retaining wall, *STP 392.*
Kula, B. (discussion), *STP 370.*
Kulin, S. A., *see* Kalish, D., Kulin, S. A., and Cohen, M.
Kummer, H. W. (discussion), *STP 366.*
Kunzler, J. E.: High-field superconductivity, *MR&S*, April, 161.
Kurtz, S. S.: The basis for future developments of hydrocarbon analysis, *STP 389.*

L

Lachaud, R., and Paquet, J.: Applications of modern physics to materials tests, *STP 373.*
Lacquer
marring by plasticizer migration from vinyl chloride plastics (DeCoste), *STP 375.*
report of Committee D-1, 360.
Ladanyi, B. (discussions), *STP 361.*
Ladd, C. C., and Lambe, T. W.: The strength of "undisturbed" clay determined from undrained tests, *STP 361.*
Laidler, J. J. (discussion), *STP 380.*
Lambe, T. W.:
Stress variation and pore pressures, *STP 361.*
see also, Ladd, C. C., and Lambe, T. W.
Laminates
adhesive test (Sherrer), *MR&S*, March, 125.
glass roving strands (Petker), *MR&S*, August, 387.
Landfield, Harold (discussion), *STP 375.*
Landis, F. P., Merchant, R. W., and Zemany, P. D.: The electron beam microprobe as a tool in materials engineering, *MR&S*, May, 219.
Lange, E. A., Crooker, T. W., and Morey, R. E.: Low cycle fatigue crack propagation in rotating-beam specimens, *MR&S*, July, 352.
Langer, B. F.: The use of materials properties by the reactor vessel designer, *STP 380.*
Lasers and laser materials (Nassau), *MR&S*, Jan., 3.
Latham, D. R., Okuno, I., and Haines, W. E.: Nonbasic nitrogen compounds in petroleum, *STP 389.*
Lauta, F. J.
see Baker, A. J., Lauta, F. J., and Wei, R. P.
see Wei, R. P., and Lauta, F. J.
Lawrey, D. M. G.: The analysis of gasoline and blended fuels by an integrated methods approach, *STP 389.*
Lazan, B. J.: Damping studies in materials science and materials engineering, *STP 378;* (discussion), *STP 389.*
Leather
moisture determined by reaction with calcium carbide (Dahl), *MR&S*, September, 446.
report of ALCA-ASTM Joint Committee, 488.
Ledbetter, W. B., and Thompson, J. Neils: A technique for evaluation of tensile and volume change characteristics of structural lightweight concrete, 712.
Lee, I. K. (discussions), *STP 361.*
Lee, T. G., Loftus, J. J., and Gross, D.: Effect of moisture on surface flammability of coated and uncoated cellulosic materials, *STP 385.*
Lee, W. L.: Determination of proportional limit by direct readout, *MR&S*, November, 571.
Legrand, E.: The use of neutron diffraction in the study of the properties of matter, *STP 373.*
Leininger, R. I.:
Change in properties of plastics during implantation, *STP 386.*
see also Bradbury, E. J. and Leininger, R. I.
Leith, W. C.: Prediction of cavitation damage in the alkali liquid metals, 789.
LeMar, R., and Bootzin, D.: Discrepancies between mechanical and sonic shear methods in evaluating shear stability of hydraulic fluids, *STP 382.*
Leonard, Fred: Introduction, *STP 386.*
Lepper, H. A., *see* Meininger, R. C., Fox, J. F., and Lepper, H. A.
Lerner, L. S.: A smooth hydraulic zone melter drive, *MR&S*, December, 613.

LeTourneau, R. L. Absorption spectroscopy of hydrocarbons, *STP 389;* (discussion), *STP 389.*
Leussink, H., and Wittke, W.: Difference in triaxial and plain strain shear strength, *STP 361.*
Levy, E. J. (discussion), *STP 389.*
Lewis, R. E., *see* D'Annessa, A. T., and Lewis, R. E.
Lherbier, L. W. (discussion), *STP 369.*
Lien, G. E.: Experience with stainless steels in utility power plants, *STP 369.*
Light flash produced upon impact of a liquid with a surface, characteristics of (DeCorso and Kothmann), *MR&S*, October, 525.
Light, J. S.: Recent techniques for insulation in space environment, *STP 373.*
Light metals and alloys, report of Committee B-7, 219.
Light scattering, study of effect, polymer structure on shear stability of polymer-thickened power transfer fluids (Foster and Mueller), *STP 382.*
Lightweight concrete, tensile properties and volume change of (Ledbetter and Thompson), 712.
Lime
  report of Committee C-7, 314.
  unsoundness test for limes without cement (Ramachandran, Feldman and Sereda), *MR&S*, October, 510.
Linear elution adsorption chromatography for extraneous materials (Snyder), *STP 389.*
Link, H. S., *see* Ludwigson, D. C. and Link, H. S.
Liquid chromatography, aspects of linear elution adsorption chromatography for extraneous materials (Snyder), *STP 389.*
Liquid limit, shear strength of soils relation between (Wiseman and Teferra), *MR&S*, November, 579.
Littlejohn, G. S., *see* Hsu, T. C., Littlejohn, G. S., and Marchbank, B. M.
Liu, H. W. (discussion), *STP 381.*
Lloyd, W. A., *see* Klaus, E. E., Tewksbury, E. J., Jolie, R. M., Lloyd, W. A., and Manning, R. E.
Loftus, J. J., *see* Lee, T. G., Loftus, J. J., and Gross, D.
Loss on ignition, measuring granular materials in sulfur mortars, (Thompson), *MR&S*, May, 242.
Lotz, W. A. (discussion), *STP 373.*
Low cycle fatigue
  crack propagation in rotating-beam specimens (Lange, Crooker, and Morey), *MR&S*, July, 352.
  metals, correlation with cyclic strain range (Morrow and Johnson), *MR&S*, January, 30.
Low temperatures
  a cell with controlled temperatures (Behun, Burton, and Smith), *MR&S*, December, 629.
  columbium-hardened nickel-chromium-iron alloy (Eiselstein), *STP 369.*
  cryogenic impact testing, temperature variations in (D'Annessa and Lewis), *MR&S*, May, 229.
  embrittlement of iron, iron alloys, and steels by neutron irradiations (Chow and McRickard), *STP 380.*
  high-strength stainless steel produced by deformation at (Floreen and Mihalisin), *STP 369.*
  mechanical properties and fracture toughness of Ti-6Al-6V-2Sn (DeSisto and Hickey), 641.
  welding 3½ and 9 per cent nickel steels and 36 per cent nickel-iron alloy for cryogenic service (discussion), *MR&S*, May, 231.
Lubricants
  degradation of polymer systems on the basis of reduced viscosity loss (Selby), *STP 382.*
  effect of high energy sources on polymer thickened (Klaus, Tewksbury, Lloyd, and Manning), *STP 382.*
  report of Committee D-2, 370.
  viscosity loss in polymer-thickened oils during use (Vick and Goodson), *STP 382.*
Ludwig, A. C., *see* Dale, J. M., and Ludwig, A. C.
Ludwigson, D. C., and Link, H. S.: Further studies on the formation of sigma in 12 to 16 per cent chromium steels, *STP 369.*
Lula, R. A., *see* Aggen, G. N., Hammond, C. M., and Lula, R. A.
Luminescence
  radiation-induced electronic phenomena in polyethylene (Zack and Berg), *STP 384.*
  transient high energy effects in semiconductors and insulators (Honnold, Berggren, Emmert, and Peffley), *STP 384.*
Lundgren, Raymond, (discussion), *STP 377.*

M

Magnesium
  atmospheric exposure of sand and permanent mold castings, 237.
  mechanical properties and deformation characteristics under pressure (Pugh), *STP 374.*
Magnetic properties
  report of Committee A-6, 137.
  testing—theory and nomenclature, *STP 371.*
Magnetic structure, neutron diffraction techniques (Legrand), *STP 373.*
Magnetic testing, theory and nomenclature, *STP 371.*
Magnets, high-field superconductivity (Kunzler), *MR&S*, April, 161.
Magnuson, R. A.: Transient radiation effects on traveling-wave tubes, *STP 384.*
Mahone, D. C., *see* Dillard, J. H., and Mahone, D. C.
Mair, B. J.: Aromatic hydrocarbons in high-boiling fractions, *STP 389.*
Man made fiber textiles, designing and fabricating implants with (Edman), *STP 386.*
Manning, C. R., Jr., *see* Eckel, J. F., and Manning, C. R., Jr.
Manning, R. E., *see* Klaus, E. E., Tewksbury, E. J., Jolie, R. M., Lloyd, W. A., and Manning, R. E.
Maraging steel
  development of (Hammond), *STP 369.*

Maraging steel (*continued*)
effect of solidification practice on the properties of (Carman, Strachan, Armiento, and Markus), *STP 370*.
evaluation of sharp-notch tension testing (Heyer), *STP 381*.
fracture toughness and delayed failure behavior of 18 per cent nickel (Brisbane, Hawn, and Ault), *MR&S*, August, 395.
fracture toughness testing (Wei), *STP 381*.
high-strength steel forgings (Henning), *STP 370*.
sheet, evaluation of the 18Ni-9Co-5Mo (Corn), *STP 370*.
Marble, D. R., *see* Warner, R. W., and Marble, D. R.
Marchbank, B. M., *see* Hsu, T. C., Littlejohn, G. S., and Marchbank, B. M.
Mark, H. F., *see* Atlas, S. M., and Mark, H. F.
Markus, H., *see* Carman, C. M., Strachan, R. W., Armiento, D. F., and Markus, H.
Marshall, M. W., *see also* Perry, D. C., and Marshall M. W.
Marshall, R. P. (discussion), *STP 380*.
Martin, C. F., *see* Gerberich, W. W., Williams, A. J., Martin, C. F., and Heise, R. E.
Martin, K. G., Campbell, P. G., and Wright, J. R.: Comparison of xenon and carbon arcs as radiation sources for laboratory weathering of asphalts, 809.
Martin, W. R., and Weir, J. R.: The effect of irradiation temperature on the post-irradiation stress-strain behavior of stainless steels, *STP 380*.
Masonry, report of Committee C-12, 330; *see also* mortars.
Masonry units, report of Committee C-15, 339.
Mass spectrometry
analysis of gasoline and blended fuels by an integrated methods approach (Lawrey), *STP 389*.
hydrocarbons (Brown), *STP 389*.
report of Committee E-14, 537.
Mastel, B. (discussion), *STP 380*.
Masters, J. N., *see* Tiffany, C. F., and Masters, J. N.
Matas, S. J. (discussion), *STP 370*.
see also Pascover, J. S., and Matas, S. J.
Matsuoka, S., and Winslow, F. H.: The relationship between structure and mechanical properties of polyolefins, *MR&S*, March, 134.
Maurer, P. H.: Antigenicity of synthetic polypeptide antigens (abstract only), *STP 386*.
Mayne, C. R., *see* Floreen, S., and Mayne, C. R.
Mazzoni, Renato J., and King, Larry K.: Performance of double-glazed units in accelerated and service tests, *MR&S*, October, 517.
McClelland, J. D., *see* Kendall, E. G., and McClelland, J. D.
McClintock, F. A., and Irwin, G. R.: Plasticity aspects of fracture mechanics, *STP 381*.
McCormick, F. C. (discussion), *STP 373*.
McCoy, H. E., and Weir, J. R.: Effect of irradiation on bend transition temperatures of molybdenum- and columbium-base alloys, *STP 380*.
McCunn, T. H., Aggen, G. N., and Lula, R. A.: The metallurgy and properties of cold-rolled AM-350 and AM-355 steels, *STP 370*.
McCutcheon, J. O., Yong, R. N., and Savage, S. B.: A technique for measurement of shock-induced soil-structural motion, *STP 392*.
McDowell, D. W. (discussion), *STP 369*.
McGonigal, P., *see* Grosse, A. V., McGonigal, P. J., Murphy, W. J., and Stokes, C. S.
McNish, A. G.: The international system of units (SI), *MR&S*, October, 528.
McPartland, J. O., and Daniel, J. L.: Variable bias illumination control for the electron microscope, *STP 372*.
McRickard, S. B., *see* Chow, J. G. Y., and McRickard, S. B.
McRostie, G. C., *see* Coates D. F., and McRostie, G. C.
McWhan, D. B. (discussion), *STP 374*.
Mears, W. H. (discussion), *STP 374*.
Measurement, the international system of units (SI) (McNish), *MR&S*, October, 528.
Mechanical damage, effects of implants on the blood (Sears), *STP 386*.
Mechanical shock, measurement of shock-induced soil-structural motion (McCutcheon, Yong, and Savage), *STP 392*.
Meininger, R. C., Fox, J. F., Jr., and Lepper, H. A., Jr.: A single-particle freezing resistance test for concrete aggregate, 801.
Melting, anodizing of aluminum alloys-metallurgical structure factors (Morris), *STP 388*.
Merchant, R. W., *see* Landis, F. P., Merchant, R. W., and Zemany, P. D.
Messina, J. F. (discussion), *STP 382*.
Metal drawing, correlation of deep drawing press performance with tensile properties, *STP 390*.
Metallized polymer films, guard rings for dielectric measurements (Scott), *MR&S*, February, 76.
Metallography, report of Committee E-4, 516.
Metal polishing, chemical preparation of aluminum for chemical, electrochemical brightening and anodic coating (Andrus and Pettit), *STP 388*.
Metal powders, report of Committee B-9, 292.
Metrology, the international system of units (SI) (McNish), *MR&S*, October, 528.
Meyerhof, G. G.: Theories (soil mechanics), *STP 361*.
Mica
electrical charge as a function of dynamic stress in a mica-filled epoxy (Fitzgerald), *MR&S*, May, 240.
quenchable effects of high-temperature, high-pressure treatment on nometallic materials (Roy), *STP 374*.
Michaelis, Robert E. (discussion), *STP 376*.
Microconstituents, in high-speed steel (Koh and Nikkel), *STP 372*.
Microstructure
effect on corrosion of 18Cr-8Ni-Ti stainless steels in acids (Streicher), *STP 369*.
effect on toughness in quenched and tempered ultrahigh-strength steels, relationships between (Baker, Lauta, and Wei), *STP 370*.

fracture micromechanics in high-strength steels (Banerjee), *STP 370*.
fracture toughness testing in alloy development (Wei), *STP 381*.
investigation of the room-temperature fracture in SM-200 nickel-base alloy (Hertzberg and Ford), *STP 372*.
relationship to corrosion resistance in wrought Ni-Cr-Mo alloys (Streicher), *STP 369*.
steel, ultrasonic spectroscopy of (Gericke), *MR&S*, January, 23.
Microwaves, application of centimetric radio waves in nondestructive testing, (Boot and Watson), *STP 373*.
Mihalisin, J. H., *see* Floreen, S., and Mihalisin, J. H.
Miller, R. K. (discussion), *STP 377*.
see also Gordon, B. B., Hammond, W. D.
Milliken, K. S., *see* Gillieson, A. H., Reed, D. J., and Young, M. J.
Milton, O.: A recessed Rogowski electrode for electric strength testing, 831.
Misterek, D. L., see Rouse, George, C., and Misterek, D. L.
Mitchell, J. K. (panel discussion), *STP 377*.
and Campanella, R. G.: Creep studies on saturated clays, *STP 361*.
see also Seed, H. B., and Mitchell, J. K.
Mittal, H. K., *see also* Finn, W. D. L., and Mittal, H. K.
Modulus of elasticity
analysis of a proposed adhesive test (Sherrer), *MR&S*, March, 125.
ductile beryllium-aluminum wrought alloys, new (Fenn, Crooks, and Pasternak), *STP 379*.
Modulus of rupture, concrete, evaluating tensile strength (Pincus and Gesund), *MR&S*, September, 454.
Modulus of subgrade reaction, measuring (Weissmann), *MR&S*, February, 71.
Mohr-coulomb theory
evaluation of test data for selecting a yield criterion for soils (Roscoe, Schofield, and Thurairajah), *STP 361*.
shear failure, uniqueness of (Geuze), *STP 361*.
Moisture content
brick walls, radiometric method for (Rossinski, Przedecki, and Stachowitz), *STP 373*.
building materials moisture equilibrium and migration in (Sereda and Hutcheon), *STP 385*.
centimetric radio waves in nondestructive testing, (Boot and Watson), *STP 373*.
concrete, by neutron scattering (Yaltkaya, Enüstün, Urkan, Senturk, and Köksal), *STP 373*.
concrete drying methods and fire resistance (Abrams and Orals), *STP 385*.
effect on the drying process (Hansen), *STP 385*.
effect on the fire endurance of building elements (Harmathy), *STP 385*.
effect on surface flammability of coated and uncoated cellulosic materials (Lee, Loftus, and Gross), *STP 385*.
environmental factors in soil compaction (Burmister), *STP 377*.
fire endurance of small gypsum slabs (Ryan), *STP 385*.
measurement by radioactivity methods (Lachaud and Paquet), *STP 373*.
solid materials by reaction with calcium carbide (Dahl), *MR&S*, September, 446.
wood in buildings (Verall), *STP 385*.
wood, kiln drying of (Rietz), *STP 385*.
Molding, designing and fabricating implants with rigid polymers (Pierson), *STP 386*.
Molecular structure
and properties of macromolecules (Alfrey) (abstract only), *STP 386*.
hydrocarbons, mass spectrometry of (Brown), *STP 389*.
molecular complex comprising heavy petroleum fractions (Erdman), *STP 389*.
NMR analysis of hydrocarbons (Zimmerman), *STP 389*.
polyolefins, relationship to mechanical properties (Matsuoka and Winslow), *MR&S*, March, 134.
Molecular weight
effect of polymer structure on shear stability of polymer thickened power transfer fluids (Foster and Mueller), *STP 382*.
effect on degradation of polymer systems on the basis of reduced viscosity loss (Selby), *STP 382*.
Molybdenum
faced foil sandwich 1 mil, testing up to 1800 F (Hunter), *STP 379*.
irradiation hardening and embrittlement in (Wronski, Sargent, and Johnson), *STP 380*.
mechanical properties and deformation characteristics under pressure (Pugh), *STP 374*.
nature and annealing behavior of irradiation damage in (Eyre and Roberts), *STP 380*.
Molybdenum disilicide, intermetallic composite material for structural applications (Anthony), *STP 379*.
Moore, F., *see* Astbury, N. F., and Moore, F.
Morduchowitz (discussion), *STP 382*.
Morey, R. E., *see* Lange, E. A., Crooker, T. W., and Morey, R. E.
Morris, J. G.: Anodizing of aluminum alloys—metallurgical structure factors, *STP 388*.
Morrison, J. D. (discussion), *STP 381*.
Morrow, JoDean:
Cyclic plastic strain energy and fatigue of metals, *STP 378*.
and Johnson, T. A.: Correlation between cyclic strain range and low-cycle fatigue life of metals, *MR&S*, January, 30.
Mortars
cement-lime, consistency of (discussion), *MR&S*, April, 171.
damping of hardened cement paste and, in specimens vibrating at very low frequencies (Cole and Spooner), 661.
masonry, predicting workability in (Isenburg), *MR&S*, July, 352.
report of Committee C-12, 330.
single-particle freezing resistance test for

Mortars (*continued*)
concrete aggregate (Meininger, Fox, and Lepper), 801.
sulfur, measuring the amount of granular materials in (Thompson), *MR&S*, May, 242.
Moskowitz, A. (discussion), *STP 369*.
Moteff, J., and Smith, J. P.: Recovery of defects in neutron-irradiated tungsten, *STP 380*.
Mueller, E. R.
(discussion), *STP 382*.
see Foster, T. D. Jr., and Mueller, E. R.
Mulligan, B. W. *see* Bean, B. L., and Mulligan, B. W.
Murphy, G., *see* Pederson, K., and Murphy, G.
Murphy, W. J., *see* Grosse, A. V., McGonigal, P. J., Murphy, W. J., and Stokes, C. S.
Music, J, *see* Hardin, B. O., and Music, J.
Muscular action, human reactions to hardness of floor coverings (Schöjdt), *MR&S*, January, 33

N

Naphthalene identification of ultraviolet-sensitive impurities in (King and Warren), *STP 389*.
Nassau, K.: Lasers and laser materials, *MR&S*, January, 3.
Nathan, N. O. (discussion), *STP 361*.
Natural building stones, report of Committee C-18, 350.
Nawrocka, I. M., *see* Ehrler, A. J., Farrell, R. E., Ingber, N. M. and Nawrocka, I. M.
Nb_3Sn, high-field superconductivity (Kunzler), *MR&S*, April, 161.
Necking, plastic deformation of an aluminum alloy in the tension test (Hsu and Williamson), 575.
Nelson, D. L., *see* Taulbee, C. D., Nelson, D. L., and Southward, B. G.
Neutron irradiation
annealing in finite BCC iron specimens, computer studies of (Beeler), *STP 380*.
bitumen in road surfacing (Lachaud and Paquet), *STP 373*.
combined effects of temperature and irradiation on the mechanical properties of austenitic stainless steels (Irwin, Bement, and Hoagland), *STP 380*.
computor assessment of fast neutron flux (Gardner and Shoemaker), *STP 384*.
damage, molybdenum, the nature and annealing behavior of (Eyre and Roberts), *STP 380*.
development of a radiation tolerant all solid state tracking and command system (Smith), *STP 384*.
effects in austenitic steels and other high-temperature alloys (Pfeil and Harries), *STP 380*.
effects on A 302-B steel subjected to a multiaxial stress distribution (Trozera and Flynn), *STP 380*.
effects on flow and fracture behavior of Zircaloy-2 (Bement, Tobin, and Hoagland), *STP 380*.
effects on high-temperature reactor structural metals (Claudson and Pessl), *STP 380*.
effects on iron and steels, (Harries and Eyre), *STP 380*.
effects on stainless steels (Bush and Tobin), *STP 369*.
embrittlement and embrittlement relief of reactor pressure vessel steels (Steele and Hawthorne), *STP 380*.
hardening and embrittlement in body-centered cubic transition metals (Wronski, Sargent, and Johnson), *STP 380*.
in-depth embrittlement of a simulated pressure vessel wall of A302-B steel (Serpan and Steele), *STP 380*.
influence of operating conditions on radiation damage to transistor gain (Frank, Taulbee, and Chambers), *STP 384*.
in-reactor stress-rupture properties of a 20Cr-25Ni, columbium-stabilized steel (Venard and Weir), *STP 380*.
in-reactor studies of low-cycle fatigue properties of a nuclear pressure vessel steel (Steele and Hawthorne), *STP 380*.
insurance aspects of radiation damage in reactor structures (Catudal), *STP 380*.
low-temperature embrittlement of iron, iron alloys, and steels by (Chow and McRickard), *STP 380*.
magnetic structures of perovskite compounds (Legrand), *STP 373*.
neutron and neutron spectra contribution to damage in silicon F.E.T.'s (Kaufman), *STP 384*.
post-irradiation stress-strain behavior of stainless steel, the effect of temperature and (Martin and Weir), *STP 380*.
strain-cycle phenomena in thin-wall tubing (Reynolds), *STP 380*.
tungsten, recovery of defects in (Moteff and Smith), *STP 380*.
use of materials properties by the reactor vessel designer (Langer), *STP 380*.
Neutron scattering, nondestructive estimation of cement content of hardened concrete (Yaltkaya, Enüstün, Urkan, Sentürk, and Köksal), *STP 373*.
Newlon, H. (discussion), *STP 373*.
Nickel and nickel alloys
effects of irradiation in (Pfeil and Harries), *STP 380*.
fracture toughness and delayed failure behavior of 18 per cent nickel maraging steel (Brisbane, Hawn, and Ault), *MR&S*, August, 395.
investigation of microstructure and room-temperature fracture in SM-200 nickel base alloys (Hertzberg and Ford), *STP 372*.
irradiation effects on high-temperature reactor structural metals (Claudson and Pessl), *STP 380*.
laboratory test for determining susceptibility of nickel-molybdenum and nickel-molybdenum-chromium alloys to intercrystalline corrosion (Grafen), *STP 369*.
relationship of heat treatment and microstructure to corrosion resistance in wrought Ni-Cr-Mo alloys (Streicher), *STP 369*.

spectrochemical analysis of, in argon and nitrogen (Dilworth), *STP 376*.
welding 3½ and 9 per cent nickel steels and 36 per cent nickel-iron alloy for cryogenic service (discussion), *MR&S*, May, 231.
Nickel-chromium-iron alloy, columbium-hardened, metallurgy of (Eiselstein), *STP 369*.
Nikkel, H., *see* Koh, P. K., and Nikkel, H.
Nitriding, internal-friction peaks in type 304 stainless steel containing, nitrogen (Eckel and Manning), *STP 369*.
Nitrogen, spectrochemical analysis of high temperature alloys by spark excitation in (Dilworth), *STP 376*.
Noller, D. C., *see* Castrantas, H. M., Banerjee, D. K., and Noller, D. C.
Nomenclature, report of Committee E-8, 527.
Nonbasic nitrogen compounds in petroleum (Latham, Okuno, and Haines), *STP 389*.
Nondestructive testing, report of Committee E-7, 522; *see also* individual tests.
Nonferrous metals and alloys, report of Committee B-2, 165.
report of Committee B-3, 169.
Noonan, J. W.: Ultrasonic determination of the bulk modulus of hydraulic fluids, *MR&S*, December, 615.
Norman, R. H., Payne, A. R., and Hickman, J. A.: Plasticity and cure control and cross-linking studies of rubber using the Wallace-Shawbury curometer, *STP 383*.
Norris, D. P., and Quackenbos, H. M.: Simulated service tests of plastics parts in a resin laboratory, *STP 375*.
Notch toughness, some aluminum alloys by proposed ASTM recommended practice (Kaufman), 626.
Nowick, A. S.: Anelastic phenomena in metals and nonmetallics, *STP 378*.
Nuclear magnetic resonance
analysis of hydrocarbons and related molecules (Zimmerman), *STP 389*.
in materials analysis and testing (Huggins), *MR&S*, March, 131.
Nunes, John: Correlation of tensile and slow-bend data on Charpy-type specimen, 844.
Nyman, D. H., *see* Holmes, J. J., Williams, J. A., Nyman, D. H., and Tobin, J. C.

O

Oakley, O. H.: Design considerations for manned deep-sea vehicles, *MR&S*, November, 557.
Oates, D. B., *see* Rowe, P. W., Oates, D. B., and Skermer, N. A.
Offset, elongation and yield strength as related to gage length and (Stickley and Brownhill), 597.
Ogilby, S. R., *see* Gehman, S. D., and Ogilby, S. R.
Ohlwiler, O., *see* Brown, J. B., Fryer, M. P., Ohlwiler, O., Kollias, P., and Templeton, J. B.
Okamura, Y., *see* Suezawa, Y., Hōjō, H., Ikeda, T., and Okamura, Y.
Okuno, I., *see* Latham, D. R., Okuno, I., and Haines, W. E.
Olson, G. L. (discussion), *STP 369*.
Olson, R. E., and Kiefer, M. L.: Effect of lateral filter-paper drains on the triaxial shear characteristics of soils, *STP 361*.
Omega titanium, formation of new materials and structures by high-pressure treatment (Bundy), *STP 374*.
Orals, D. L., *see* Abrams, M. S., and Orals, D. L.
Ore, S., *see* Stone, W., Jr., Yasuda, H., Seiderman, M., and Ore, S., *STP 386*.
Ores, report of Committee E-16, 543.
Oscillating disk rheometer, properties of elastomers during vulcanization (Wise and Decker), *STP 383*.
Oxide coatings
anodic coatings on aluminum (Cochran and Englehart), *STP 388*.
anodizing of aluminum alloys-metallurgical structure factors (Morris), *STP 388*.
chemical preparation of aluminum for chemical electrochemical brightening and anodic coating (Andrus and Pettit), *STP 388*.
engineering the sulfuric anodic process (Darrow), *STP 388*.
mechanism of anodic coating formation on aluminum (Kissin), *STP 388*.
surface cleanliness, measuring, by indium adhesion (Krieger and Wilson), *MR&S*, July, 341.
Oxide resistance
quenchable effects of high-temperature, high-pressure treatment on nonmetallic materials (Roy), *STP 374*.
resistance of stainless steel, high-strength weldable, for elevated-temperature service (Hull), *STP 369*.
resistance of high-temperature reactor structural metals, irradiation effects on (Claudson and Pessl), *STP 380*.
simple balance for measurement (Ames and Burk), *MR&S*, June, 311.
stainless steels, effect of neutron exposure and reactor environments on (Bush and Tobin), *STP 369*.
Oxides
effect on adherence of iron-cobalt-nickel glass sealing alloy (Abendroth), *MR&S*, September, 459.
high-temperature structural applications (Kendall and McClelland), *STP 379*.

P

Packaging, report of Committee D-10, 413.
Paint, report of Committee D-1, 360.
Paper
moisture in, determined by reaction with calcium carbide (Dahl), *MR&S*, September, 446.
report of Committee D-6, 394.
Paquet, J., *see* Lachaud, R., and Paquet, J.
Paris, P. C., and Sih, G. C. M.: Stress analysis of cracks, *STP 381*.
Parker, E. A.: Roping and intergranular corrosion of 430 stainless steel, *STP 369*.
Particle size analysis, sensing zone methods (Berg), *MR&S*, March, 119.
Pascover, J. S., and Matas, S. J.: Relationships

Pascover, J. S. (*continued*)
between structure and properties in the 9Ni-4Co alloy system, *STP 370*.
Pascover, J. S., Hill, M., and Matas, S. J.: The application of fracture toughness testing to the development of a family of alloy steels, *STP 381*.
Pasternak, R. C., *see* Fenn, R. W., Jr., Crooks, D. D., and Pasternak, R. C.
Payne, A. R., *see* Norman, R. H., Payne, A. R., and Hickman, J. A.
Payne, W. F.: Incorporation of fracture information in specifications, *STP 381*.
Peaker, D. (discussion), *STP 361*.
Peaker, K. R.: A hydraulic earth pressure cell, *STP 392; also* (discussion), *STP 361*.
Pears, C. D., and Digesu, F. J.: Gas-bearing facilities for determining axial stress-strain and lateral strain of brittle materials to 5500 F, 855.
Pedersen, K., and Murphy, G.: Fatigue and tensile properties of zirconium at elevated temperatures, 762.
Peffley, W. M., *see* Honnold, V. R., Berggren, C. C., Emmert, R. R., and Peffley, W. M.
Pelloux, R. M. N., *see* Beachem, C. D., and Pelloux, R. M. N.
Pence, R. E., *see* Wilkins, J. C., Pence, R. E., and Perry, D. C.
Performance tests, applications of hydrocarbon analysis in quality control (Dawson), *STP 389*.
Peroxides, fire and explosion hazards of peroxy compounds (Castrantas, Banerjee, and Noller), *STP 394*.
Peroxy compounds, fire and explosion hazards of (Castrantas, Banerjee, and Noller), *STP 394*.
Perrine, R. C., *see* Boyer, R. C., and Perrine, R. J.
Perry, D. C., and Marshall, M. W.: Alloying precipitation hardening stainless steels for strength and stability, *STP 369*.
see also Wilkins, J. C., Pence, R. E., and Perry, D. C.
Perry, E. S., and Burns, N. H.: Simple setup for applying impact loads, *MR&S*, October, 515.
Pessl, H. J., *see* Claudson, T. T., and Pessl, H. J.
Peter, B. G. W., *see* Dryburgh, R. B., Peter, B. G. W., and Plewes, W. G.
Petker, I.: Glass roving strands, *MR&S*, August, 387.
Petroleum products, report of Committee D-2, 370; *see also* hydrocarbons.
Pettit, Ralph, *see* Andrus, J. M., and Pettit, Ralph.
Pettibone, C. L. (discussion), *STP 385*.
Pettibone, H. C., and Hardin, J.: Research on vibratory maximum density test for cohesionless soils, *STP 377*.
Pfeil, P. C. L., and Harries, D. R.: Effects of irradiation in austenitic steels and other high-temperature alloys, *STP 380*.
pH, effect on polymer degradation processes (Jellinek), *STP 382*.
Phase composition, electron beam microprobe identification, (Landis, Merchant, and Zemany), *MR&S*, May, 219.
Phase transformation, mechanical properties of sulfur allotropes (Dale and Ludwig), *MR&S*, August, 411.
Phelps, E. H., and Batea, J. F.: An appraisal of evaluation tests for stainless steel automotive trim, *STP 369*.
Photoconductivity, variable bias illumination control for the electron microscope (McPartland and Daniel), *STP 372*.
Photodegradation, polymer degradation processes (Jellinek), *STP 382*.
Picklesimer, M. L. (discussion), *STP 380*.
Pierson, O. L.: Designing and fabricating with rigid polymers, *STP 386*.
Piezoelectricity, electrical charge as a function of dynamic stress in a mica-filled epoxy (Fitzgerald), *MR&S*, May, 240.
Piezometers, measurement of hydrostatic uplift pressure on spillway weirs with air piezometers (Warlam and Thomas), *STP 392*.
Piles and pile driving, an instrument to measure skin friction and normal earth pressure (Agarwal and Venkatesan), *STP 392*.
Pinnow, K. E. (discussion), *STP 369*.
Pipe, hydrostatic strength and design stresses for thermoplastic pipe with water (Reinhart), *STP 375*.
Placing, influence of placement condition on shear test results on compacted soil (Bazett and Bell), *STP 361*.
Plasma jet furnace, centrifugal (Grosse, McGonigal, Murphy, and Stokes), *MR&S*, April, 173.
Plaster, fire endurance of small gypsum slabs (Ryan), *STP 385*.
Plastic clay, torsional hysteresis in, (Astbury and Moore), *MR&S*, April, 178.
Plastic deformation in AISI type 301 stainless steel, mechanisms of (Barclay), *STP 369*.
Plastic flow, steel near inclusions during deformation (Chao and Van Vlack), *MR&S*, December, 611.
Plastic strain energy and fatigue of metals and (Morrow), *STP 378*.
plasticity aspects of fracture mechanics (McClintock and Irwin), *STP 381*.
ratio correlation of deep drawing press performance with tensile properties, *STP 390*.
Plasticity, rubber using the Wallace-Shawbury viscometer (Norman, Hickman, and Payne), *STP 383*.
Plastics
artificial heart valves, development of (Davila), *STP 386*.
causes of polypropylene oven aging variability (Forsman), *STP 375*.
changes in properties during implantation (Leininger), *STP 386*.
compatibility of implants, biological endpoints for (Woodward), *STP 386*.
effects of implants on the blood (Sears), *STP 386*.
filament-wound structures (Young), *STP 375*.

glass roving strands (Petker), *MR&S*, August, 387.
hydrostatic strength and design stresses for thermoplastic pipe with water (Reinhart), *STP 375*.
lacquer marring by plasticizer migration from vinyl chloride plastics (DeCoste), *STP 375*.
molecular structure and properties of macromolecules (Alfrey) (abstract only), *STP 386*.
plastic part properties and their relationship to end-use performance (Hagan and Thomas), *STP 375*.
polymer implant applications (Stone, Yasuda, Seiderman, and Ore), *STP 386*.
report of Committee D-20, 457.
simulated service testing in the plastics industry (Carey), *STP 375*.
simulated service tests of plastics parts in a resin laboratory (Norris and Quackenbos). *STP 375*.
standards, use and misuse of (Birley), *MR&S*, July, 366.
surface properties and wettability of (Zisman) (abstract only), *STP 386*.
synthetic prostheses with laboratory and clinical studies, including full jaw substitutions (Brown, Fryer, Kollias, and Templeton), *STP 386*.
Plewes, W. G., *see* Dryburgh, R. B., Peter, B. G. W., and Plewes, W. G.
Plywood, flexure testing machine and method (Post), *MR&S*, February, 64.
Polyacrylates, effect of polymer structure on shear stability of polymer-thickened power transfer fluids (Foster and Mueller), *STP 382*.
Polyesters, effect of high-energy sources on polymer-thickened lubricants (Klaus, Tewksbury, Jolie, Lloyd, and Manning), *STP 382*.
Polyethylene
high density, stress cracking, environmental, effect of temperature and environment on (Suezawa, Hōjō, Ikeda, and Okamura), *MR&S*, February, 55.
pulsed radiation effects in crystalline (Ebeoglu), 777.
radiation-induced electronic phenomena in (Zack and Berg), *STP 384*.
Polyisobutylene, effect of high-energy sources on polymer-thickened lubricants (Klaus, Tewksbury, Jolie, Lloyd, and Manning), *STP 382*.
Polymethylmethacrylate polymer degradation processes of (Jellinek), *STP 382*.
Polymethylmethacrylic acid, polymer degradation processes of (Jellinek), *STP 382*.
Polymer film, metallized, guard rings for dielectric measurements (Scott), *MR&S*, February, 76.
Polymers
antigenicity of synthetic polypeptide antigens (abstract only), (Maurer), *STP 386*.
consideration of the degradation of polymer systems on the basis of reduced viscosity loss (Selby), *STP 382*.
degradation processes (Jellinek), *STP 382*.
designing and fabricating implants with elastomers (Konkle), *STP 386*.
designing and fabricating with rigid polymers (Pierson), *STP 386*.
EPR measurements of radiation immunization in poly (methyl methacrylate) by organic additives (Atwater), *STP 384*.
implants in humans, studies on (Johnson), *STP 386*.
irreversible effects of high temperature and pressure on organic materials (Bradbury and Leininger), *STP 374*.
molecular structures and properties of macromolecules (Alfrey) (abstract only), *STP 386*.
micromechanisms and phenomenology of damping in (Kaelble), *STP 378*.
nuclear magnetic resonance (Huggins), *MR&S*, March, 131.
resistance to degradation (Atlas and Mark), *STP 386*.
structure on shear stability of polymer-thickened power transfer fluids (Foster and Mueller), *STP 382*.
Polymer-thickened lubricants, effect of some high energy sources on (Klaus, Tewksberry, Jolie, Lloyd, and Manning), *STP 382*.
Polymer-thickened oils viscosity loss during use (Vick and Goodson), *STP 382*.
Polymer-thickened power transfer fluids, effect of polymer structure on shear stability of (Foster and Mueller), *STP 382*.
Polyolefins, relationship between structure and mechanical properties (Matsoka and Winslow), *MR&S*, March, 134.
Polypeptide, synthetic antigens, antigenicity of (Maurer), *STP 386*.
Polypropylene, causes of polypropylene oven aging variability (Forsman), *STP 375*.
Polytetrafluoroethylene, polymer degradation processes of (Jellinek), *STP 382*.
Poly(vinyl chloride), lacquer marring by plasticizer migration from vinyl chloride plastics (DeCoste), *STP 375*.
Poorooshasb, H. B. and Roscoe, K. H.: A graphical approach to the problem of the stress-strain relationship of normally consolidated clays, *STP 361*.
Porcelain enamel, report of Committee C-22, 355.
Pore pressure
control and evaluation for triaxial compression (Gibbs), *STP 361*.
effect of test techniques on shear strength of western Canadian clays (Chan and Rivard), *STP 361*.
functions in saturated soils (Jaurez-Badillo), *STP 361*.
influence of the provisions for boundary drainage on strength and consolidation characteristics of soils measured in the triaxial apparatus (Bishop and Gibson), *STP 361*.
laboratory vane shear tests and pore-water stresses (Wilson), *STP 361*.
nonuniform effect on laboratory shear strength of soils (Blight), *STP 361*.

Pore pressure (*continued*)
simple pore water pressure gage (Raymond), *STP 361*.
stress variation (Lambe), *STP 361*.
Porter, L. F. (discussion), *STP 380*.
Post, P. W.: A flexure testing machine and method, *MR&S*, February, 64.
Potassium, prediction of cavitation damage in (Leith), 789.
Poulos, S. J., *see* Hirschfeld, R. C., and Poulos, S. J.
Powder data file, two new indexes (Bigelow and Smith), *STP 372*.
Powder metallurgy, flow of steels near inclusions during deformation (Chao and Van Vlack), *MR&S*, December, 611.
Power plant service, stainless steels (Lien), *STP 369*.
Pincus, George, and Gesund, Hans: Evaluating the tensile strength of concrete, *MR&S*, September, 454.
Precipitation hardening
stainless steels, alloying for strength and stability (Perry and Marshall), *STP 369*.
stainless steels, effect of composition and section size on mechanical properties (Clarke and Garvin), *STP 369*.
Precipitation heat treatment, martensitic age hardening stainless steels (Aggen, Hammond, and Lula), *STP 369*.
Preiss, K.: Measuring concrete density by gamma ray transmission, *MR&S*, June, 285.
Pressure
effects of high, and temperature on the mechanical properties of metals and alloys, (Radcliffe), *STP 374*.
formation of new materials and structures by (Bundy), *STP 374*.
high-temperature treatment on the properties of electronic materials, effects of high- (Warekois), *STP 374*.
irreversible effects of high temperature and high pressure on organic materials (Bradbury and Leininger), *STP 374*.
mechanical properties and deformation characteristics of metals and alloys under pressure (Pugh), *STP 374*.
quenchable effects of high, and high-temperature treatment on nonmetallic materials (Roy), *STP 374*.
Pressure cell
hydraulic earth (Peaker), *STP 392*.
transducer to measure pore water pressures (Burn), *STP 361*.
Pressure vessels
applied fracture mechanics (Tiffany and Masters), *STP 381*.
crack propagations tests on Zircaloy-2 reactor pressure tubing in both the normal and hydrided conditions (Aungst and Defferding), *STP 380*.
evaluation of the 18Ni-9CO-5Mo maraging steel sheet (Corn), *STP 370*.
in-depth embrittlement of A302-B steel (Serpan and Steele), *STP 380*.
in-reactor studies of low-cycle fatigue properties of (Hawthorne and Steele), *STP 380*.
insurance aspects of radiation damage in reactor structures (Catudal), *STP 380*.
significance of recent developments in fracture mechanics in relation to the safety of (Irvine), *STP 380*.
use of materials properties by the reactor vessel designer (Langer), *STP 380*.
Prestressing, materials for high-temperature structural applications (Kendall and McClelland), *STP 379*.
Programmed temperature gas chromatography, applications to hydrocarbon analysis (Dietz), *STP 389*.
Programs (computers), analysis of gasoline and blended fuels by an integrated methods approach (Lawrey), *STP 389*.
Proton and electron permanent damage in silicon semi-conductor devices (Brown), *STP 384*.
Przedecki, T., *see* Rosinski, T., Przedecki, T., and Stachowicz, Z.
Pugh, H. Ll. D.: The mechanical properties and deformation characteristics of metals and alloys under pressure, *STP 374*.
Pyrolytic materials, report of Committee C-6, 313.

Q

Quackenbos, H. M., *see* Norris, D. P., and Quackenbos, H. M.
Quality control, current and future applications of hydrocarbon analysis in (Dawson), *STP 389*.

R

Radcliffe, S. V.: Effects of high pressure and temperature on the mechanical properties of metals and alloys, *STP 374*.
Radiation damage
EPR measurements of radiation immunization in poly(methyl methacrylate) by organic additives (Atwater), *STP 384*.
neutron and neutron spectra contribution to in silicon F.E.T.'s (Kaufman), *STP 384*.
reactor materials, mechanisms of (Brinkman and Wiedersich), *STP 380*.
Radiation effects
and temperature effects on the mechanical properties of austenitic stainless steels (Irwin, Bement, and Hoagland), *STP 380*.
computer assessment of fast neutron flux (Gardner and Shoemaker), *STP 384*.
computer studies of neutron irradiation and annealing in finite BCC iron specimens (Beeler), *STP 380*.
development of a radiation tolerant all solid state tracking and command system (Smith), *STP 384*.
effect of irradiation temperature on the post-irradiation stress-strain behavior of stainless steels (Martin and Weir), *STP 380*.
EPR measurements of radiation immunization in poly(methyl methacrylate) by organic additives (Atwater), *STP 384*.
in austenitic steels and other high-temperature alloys (Pfeil and Harries), *STP 380*.
in-reactor creep of cold-worked Zircaloy-2

(Holmes, Williams, Nyman, and Tobin), *STP 380*.
in-reactor stress-rupture properties of a 20Cr-25Ni, columbium-stabilized steel (Venard and Weir), *STP 380*.
in semiconductor devices (Crowe and Sauer), *STP 384*.
influence of operating conditions on radiation damage to transistor gain (Frank, Taulbee, and Chambers), *STP 384*.
insurance aspects of, in reactor structures (Catudal), *STP 380*.
irradiation hardening and embrittlement in body-centered cubic transition metals (Wronski, Sargent, and Johnson), *STP 380*.
low-temperature embrittlement of iron, iron alloys, and steels by neutron irradiations (Chow and McRickard), *STP 380*.
materials parameters affecting the performance of nuclear reactor pressure vessels (Wylie), *STP 380*.
mechanisms of radiation-induced mechanical property changes (Barnes), *STP 380*.
nature and annealing behavior of irradiation damage in molybdenum (Eyre and Roberts), *STP 380*.
neutron and neutron spectra contribution to damage in silicon F.E.T.'s (Kaufman), *STP 384*.
on A302-B steel subjected to a multiaxial stress distribution (Trozera and Flynn), *STP 380*.
on bend transition temperatures of molybdenum- and columbium-base alloys (McCoy and Weir), *STP 380*.
on flow and fracture behavior of Zircaloy-2 (Bement, Tobin, and Hoagland), *STP 380*.
on high-temperature reactor structural metals (Claudson and Pessl), *STP 380*.
on selected semiconductor devices (Cocca and Koepp-Baker), *STP 384*.
on transistor gain (Taulbee, Nelson, and Southward), *STP 384*.
on traveling-wave tubes (Magnuson), *STP 384*.
of properties of wood and evaluation (Youngs), *STP 373*.
proton and electron permanent damage in silicon semiconductor devices (Brown, *STP 384*.
radiation-induced electronic phenomena in polyethylene (Zack and Berg), *STP 384*.
recovery of defects in neutron-irradiated tungsten (Moteff and Smith), *STP 380*.
remarks on correlation studies (van Lint), *STP 384*.
report of Committee E-10, 530.
strain-cycle phenomena in thin-wall tubing (Reynolds), *STP 380*.
transient, in semiconductors and insulators (Honnold, Berggren, Emmert, Peffley), *STP 384*.
use of materials properties by the reactor vessel designer (Langer), *STP 380*.
Radioisotopes, report of Committee E-10, 530.
Radio Waves, centimetric, applications of in nondestructive testing (Boot and Watson), *STP 373*.
Rall, H. T., *see* Thompson, C. J., Coleman, H. J., Hopkins, R. L., and Rall, H. T.
Ramachandran, V. S., Feldman, R. F., and Sereda, P. J.: An unsoundness test for limes without cement, *MR&S*, October, 510.
Raman spectra, hydrocarbons (LeTourneau), *STP 389*.
Rare earth compounds, laser materials (Nassau), *MR&S*, January, 3.
Rate of loading, strength testing of soils (Sowers), *STP 361*.
Rather, J. B., Jr.: General relationship of technical and professional societies and trade associations in the standardization field, *MR&S*, June, 313.
Ratz, G. A., *see* Brickner, K. G., Ratz, G. A., and Domagala, R. F.
Raymond, G. P.: A simple pore water pressure gage, *STP 361*.
Reactors
insurance aspects of radiation damage in (Catudal), *STP 380*.
materials parameters affecting the performance of (Wylie), *STP 380*.
mechanisms of radiation damage in reactor materials (Brinkman and Wiedersich), *STP 380*.
use of materials properties by the reactor vessel designer (Langer), *STP 380*.
Reactor materials
crack propagation tests on Zircaloy-2 reactor pressure tubing in both the normal and hydrided conditions (Aungst and Defferding), *STP 380*.
mechanisms of radiation damage in (Brinkman and Wiedersich), *STP 380*.
significance of recent developments in fracture mechanics in relation to the safety of pressure vessels (Irvine), *STP 380*.
stainless steels (Bush and Tobin), *STP 369*.
Reed, D. J., *see* Gillieson, A. H., Milliken, K. S., and Young, M. J.
Reemsnyder, H. S.: A new specimen for fatigue testing longitudinal fillet weldments, 729.
Refining, smooth hydraulic zone melter drive (Lerner), *MR&S*, December, 613.
Refractories, report of Committee C-8, 317.
Refractory materials
brittleness of and ductility of metals (Carniglia), *MR&S*, May, 244.
centrifugal plasma jet furnace (Grosse, McGonigal, Murphy, and Stokes), *MR&S*, April, 173.
effect of irradiation on bend transition temperatures (McCoy and Weir), *STP 380*.
irradiation effects on high-temperature reactor structural metals (Claudson and Pessl), *STP 380*.
thermal-structural composites for aerospace applications (Beasley and Clapper), *STP 379*.
Regalbuto, J. A. (discussion), *STP 373*.
Reinforced plastics, glass roving strands (Petker), *MR&S*, August, 387.

Reinforcing steel, behavior under reversed loading (Singh, Gerstle, and Tulin), *MR&S*, January, 12.
Reinhart, F. W.: Hydrostatic strength and design stresses for thermoplastic pipe with water, *STP 375*.
Resin content, glass roving strands (Petker), *MR&S*, August, 387.
Resinography, report of Committee E-23, 554.
Retaining walls, measurement of embankment stresses on a hundred-foot-high retaining wall (Kruse), *STP 392*.
Reversed loading, behavior of reinforcing steel under (Singh, Gerstle, and Tulin), *MR&S*, January, 12.
Reynolds, M. B.: Strain-cycle phenomena in thin-wall tubing, *STP 380*.
Rheology
polymer degradation processes (Jellinek), *STP 382*.
polyolefins, relationship between structure and mechanical properties of (Matsuoka and Winslow), *MR&S*, March, 134.
uses of an oscillating disk rheometer for determining, during vulcanization (Wise and Decker), *STP 383*.
Richardson, J. T., *see* Rouse, George C., and Richardson, J. T.
Richmond, J. C. (discussion), *MR&S*, May, 228.
Rietz, R. C.: The kiln drying of wood, *STP 385*.
Riffin, P. V. (discussion), *STP 370*.
Riley, D. W. (discussion), *STP 375*.
Rivard, P. J., *see* Chan, L. G., and Rivard, P. J.
Roach, D. B. Leffingwell, W. B., and Hall, A. M.: Effects of vacuum melting and vacuum annealing on the properties of austenitic stainless steels, *STP 369*.
Road and paving materials
nuclear technology (Blackwell), *STP 373*.
the report of Committee D-4, 383.
Roads, measuring surface slipperiness (Dillard and Mahone), *STP 366*.
Roberts, A. C., *see* Eyre, B. L., and Roberts, A. C.
Robertson, A. F.: Moisture in materials in relation to fire tests, *STP 385*.
Rochow, T. G. (discussion), *MR&S*, March, 138. (discussion), *STP 381*.
Rock (material)
effect on compaction characteristics of clayey gravel (Gordon, Hammond, and Miller), *STP 377*.
measurement of rock deformations in foundations for mass concrete dams (Rouse, Richardson, and Misterek), *STP 392*.
porous, effective diffusivity with chemical reaction in (Huang and Sherwood), *MR&S*, July, 362.
report of Committee D-18, 445.
Rockfill dams, instrumentation for movements within rockfill dams (Wilson and Hancock), *STP 392*.
Rock mechanics
instrumentation for movements within rockfill dams (Wilson and Hancock), *STP 392*.
measurement of rock deformations in foundations for mass concrete dams (Rouse, Richardson and Misterek), *STP 392*.
physical properties of rocks and probable applications (Udd), *STP 373*.
Rogowski, recessed electrode for electric strength testing (Milton), 831.
Rolling, high-strength stainless steel produced by deformation at low temperature (Floreen and Mihalisin), *STP 369*.
Romine, H. E., *see* Kies, J. A., Smith, H. L., Romine, H. E., and Bernstein, H.
Roping, intergranular corrosion of 430 stainless steel (Parker), *STP 369*.
Roscoe, K. H., Schofield, A. N., and Thurairajah, A.: An evaluation of test data for selecting a yield criterion for soils, *STP 361; see also* Poorooshasb, H. B., and Roscoe, K. H.
Rosinski, B., Przedecki, T., and Stachowicz, Z.: A radiometric method for determination of moisture in brick walls, *STP 373*.
Rossin, A. D. (discussion), *STP 380*.
Rouse, G. C., Richardson, J. T., and Misterek, D. L.: Measurement of rock deformations in foundations for mass concrete dams, *STP 392*.
Roux, H. J. (discussion), *STP 385*.
Rowe, P. W., Oates, D. B., and Skermer, N. A.: The stress-dilitancy performance of two clays, *STP 361*.
Rowley, A. C.: Vulcanization measurement using the instron tester, *STP 383*.
Roy, R.: Quenchable effects of high-temperature, high-pressure treatment on nonmetallic materials, *STP 374; also* (discussion), *STP 374*.
Rubber
CEPAR measurements of curing constants (Conant and Claxton), *STP 383*.
continuous measurement of vulcanization with Agfa vulcameter, (Gehman and Ogilby), *STP 383*.
designing and fabricating implants with elastomers (Konkle), *STP 386*.
oscillating disk rheometer for determining the rheological properties during vulcanization (Wise and Decker), *STP 383*.
plasticity, cure control, and cross linking studies using the Wallace-Shawbury curometer (Norman, Hickman, and Payne), *STP 383*.
report of Committee D-11, 415.
viscurometer—a study of variables associated with its use (Veith), *STP 383*.
vulcanization measurement using the instron tester (Rowley), *STP 383*.
Rubidium, prediction of cavitation damage in the alkali metals (Leith), 789.
Rudnick, A. (discussion), *MR&S*, July, 349.
Rugger, G. R. (discussion), *STP 375*.

S

Safety, fire and explosion hazards of peroxy compounds (Castrantas, Banerjee, and Noller), *STP 394*.
Salt stress corrosion, structural sheet materials (Heimerl and Braski), *MR&S*, January, 18.
Samans, C. H. (discussions), *STP 369*.
Samarium selenide, high-pressure, high-tempera-

ture treatment on the properties of electronic materials, effects of (Warekois), *STP 374*.
Sampling, Leda clay, some deficiencies in testing (Coates and McRostie), *STP 361*.
Sand
compacted, high-pressure triaxial tests on (Hirschfeld and Poulos), *STP 361*.
dry, dynamic versus static shear modulus for (Hardin), *MR&S*, May, 232.
impact test of constrained specimens (Selig and Vey), *MR&S*, March, 111.
stresses and strains in triaxial specimens (Januskevicius and Vey), *STP 392*.
void ratio effects on the hyperbolic stress-strain response of (Kondner and Zelasko), *STP 361*.
Sargent, G. A., *see* Wronski, A. S., Sargent, G. A., and Johnson, A. A.
Sauer, A. J., *see* Crowe, John W., and Sauer, A. J.
Saunders, W. W., and Siess, C. P.: Tension tests of large-size deformed concrete reinforcing bars, 654.
Savage, S. B., *see* McCutcheon, J. O., Savage, S. B.
Scharfstein, L. R., and Eisenbrown, C. M.: An evaluation of accelerated Strauss testing, *STP 369*.
Scharfstein, L. R. (discussion), *STP 369*.
Scheck, W. G., *see* Hurlich, A., and Scheck, W. G.
Scheil, M. A., *see* Ebling, H. F., and Scheil, M. A.
Schleifer, R. H. (discussion), *STP 373*.
Schleifer, R. H. (discussion), *STP 374*.
Schmertmann, J. H.: Generalizing and measuring the Hvorsley effective components of shear resistance, *STP 361*.
Schmid, W. E. (discussion), *STP 361*.
Schoefer, E. A., *see* Beck, F. H., Schoefer, E. A., Flowers, J. W., and Fontana, M. G.
Schofield, A. N., *see* Roscoe, K. H., Schofield, A. N., and Thurairajah, A.
Schöjdt, R.: More measurements of human reactions to hardness of floor coverings, *MR&S*, January, 33.
Schreiber, R. E. (discussion), *STP 380*.
Schwenk, W. (discussion), *STP 369*.
Scorch times, rubber, measurement with Agfa Vulcameter (Gehman and Ogilby), *STP 383*.
Scott, A. H.: Metallized polymer film guard rings for dielectric measurements, *MR&S*, February, 76.
Scott, R. F. (discussions), *STP 361*.
Scott, T. E., *see* Yeo, R. B. G., and Scott, T. E.
Scovill, W. E. (discussion), *STP 389*.
Scoville, W. E. (introduction): Where we are and a look ahead, *STP 389*.
Sealants, report of Committee C-24, 356.
Sealing
and post anodic treatments (Barkman), *STP 388*.
engineering the sulfuric anodic process (Darrow), *STP 388*.
Seals, oxide formation and adherence on an iron-cobalt-nickel glass sealing alloy (Abendroth), *MR&S*, September, 459.
Sears, D. A.: Effects of implants on the blood, *STP 386*.
Secondary-hardening, fracture micromechanics in high-strength steels (Banerjee), *STP 370*.
Sedimentation, thermal stability of sedimenting suspensions used to measure particle-size distribution (Kaye and Treasure), *MR&S*, November, 568.
Seed, H. B., and Metchell, J. K.: Test interpretation and errors, *STP 361*.
Seiderman, M., *see* Stone, W., Jr., Seiderman, M., Yasuda, H., and Ore, S., *STP 386*.
Selby, T. W.: Consideration of the degradation of polymer systems on the basis of reduced viscosity loss, *STP 382*, (discussion), *STP 382*.
Selig, E. T., and Joyce, R. P.: Planning soil dynamics instrumentation, *STP 392*.
and Vey, E.: Impact test of constrained sand specimens, *MR&S*, March, 111.
Semiconductors
anelastic phenomena in (Nowick), *STP 378*.
proton and electron permanent damage in silicon (Brown), *STP 384*.
quenchable effects of high-temperature, high-pressure treatment on nonmetallic materials (Roy), *STP 374*.
transient high energy effects in (Honnold, Berggren, Emmert, and Peffley), *STP 384*.
transient radiation effects in (Crowe and Sauer), *STP 384*.
Semiorganic polymers, irreversible effects of high temperature and high pressure on organic materials (Bradbury and Leininger), *STP 374*.
Sensing zone, fine particle size analysis (Berg), *MR&S*, March, 119.
Sensory evaluations, report of Committee E-18, 547.
Sentürk, H. S., *see* Yaltkaya, E. R., Enüstün B. V., Urkan, S., Sentürk, H. S., and Köksal, K.
Senyk, B. M., *see* Butler, J. B., and Senyk, B. M.
Sereda, P. J., *see also* Ramachandran, V. S., Feldman, R. F., and Sereda, P. J.
Sereda, P. J., and Hutcheon, N. B.: Moisture equilibrium and migration in building materials, *STP 385*.
Serpan, C. Z., Jr., and Steele, L. E.: In-depth embrittlement of a simulated pressure vessel wall of A302-B steel, *STP 380*.
Service tests
appraisal of evaluation tests for stainless steel automotive trim (Phelps and Bates), *STP 369*.
performance of double-glazed units in accelerated and service tests (Mazzoni and King), *MR&S*, October, 517.
Settlement (structural)
instrumentation for movements within rock-fill dams (Wilson and Hancock), *STP 392*.
measurement of rock deformations in foundations for mass concrete dams (Rouse, Richardson, and Misterek), *STP 392*.
Shalon, R. (discussion), *MR&S*, April, 172.
Shane, R. S. (discussion), *STP 373*.
Sharp-notch specimens
fracture toughness testing at Alcoa Research

Sharp-notch specimens (*continued*)
Laboratories (Kaufman and Hunsicker), *STP 381.*
evaluation of practice for tension testing (Heyer), *STP 381.*
Shear modulus
dynamic versus static for dry sand (Hardin), *MR&S*, May, 232.
rubber, measurement with Agfa vulcameter (Gehman and Ogilby), *STP 383.*
Shear stability
degradation of polymer systems on the basis of reduced viscosity loss (Selby), *STP 382.*
effect of polymer structure on, of polymer-thickened power transfer fluids (Foster and Mueller), *STP 382.*
hydraulic fluids, discrepancies between mechanical and sonic shear methods in evaluating (LeMar and Bootzin), *STP 382.*
Shear strengths
comparison of laboratory- and field-compacted soils (Holtz and Ellis), *STP 361.*
effect of high-energy sources on polymer-thickened lubricants (Klaus, Tewksberry, Jolie, Lloyd, and Manning), *STP 382.*
effect of lateral filter-paper drains on the triaxial shear characteristics of soils (Olson and Kiefer), *STP 361.*
graphical approach to the problem of the stress-strain relationship of normally consolidated clays (Poorooshasb and Roscoe), *STP 361.*
high-pressure triaxial tests on a compacted sand and an undisturbed silt (Hirschfeld and Poulos), *STP 361.*
Hvorsley effective components of shear resistance (Schmertmann), *STP 361.*
influence of the provisions for boundary drainage on soils in the triaxial apparatus (Bishop and Gibson), *STP 361.*
influence of stress history on stress paths in undrained triaxial tests on clay (Henkel and Sowa), *STP 361.*
influence of stress path on triaxial test results (Simons), *STP 361.*
laboratory vane shear tests and pore-water stresses (Wilson), *STP 361.*
Mohr-Coulomb concept (Geuze), *STP 361.*
1-mil molybdenum-faced foil sandwich up to 1800 F (Hunter), *STP 379.*
pore pressure control and evaluation for triaxial compression (Gibbs), *STP 361.*
pore pressure functions in saturated soils (Juarez-Badillo), *STP 361.*
pore pressures within soil specimens in triaxial compression (Crawford), *STP 361.*
relation between liquid limit and shear strength of soils (Wiseman, and Teferra), *MR&S*, November, 579.
results on compacted soil, influence of placement condition on (Bazett and Bell), *STP 361.*
rocks (Udd), *STP 373.*
saturated clays, creep studies on (Mitchell and Campanella), *STP 361.*
selecting a yield criterion for soils (Roscoe, Schofield, and Thurairajah), *STP 361.*
simple pore water pressure gage (Raymond), *STP 361.*
soil in a general stress field (Finn and Mittal), *STP 361.*
soils (Sowers), *STP 361.*
soils, effect of nonuniform pore pressures on (Blight), *STP 361.*
soils, theories regarding, (Meyerhof), *STP 361.*
stress-dilitancy performance of two clays (Rowe, Oates, and Skermer), *STP 361.*
stress variation and pore pressures (Lambe), *STP 361.*
test interpretation and errors (Seed and Mitchell), *STP 361.*
test methods and new equipment (DeLory), *STP 361.*
transducer to measure pore water pressures (Burn), *STP 361.*
triaxial and plain-strain, difference in (Leussink and Wittke), *STP 361.*
triaxial testing with large-scale high pressure equipment (Hall and Gordon), *STP 361.*
"undisturbed" clay, determined from undrained tests (Ladd and Lambe), *STP 361.*
Vienna method of shear testing (Borowicka), *STP 361.*
void ratio effects on the hyperbolic stress-strain response of a sand (Kondner and Zelasko), *STP 361.*
western Canadian clays, effect of test techniques on the (Chan and Rivard), *STP 361.*
Shear tests, *see* shear strength.
Sheet materials, structural, stress corrosion test for (Heimerl and Braski), *MR&S*, January, 18; (discussion), *MR&S*, June, 304.
Sherrer, R. E.: Analysis of a proposed adhesive test, *MR&S*, March, 125.
Sherwood, W. C.
(discussion), *MR&S*, April, 183.
(discussion), *STP 373.*
see also Huang, Jinn-Huie, and Sherwood, W. C.
Shields, D. H. (discussions), *STP 361.*
Shimp, N. F. (discussion), *STP 373.*
Shock waves, sonic boom, giant, causes only minor damage to houses (Shuman), *MR&S*, February, 79.
Shoemaker, A. K., (discussion), *STP 381.*
Shoemaker, N. F., *see* Gardner, L. B., and Shoemaker, N. F.
Shott, J. E., Jr., (discussion), *MR&S*, May, 227.
Siergiej, J. M.: Extrusion of beryllium structural shapes, *STP 379.*
Siess, C. P., *see* Saunders, W. W., and Siess, C. P.
Sigma phase
formation in 12 to 16 per cent chromium steels, (Ludwigson and Link), *STP 369.*
modified type 316 stainless with low tendency to form (Spaeder and Brickner), *STP 369.*
Sih, G. C. M., *see* Paris, P. C., and Sih, G. C. M.
Silicon
dense, formation by high-pressure treatment (Bundy), *STP 374.*

fused, as an aerospace material (Hallse and Rizley), *STP 379*.
influence of operating conditions on radiation damage to transistor gain (Frank, Taulbee, and Chambers), *STP 384*.
neutron and neutron spectra contribution to damage in (Kaufman), *STP 384*.
Silicone, synthetic prostheses laboratory and clinical studies, including full jaw substitutions (Brown, Fryer, Ohlwiler, Kollias, and Templeton) (abstract only), *STP 386*.
Silicon iron, specimen damage during cutting and grinding (Szirmae and Fisher), *STP 372*.
Silt, undisturbed, high-pressure triaxial tests on (Hirschfeld and Poulos), *STP 361*.
Simon, L. L. (discussion), *MR&S*, July, 349.
Simons, N. E.: The influence of stress path on triaxial test results, *STP 361*.
Simpser, Boris, (discussion), *STP 378*.
Sims, J. R., *see* Krahl, N. W., Vietory, S. P., Jr., Erkmen, E., and Sims, J. R.
Simulated service tests
causes of polypropylene oven aging variability (Forsman), *STP 375*.
hydrostatic strength and design stresses for thermoplastic pipe with water (Reinhart), *STP 375*.
in the plastics industry (Carey), *STP 375*.
lacquer marring by plasticizer migration from vinyl chloride plastics (DeCoste), *STP 375*.
plastic part properties and their relationship to end-use performance (Hagan and Thomas), *STP 375*.
plastics parts in a resin laboratory (Norris and Quackenbos), *STP 375*.
Singh, Awtar, Gerstle, K. H., and Tulin, L. G.: The behavior of reinforcing steel under reversed loading, *MR&S*, January, 12.
Single-edge-notch specimens
carbonitrided, measuring plane-strain fracture toughness with (Wei and Lauta), *MR&S*, June, 305.
fracture toughness (Srawley and Brown), *STP 381*.
Sintering, intermetallic composite material for structural applications (Anthony), *STP 379*.
Skermer, N. A., *see* Rowe, P. W., Oates, D. B., and Skermer, N. A.
Skid resistance
measuring road surface slipperiness (Dillard and Mahone), *STP 366*.
report of Committee E-17, 546.
Skin friction, instrument to measure skin friction and normal earth pressure on deep foundations (Agarwal and Venkatesan), *STP 392*.
Slipperiness, road surfaces (Dillard and Mahone), *STP 366*.
Smith, E. A.: Development of a radiation tolerant all solid state tracking and command system, *STP 384*.
Smith, G. V., *see* Behun, M. F., Burton, M. S., and Smith, G. V.
Smith, H. L., *see* Kies, J. A., Smith, H. L., Romine, H. E., and Bernstein, H.
Smith, H. M.: introductory remarks, *STP 389*, (discussion), *STP 389*.
Smith, H. T. (discussion), *MR&S*, April, 183.
Smith, J. P., *see* Moteff, J., and Smith, J. P.
Smith, J. V. *see* Bigelow, W. C., and Smith, J. V.
Snyder, L. R.: Aspects of linear elution adsorption chromatography for extraneous materials, *STP 389;* (discussion), *STP 389*.
Snyder, R. E., *see* Jewell, D. M., Yevich, J. P., and Snyder, R. E.
SO_3-bearing phases in hydrating cements (Kalousek), *MR&S*, June, 292.
Soaps, report of Committee D-12, 425.
Sodium, prediction of cavitation damage in the alkali metals (Leith), 789.
Soil (material)
apparatus for vibration during the triaxial test (Hardin and Music), *STP 392*.
cohesionless, research on vibratory maximum density test (Pettibone and Hardin), *STP 377*.
compacted, influence of placement condition on shear test results (Bazett and Bell), *STP 361*.
compaction of soils (panel discussion), *STP 377*.
creep studies on saturated clays (Mitchell and Campanella), *STP 361*.
dynamic versus static modulus for dry sand (Hardin), *MR&S*, May, 232.
effective diffusivity with chemical reaction in porous rocks (Huang and Sherwood), *MR&S*, July, 362.
effect of lateral filter-paper drains on the triaxial shear characteristics of (Olson and Kiefer), *STP 361*.
effect of nonuniform pore pressures on laboratory shear strength of soils (Blight), *STP 361*.
effect of rock content on compaction characteristics of clayey gravel (Gordon, Hammond, and Miller), *STP 377*.
environmental factors in soil compaction (Burmister), *STP 377*.
free-field soil stress gage for static and dynamic measurements (Ingram), *STP 392*.
graphical approach to stress-strain relationship of normally consolidated clays (Poorooshasb and Roscoe), *STP 361*.
Hvorsley effective components of shear resistance (Schmertmann), *STP 361*.
hydraulic earth pressure cell (Peaker), *STP 392*.
impact of nuclear technology on highway engineering (Blackwell), *STP 373*.
impact test of constrained sand specimens (Selig and Vey), *MR&S*, March, 111.
influence of stress history on stress paths in undrained triaxial tests on clay (Henkel and Sowa), *STP 361*.
influence of stress path on triaxial test results (Simons), *STP 361*.
laboratory vane shear tests and the influence of pore-water stresses (Wilson), *STP 361*.
Leda clay, some deficiencies in testing (Coates and McRostie), *STP 361*.
measurement of embankment stresses on a

Soil (*continued*)
hundred-foot-high retaining wall (Kruse), *STP 392*.
measurement of shock-induced soil-structural motion (McCutcheon, Yong, and Savage), *STP 392*.
modulus of subgrade reaction, measuring (Weissmann), *MR&S*, February, 71.
planning soil dynamics instrumentation (Selig and Joyce), *STP 392*.
pore pressure control and evaluation for triaxial compression (Gibbs), *STP 361*.
pore pressures within specimens in triaxial compression (Crawford), *STP 361*.
relation between liquid limit and shear strength (Wiseman and Teferra), *MR&S*, November, 579.
report of Committee D-18, 445.
saturated, pore pressure functions in (Juarez-Badillo), *STP 361*.
selecting a yield criterion for soils (Roscoe, Schofield, and Thurairajah), *STP 361*.
shear failure, Mohr-Coulomb concept (Geuze), *STP 361*.
shear strength in a general stress field (Finn and Mittal), *STP 361*.
shear strengths of laboratory- and field-compacted comparison of the (Holtz and Ellis), *STP 361*.
shear strength of western Canadian clays, effect of test techniques on the (Chan and Rivard), *STP 361*.
simple pore water pressure gage (Raymond), *STP 361*.
strength of "undisturbed" clay from undrained tests (Ladd and Lambe), *STP 361*.
strength testing (Sowers), *STP 361*.
stress-dilatancy performance of two clays (Rowe, Oates, and Skermer), *STP 361*.
stress variation and pore pressures (Lambe), *STP 361*.
stresses and strains in triaxial specimens (Januskevicius and Vey), *STP 392*.
test interpretation and errors (Seed and Mitchell), *STP 361*.
test methods and new equipment (DeLory), *STP 361*.
theories regarding shear strength, (Meyerhof), *STP 361*.
torsional hysteresis in plastic clay (Astbury and Moore), *MR&S*, April, 178.
transducer to measure pore water pressures (Burn), *STP 361*.
triaxial and plain strain shear strength, difference in (Leussink and Wittke), *STP 361*.
triaxial testing with large-scale high pressure equipment (Hall and Gordon), *STP 361*.
triaxial tests, high-pressure on a compacted sand and undisturbed silt (Hirschfeld and Poulos), *STP 361*.
triaxial tests, influence of the provisions for boundary drainage on strength and consolidation (Bishop and Gibson), *STP 361*.
ultimate densities and strength considerations of base and subgrade soils (Winnitoy), *STP 377*.
Vienna method of shear testing (Borowicka), *STP 361*.
void ratio effects on the hyperbolic stress-strain response of a sand (Kondner and Zelasko), *STP 361*.
Soil mechanics
apparatus for vibration of specimens during the triaxial test (Hardin and Music), *STP 392*.
free-field soil stress gage for static and dynamic measurements (Ingram), *STP 392*.
hydraulic earth pressure cell (Peaker), *STP 392*.
instrument to measure skin friction and normal earth pressure on deep foundations (Agarwal and Venkatesan), *STP 392*.
measurement of embankment stresses on a hundred-foot-high retaining wall (Kruse), *STP 392*.
measurement of shock-induced soil-structural motion (McCutcheon, Yong and Savage), *STP 392*.
modulus of subgrade soil reaction, measuring (Weissmann), *MR&S*, February, 71.
planning soil dynamics instrumentation (Selig and Joyce), *STP 392*.
stresses and strains in triaxial specimens (Januskevicius and Vey), *STP 392*.
Soil stress gages
free-field soil stress gage for static and dynamic measurements (Ingram), *STP 392*.
measurement of embankment stresses on a hundred-foot-high retaining wall (Kruse), *STP 392*.
Solidification, effect on the properties of high-strength steels (Carman, Strachan, Armiento, and Markus), *STP 370*.
Solid-state, radiation tolerant all solid state tracking and command system (Smith), *STP 384*.
Solvents, report of Committee D-26, 479.
Sonic booms, giant, causes only minor damage to houses (Shuman), *MR&S*, February, 79.
Sonic tests
discrepancies between mechanical and sonic methods in evaluating shear stability o hydraulic fluids, (LeMar and Bootzin), *STP 382*.
polymer structure on shear stability of polymer-thickened power transfer fluids (Foster and Mueller), *STP 382*.
rocks, physical properties of (Udd), *STP 373*.
Soroka, I. (discussion), *MR&S*, April, 172.
Southward, B. G., *see* Taulbee, C. D., Nelson, D. L., and Southward, B. G.
Sowa, V. A. (discussion), *STP 361*.
see also Henkel, D. J., and Sowa, V. A.
Sowers, G. F.: Strength testing of soils, *STP 361*.
Space flight, development of a radiation tolerant all solid state tracking and command system (Smith), *STP 384*.
Space-vehicle landings, materials needs for energy absorption in (Warner and Marble), *STP 379*.
Spaider, C. E., Jr., and Brickner, K. G.: Modi-

fied type 316 stainless steel with low tendency to form sigma, *STP 369*.
Spanovich, Milan (discussion), *STP 377*.
Specifications, incorporation of fracture information (Payne), *STP 381*.
Spectrochemical analysis
high temperature alloys (Gillieson, Reed, Milliken, and Young), *STP 376*.
high temperature alloys by spark excitation in argon and nitrogen (Dilworth), *STP 376*.
report of Committee E-2, 503.
X-ray, cement and dental alloys (Bean and Mulligan), *STP 373*.
Speed of cracking, crack-velocity considerations (Krafft and Irwin), *STP 381*.
Split cylinder test, concrete, evaluating tensile strength of (Pincus and Gesund), *MR&S*, September, 454.
Spooner, D. C., *see* Cole, D. G., and Spooner, D. C.
Springback, use of springback tester with steels having nonlinear stress-strain curves (Bower), *MR&S*, December, 607.
Sproat, R. L., *see* Hood, A. C., and Sproat, R. L.
Srawley, J. E., *see* Brown, W. F., Jr., and Srawley, J. E.
Stability
resistance of polymers to degradation (Atlas and Mark), *STP 386*.
shear, of polymer-thickened power transfer fluids, effect of polymer structure on (Foster and Mueller), *STP 382*.
Stachowicz, Z., *see* Rosinski, B., Przedecki, T., and Stachowicz, Z.
Stainless steel
AISI type 301, mechanisms of deformation and work hardening in (Barclay), *STP 369*.
austenitic, effect of heat treatment and welding on corrosion resistance of (Auld), *STP 369*.
austenitic, effect of vacuum melting and vacuum annealing on the properties of (Roach, Leffingwell, and Hall), *STP 369*.
austenitic, testing system for detecting susceptibility to rapid intergranular attack in various grades of (Streicher), *STP 369*.
automotive trim appraisal of evaluation tests for (Bates and Phelps), *STP 369*.
cast high-strength alloy grades by structure control, (Beck, Schoefer, Flowers, and Fontana), *STP 369*.
columbium-hardened nickel-chromium-iron alloy, metallurgy of (Eiselstein), *STP 369*.
combined effects of temperature and irradiation on the mechanical properties of (Irwin, Bement, and Hoagland), *STP 380*.
creep-rupture properties of, at 1600, 1800, and 2000 F (Brickner, Ratz, and Domagala), *STP 369*.
cryogenic environments, evaluation and application in (Hurlich and Scheck), *STP 369*.
cryogenically stretch-formed type 301, for cryogenic service (discussion), *MR&S*, May, *231*.
effect of austrolling on the properties of Crucible 422 (Westgren and Dulis), *STP 369*.
effect of irradiation on A302-B subjected to a multiaxial stress distribution (Trozera and Flynn), *STP 380*.
effect of irradiation temperature on the post-irradiation stress-strain behavior of (Martin and Weir), *STP 380*.
effect of temperature change on cumulative fatigue damage (Dunsby), 736.
effects of neutron exposure and reactor environments on (Bush and Tobin), *STP* 369.
effect of small columbium additions to type 304 (Yeo and Scott), *STP 369*.
18Cr-8Ni-Ti, effect of heat treatment, composition and microstructure on corrosion of in acids (Streicher), *STP 369*.
electron microscopy of stress-corrosion cracking in AM 350 steel for a supersonic transport (Tiner), *STP 372*.
evaluation of accelerated Strauss testing (Scharfstein and Eisenbrown), *STP 369*.
flow and fracture properties of unirradiated (Beeghly), *STP 380*.
formation of sigma in 12 to 16 per cent chromium steels (Ludwigson and Link), *STP 369*.
high-strength (Hammond), *STP 369*.
high-strength, deformation at low temperature (Floreen and Mihalisin), *STP 369*.
high-strength weldable for elevated-temperature service (Hull), *STP 369*.
high-strength chromium-manganese-nitrogen, mechanical properties and corrosion resistance of (Heger), *STP 369*.
high-strength, deformation at room temperature (Floreen and Mayne), *STP 370*.
in-reactor stress-rupture properties of a 20Cr-25Ni, columbium-stabilized steel (Venard and Weir), *STP 380*.
in utility power plants (Lien), *STP 369*.
internal-friction peaks in type 304, containing nitrogen (Eckel and Manning), *STP 369*.
irregular shapes, extrusion and cold finishing of (Barrett), *STP 369*.
laboratory test for determining susceptibility of nickel-molybdenum and nickel-molybdenum-chromium alloys to intercrystalline corrosion and its use in development of resistant alloys (Grafen), *STP 369*.
martensitic age hardening (Aggen, Hammond, and Lula), *STP 369*.
modified alloy 20 (Black and Lherbier), *STP 369*.
modified type 316, with low tendency to form sigma (Spaider and Brickner), *STP 369*.
precipitation-hardening, aging mechanisms in (Wilkins, Pence, and Perry), *STP 369*.
precipitation hardening, alloying for strength and stability (Perry and Marshall), *STP 369*.
precipitation hardening, effect of composition and section size on mechanical properties of (Clarke and Garvin), *STP 369*.

Stainless steel (*continued*)
precipitation hardening, relationship between metallurgical structure and properties of (Aggen and Kaltenhauser), *STP 369*.
production bright annealing of (Boyer and Perrine), *STP 369*.
relationship of heat treatment and microstructure to corrosion resistance in wrought Ni-Cr-Mo alloys (Streicher), *STP 369*.
report of Committee A-10, 142.
roping and intergranular corrosion of 430 (Parker), *STP 369*.
strain-cycle phenomena in thin-wall tubing (Reynolds), *STP 380*.
time-temperature-sensitization (TTS) diagrams for types 347, 304L, and 316L (Ebling and Scheil), *STP 369*.
12 per cent chromium alloys modified with small columbium additions (Tanczyn), *STP 369*.
12-Cr MoWv martensitic, fine structure and properties of (Benerjee, Hauser, and Capenos), *STP 369*.
Standardization
general relationship of technical and professional societies and trade associations in the (Rather), *MR&S*, June, 313.
international, for steel (Kent), *MR&S*, September, 467.
structural steel surges forward (Stetina), *MR&S*, November, 582.
use and misuse of plastic standards (Birley), *MR&S*, July, 366.
Static tests, development of a free-field soil stress gage for static and dynamic measurements (Ingram), *STP 392*.
Statistical analysis
report of Committee E-11, 532.
statistical aspects of mechanical property assurance, 267.
viscurometer-variables associated with (Veith), *STP 383*.
Steel
application of fracture toughness testing to the development of a family of alloys (Pascover, Hill, and Matas), *STP 381*.
bars, tension tests of large-size concrete reinforcing (Saunders and Siess), 654.
cast high-strength alloy grades by structure control (Beck, Schoefer, Flowers, and Fontana), *STP 369*.
cold-rolled AM-350 and AM-355, metallurgy and properties of (McCunn, Aggen, and Lula), *STP 370*.
columbium-hardened nickel-chromium-iron alloy, metallurgy of (Eiselstein), *STP 369*.
correlation of deep drawing press performance with tensile properties, *STP 390*.
effects of high pressure and temperature on the mechanical properties of metals and alloys (Radcliffe), *STP 374*.
effects of irradiation on (Harries and Eyre), *STP 380*.
effect of irradiation temperature on the post-irradiation stress-strain behavior of (Martin and Weir), *STP 380*.
effect of irradiation in austenitic steels and other high-temperature alloys (Pfeil and Harries), *STP 380*.
effects of irradiation on A302-B steel subjected to a multiaxial stress distribution (Trozera and Flynn), *STP 380*.
effect of surface films on fatigue life of steels (Clarke and Kay), *MR&S*, December, 600.
18 per cent nickel maraging, fracture toughness and delayed failure behavior of (Brisbane, Hawn, and Ault), *MR&S*, August, 395.
electron microscopy of stress-corrosion cracking in AM 350 steel for a supersonic transport (Tiner), *STP 372*.
elevated-temperature properties of basic-oxygen steel (Spaeder), *DS 40*.
evaluation of accelerated Strauss testing (Scharfstein and Eisenbrown), *STP 369*.
evaluation of proposed recommended practice for sharp-notch tension testing (Heyer), *STP 381*.
flow and fracture properties of unirradiated stainless (Beeghly), *STP 380*.
flow of steels near inclusions during deformation (Chao and Van Vlack), *MR&S*, December, 611.
formation of sigma in 12 to 16 per cent chromium steels (Ludwigson and Link), *STP 369*.
fracture toughness testing in alloy development (Wei), *STP 381*.
high-strength, forgings, (Henning), *STP 370*,
high strength, fracture micromechanics (Banerjee), *STP 370*.
high-strength, effect of solidification practice on the properties of (Carman, Strachan, Armiento, and Markus), *STP 370*.
in-depth embrittlement of a simulated pressure vessel wall of A302-B (Serpan and Steele), *STP 380*.
in-reactor studies of low-cycle fatigue properties of a nuclear pressure vessel steel (Hawthorne and Steele), *STP 380*.
in-reactor stress-rupture properties of a 20Cr-25Ni, columbium-stabilized (Venard and Weir), *STP 380*.
international standardization for (Kent), *MR&S*, September, 467.
irradiation hardening and embrittlement in (Wronski, Sargent, and Johnson), *STP 380*.
low-temperature embrittlement by neutron irradiations (Chow and McRickard), *STP 380*.
maraging, evaluation of the 18Ni-9Co-5Mo (Corn), *STP 370*.
mechanical properties and deformation characteristics of metals and alloys under pressure (Pugh), *STP 374*.
microconstituents in high-speed (Koh and Nikkel), *STP 372*.
neutron embrittlement and embrittlement relief of reactor pressure vessel steels (Steele and Hawthorne), *STP 380*.
production, technological trends in (Kent), *MR&S*, March, 138.

reinforcing, behavior under reversed loading (Singh, Gerstle, and Tulin), *MR&S*, January, 12.
relationship between microstructure and toughness in quenched and tempered ultra-high-strength (Baker, Lauta, and Wei), *STP 370*.
relationships between structure and properties in the 9Ni-4Co alloy system (Pascover and Matas), *STP 370*.
report of Committee A-1, 96.
report of Committee A-5, 120.
stainless
AISI type 301, mechanisms of deformation and work hardening in (Barclay), *STP 369*.
austenitic, effect of vacuum melting and vacuum annealing on the properties of (Roach, Leffingwell, and Hall), *STP 369*.
austenitic, the combined effects of temperature and irradiation on the mechanical properties of (Irvin, Bement, and Hoagland), *STP 380*.
austenitic, effect of heat treatment and welding on corrosion resistance of (Auld), *STP 369*.
automotive trim, appraisal of evaluation tests for (Bates and Phelps), *STP 369*.
columbium additions, small, to type 304 stainless of (Yeo and Scott), *STP 369*.
creep-rupture properties of, at 1600, 1800, and 2000 F (Brickner, Ratz, and Domagala), *STP 369*.
Crucible 422, effect of austrolling on the properties of (Westgren and Dulis), *STP 369*.
cryogenically stretch-formed type 301, for cryogenic service (discussion), *MR&S*, May, 231.
cryogenic environments, evaluation and application in (Hurlich and Scheck), *STP 369*.
effect of heat treatment, composition and microstructure on corrosion of 18 Cr-8Ni-Ti in acids (Streicher), *STP 369*.
effects of neutron exposure and reactor environments on (Bush and Tobin), *STP 369*.
extrusion and cold finishing of irregular shapes (Barrett), *STP 369*.
high-strength, by deformation at room temperature (Floreen and Mayne), *STP 370*.
high-strength, chromium-manganese-nitrogen, mechanical properties and corrosion resistance of (Heger), *STP 369*.
high-strength, new (Hammond), *STP 369*.
high-strength, produced by deformation at low temperatures (Floreen and Mihalisin), *STP 369*.
high-strength, weldable, for elevated-temperature service (Hull), *STP 369*.
internal-friction peaks in type 304 containing nitrogen (Eckel and Manning), *STP 369*.
modified alloy 20 (Black and Lherbier), *STP 369*.
modified type 316 with low tendency to form sigma (Spaeder and Brickner), *STP 369*.
precipitation-hardening, aging mechanisms in (Wilkins, Pence, and Perry), *STP 369*.
precipitation hardening, effect of composition and section size on mechanical properties (Clarke and Garvin), *STP 369*.
precipitation hardening, relationship between metallurgical structure and properties of (Aggen and Kaltenhauser), *STP 369*.
production bright annealing of (Boyer and Perrine), *STP 369*.
testing system for detecting susceptibility to rapid intergranular attack in various grades (Streicher), *STP 369*.
utility power plants (Lien), *STP 369*.
strain-cycle phenomenon in thin-wall tubing (Reynolds), *STP 380*.
structural steel surges forward (Stetina), *MR&S*, November, 582.
thermomechanical treatments applied to ultrahigh-strength bainites (Kalish, Kulin, and Cohen), *STP 370*.
ultrahigh-strength fasteners (Hood and Sproat), *STP 370*.
ultrasonic spectroscopy of (Gericke), *MR&S*, January, 23.
use of springback tester with steels having nonlinear stress-strain curves (Bower), *MR&S*, December, 607.
welding 3½ and 9 per cent nickel, and 36 per cent nickel-iron alloy for cryogenic service (discussion), *MR&S*, May, 231.
X-ray spectrochemical analysis of high temperature alloys (Gillieson, Reed, Milliken, and Young), *STP 376*.
Steele, L. E., *see* Hawthorne, J. R., and Steele, L. E.
see also Serpan, C. Z., Jr., and Steele, L. E.
and Hawthorne, J. R.: New information on neutron embrittlement and embrittlement relief of reactor pressure vessel steels, *STP 380*.
Steel forgings, high-strength (Henning), *STP 370*.
Stickley, G. W., and Brownhill, D. J.: Elongation and yield strength of aluminium alloys as related to gage length and offset, 597.
Stokes, C. S., *see* Grosse, A. V., McGonigal, P. J., Murphy, W. J., and Stokes, C. S.
Stone, W., Jr., Yasuda, H., Seiderman, M., and Ore, S.: Principles of polymer implant applications, *STP 386*.
Strachan, R. W., *see* Carman, C. M., Strachan, R. W., Armiento, D. F., and Markus, H.
Strain gages
transducer to measure pore water pressures (Burn), *STP 361*.
waterproofing, on reinforcing bars in concrete exposed to the sea (Dryburgh, Peter and Plewes), *MR&S*, July, 350.

Strain hardening
AISI type 301 stainless steel, mechanisms of (Barlcay), *STP 369*.
Strain rate
effect on creep of saturated clays (Mitchell and Campanella), *STP 361*.
influence of stress path on triaxial test results (Simons), *STP 361*.
Strain-tempering, applied to ultrahigh-strength bainites (Kalish, Kulin, and Cohen), *STP 370*.
Streicher, M. A.:
Effect of heat treatment, composition, and microstructure on corrosion of 18 Cr-8Ni-Ti stainless steels in acids, *STP 369*.
A testing system for detecting susceptibility to rapid intergranular attack in various grades of austenitic stainless steels, *STP 369*.
The relationship of heat treatment and microstructure to corrosion resistance in Ni-Cr-Mo alloys, *STP 369*.
Stress analysis, cracks (Paris and Sih), *STP 381*.
Stress, dynamic, in a mica-filled epoxy, electrical charge as function of (Fitzgerald), *MR&S*, May, 240.
Stress corrosion
12 per cent chromium alloys modified with small columbium additions (Tanczyn), *STP 369*.
cold-rolled Am-350 and Am-355 steels (McCunn, Aggen, and Lula), *STP 370*.
Crucible 422 stainless steel, effect of austrolling on the properties of (Westgren and Dulis), *STP 369*.
environmental, high density polyethylene, effects of temperature and environment on (Suezawa, Hōjō, Ikeda, and Okamura), *MR&S*, February, 55.
electron microscopy of, in AM 350 steel for a supersonic transport (Tiner), *STP 372*.
laboratory test for determining susceptibility of nickel-molybdenum and nickel-molybdenum-chromium alloys to intercrystalline corrosion and its use in development of resistant alloys (Grafen), *STP 369*.
stainless steel, precipitation hardening, effect of metallurgical structure on (Aggen and Kaltenhauser), *STP 369*.
stainless steels, effects of neutron exposure and reactor environments on (Bush and Tobin), *STP 369*.
structural sheet materials, test for (discussion), *MR&S*, June, 304.
structural sheet materials (Heimerl and Braski), *MR&S*, January, 18.
Stress-dilitancy, performance of two clays (Rowe, Oates, and Skermer), *STP 361*.
Stress field, shear strength of soil in (Finn and Mettla), *STP 361*.
Stress history, stress paths in undrained triaxial tests on clay influence of (Henkel and Sowa), *STP 361*.
Stress-intensity, applied fracture mechanics (Tiffany and Masters), *STP 381*.
Stress path
influence of stress history on undrained triaxial tests on clay (Henkel and Sowa), *STP 361*.
influence on triaxial test results (Simons), *STP 361*.
Stress-rupture
in-reactor properties of a 20Cr-25Ni, columbium-stabilized steel (Venard and Weir), *STP 380*.
stainless steels, effect of neutron exposure and reactor environments on stainless (Bush and Tobin), *STP 369*.
Stress-strain
mechanical properties and deformation characteristics of metals and alloys under pressure (Pugh), *STP 374*.
relationship of normally consolidated clays, graphical approach to (Poorooshasb and Roscoe), *STP 361*.
Stress variation, pore pressures (Lambe), *STP 361*.
Stringer, H. R. (discussion), *STP 382*.
Structural steels, structural steel surges forward (Stetina), *MR&S*, November, 582.
Subgrade reaction, modulus of, measuring (Weissmann), *MR&S*, February, 71.
Submarines
design considerations for manned deep-sea vehicles (Oakley), *MR&S*, November, 557.
environmental test chambers for submersible vehicles (DeHart), *MR&S*, November, 564.
materials for deep submergence—a development dilemma (Craven and Bernstein), *MR&S*, November, 551.
Subsieve sizing, sensing zone methods (Berg), *MR&S*, March, 119.
Suezawa, Y., Hōjō, H., Ikeda, T., and Okamura, Y.: Effects of environment and temperature on the environmental stress-cracking of high-density polyethylene, *MR&S*, February, 55.
Sulfur, allotropes, mechanical properties of (Dale and Ludwig), *MR&S*, August, 411.
Sulfur compounds (organic), in petroleum (Thompson, Coleman, Hopkins, and Rall), *STP 389*.
Sulfur mortars, granular materials in, measuring amount of (Thompson), *MR&S*, May, 242.
Sulfur trioxide, analyzing phases in hydrating cements (Kalousek), *MR&S*, June, 292.
Sulfuric acid corrosion, modified alloy 20 stainless steel (Black and Lherbier), *STP 369*.
Sullivan, A. M. (discussion), *STP 380*.
Superconductivity, high-field (Kunzler), *MR&S*, April, 161.
Superconductors, high-field superconductivity (Kunzler), *MR&S*, April, 161.
Supnik, R. H. (discussion), *STP 375*.
Surface films, effect of surface films on fatigue life of steels (Clarke and Kay), *MR&S*, December, 600.
Surface flammability, coated and uncoated cellulosic materials, effect of moisture on (Lee, Loftus, and Gross), *STP 385*.
Surfaces
cleanliness by indium adhesion (Krieger and Wilson), *MR&S*, July, 341.
measuring road surface slipperiness (Dillard and Mahone), *STP 366*.

properties and wettability of plastics (Zisman) (abstract only), *STP 386*.
radiation induced effects on selected semiconductor devices (Cocca and Koepp-Baker), *STP 384*.
Surgical implant materials
antigenicity of synthetic polypeptide antigens (abstract only), (Maurer), *STP 386*.
artificial heart valves, development of (Davila), *STP 386*.
changes in properties of plastics during implantation (Leininger), *STP 386*.
compatibility, biological endpoints for (Woodward), *STP 386*.
cornea implant applications (Stone, Yasuda, Seiderman, and Ore), *STP 386*.
designing and fabricating implants with elastomers (Konkle), *STP 386*.
designing and fabricating with rigid polymers (Pierson), *STP 386*.
designing and fabricating with textiles (Edman), *STP 386*.
effects of implants on the blood (Sears), *STP 386*.
polymer implants in humans (Johnson), *STP 386*.
report of Committee F-4, 565.
resistance of polymers to degradation (Atlas and Mark), *STP 386*.
silicone, teflon, and etheron with laboratory and clinical studies, including full jaw substitutions (Brown, Fryer, Ohlwiler, Kollias, and Templeton), *STP 386*.
Swamy, Narayan (discussion), *MR&S*, July, 348.
Synthesis, quenchable effects of high-temperature, high-pressure treatment on nonmetallic materials (Roy), *STP 374*.
Szirmae, A., and Fisher, R. M.: Specimen damage during cutting and grinding, *STP 372*.

T

Tabikh, A. A.: Quantitative analysis by x-ray emission spectrography, *MR&S*, October, 504.
Tanczyn, H.: Properties of 12 per cent chromium alloys modified with small columbium additions, *STP 369*.
Tantalum, irradiation hardening and embrittlement in (Wronski, Sargent, and Johnson), *STP 380*.
Taulbee, C. D., Nelson, D. L., and Southward, B. G.: The effects of ionizing radiation on transistor gain, *STP 384*.
see also Frank, Max, Taulbee, C. D., and Chambers, H. L.
Taylor, W. V. (discussion), *STP 389*.
Tear tests, fracture toughness testing at Alcoa Research Laboratories (Kaufman and Hunsicker), *STP 381*.
Teflon, synthetic prostheses, with laboratory and clinical studies, including full jaw substitutions (Brown, Fryer, Ohlwiler, Kollias, and Templeton) (abstract only), *STP 386*.
Tellurium, high-pressure, high-temperature treatment on the properties of electronic materials, effects of (Warekois), *STP 374*.
Temper, use of springback tester with steels having nonlinear stress-strain curves (Bower), *MR&S*, December, 607.
Temperature, effect of
creep of saturated clays (Mitchell and Campanella), *STP 361*.
creep-rupture properties of stainless steels at 1600, 1800, and 2000 F (Brickner, Ratz, and Domagala), *STP 369*.
cryogenic impact testing (D'Annessa and Lewis), *MR&S*, May, 229.
drying process (Hansen), *STP 385*.
elevated-temperature properties of basic-oxygen steel (Spaeder), *DS 40*.
high pressure on mechanical properties of metals and alloys (Radcliffe), *STP 374*, 141.
high pressure on nonmetallic materials, quenchable effects of (Roy), *STP 374*.
high-pressure treatment on the properties of electronic materials high- (Warekois), *STP 374*.
high-strength weldable stainless steel for elevated-temperature service (Huli), *STP 369*.
in-reactor studies of low-cycle fatigue properties of a nuclear pressure vessel steel (Hawthorne and Steele), *STP 380*.
irradiation temperature on the post-irradiation stress-strain behavior of stainless steel (Martin and Weir), *STP 380*.
irreversible effects of high, and high pressure on organic materials (Bradbury and Leininger), *STP 374*.
mechanical properties of austenitic stainless steels, the combined effects of irradiation and (Irwin, Tobin, and Hoagland), *STP 380*.
modified type 316 stainless steel with low tendency to form sigma (Spaeder and Brickner), *STP 369*.
1-mil molybdenum-faced foil sandwich up to 1800 F testing (Hunter), *STP 379*.
report of ASTM-ASME Joint Committee, 296.
simple oxidation balance (Ames and Burk), *MR&S*, June, 311.
stress cracking, environmental, of high density polyethylene (Suezawa, Hōjō, Ikeda, and Okamura), *MR&S*, February, 55.
temperature change on cumulative fatigue damage (Dunsby), 736.
thermomechanical treatments applied to ultrahigh-strength bainites (Kalish, Kulin, and Cohen), *STP 370*.
time-temperature-sensitization (TTS) diagrams for types 347, 304L, and 316L stainless steels (Ebling and Scheil), *STP 369*.
Temperature control, low-temperature testing cell with controlled temperatures between 50 and 150C (Behun, Burton and Smith), *MR&S*, December, 629.
Temperature measurement
report of Committee E-20, 550.
thermocouples and their usage in ASTM standards (Zabawsky and Gavan), *MR&S*, February, 80.
Templeton, J. B., *see* Brown, J. B., Fryer, M. P., Ohlwiler, O., Kollias, P., and Templeton, J. B., *STP 386*.

Tensile strength
12 per cent chromium alloys modified with small columbium additions (Tanczyn), *STP 369*.
12-Cr MoWV martensitic stainless steel (Banerjee, Hauser, and Capenos), *STP 369*.
alloying precipitation hardening stainless steels (Perry and Marshall), *STP 369*.
austenitic steels and other high-temperature alloys effects of irradiation (Pfeil and Harries), *STP 380*.
chromium-manganese-nitrogen stainless steel, high strength (Heger), *STP 369*.
concrete, comparison of methods (Pincus and Gesund), *MR&S*, September, 454.
correlation of deep drawing press performance with tensile properties, *STP 390*.
correlation of tensile data and slow-bend data on Charpy-type specimens (Nunes), 844.
ductile beryllium-aluminum wrought alloys (Fenn, Crooks, and Pasternak), *STP 379*.
effect of mechanical damage on glass yarn strength (Butler and Senyk), *MR&S*, August, 406.
effect of solidification practice on the properties of high-strength steels (Carman, Strachan, Armiento, and Markus), *STP 370*.
elongation in the tension test as a measure of ductility (Hsu et al), 874.
evaluation of proposed recommended practice for (Heyer), *STP 381*.
fatigue and tensile properties of zirconium at elevated temperatures (Pederson and Murphy), 762.
fracture toughness testing at Alcoa Research Laboratories (Kaufman and Hunsicker), *STP 381*.
gas bearing facilities for determining axial stress-strain and lateral strain of brittle materials to 5500 F (Pears and Digesu), 855.
glass roving strands (Petker), *MR&S*, August, 387.
high-strength stainless steels by deformation at room temperature (Floreen and Mayne), *STP 370*.
high-strength stainless steel produced by deformation and low temperature (Floreen and Mihalisin), *STP 369*.
iron and steels, effects of irradiation on (Harries and Eyre), *STP 380*.
low-temperature mechanical properties and fracture toughness of Ti-6Al-6V-2Sn (DeSisto and Hickey), 641.
mechanical properties and deformation characteristics of metals and alloys under pressure (Pugh), *STP 374*.
metallurgy and properties of cold-rolled AM-350 and AM-355 steels (McCunn, Aggen, and Lula), *STP 370*.
notch toughness of some aluminum alloys by proposed ASTM recommended practice (Kaufman), 626.
plastic deformation of an aluminum alloy in the tension test (Hsu and Williamson), 575.
plastics during implantation, changes in (Leininger), *STP 386*.
precipitation hardening stainless steels, effect of composition and section size on mechanical properties (Clarke and Garvin), *STP 369*.
relationships between structure and properties in the 9Ni-4Co alloy system (Pascover and Matas), *STP 370*.
rocks (Udd), *STP 373*.
stainless steel, high-strength weldable, for elevated-temperature service (Hull), *STP 369*.
stainless steels in cryogenic environments (Hurlich and Scheck), *STP 369*.
sulfur allotropes (Dale and Ludwig), *MR&S*, August, 411.
tests of large-size concrete reinforcing bars (Saunders and Siess), 654.
ultrahigh-strength steel fasteners (Hood and Sproat), *STP 370*.
volume change of structural lightweight concrete (Ledbetter and Thompson), 712.
Tewksbury, E. J., *see* Klaus, E. E., Tewksbury, E. J., Jolie, R. M., Lloyd, W. A., and Manning, R. E.
Textile materials
designing and fabricating implants with (Edman), *STP 386*.
report of Committee D-13, 430.
Thermal degradation, polymer processes (Jellinek), *STP 382*.
Thermal insulating materials
recent techniques, space environment (Light), *STP 373*.
report of Committee C-16, 342.
Thermal shock resistance
fused silica (Hallse and Rizley), *STP 379*.
high-temperature structural applications (Kendall and McClelland), *STP 379*.
Thermocouples, usage in ASTM standards (Zabawsky and Gavan), *MR&S*, February, 80.
Thermostats, report of Committee B-4, 198.
Thickness
effect on concrete density measurement by gamma ray transmission (Preiss), *MR&S*, June, 285.
pavements, by nuclear methods (Blackwell), *STP 373*.
Thomas, E. W., *see* Warlam, A. A., and Thomas, E. W.
Thomas, J. R., *see* Hagan, R. S., and Thomas J. R.
Thompson, C. J., Coleman, H. J., Hopkins, R. L., and Rall, H. T.: Sulfur compounds in petroleum, *STP 389*.
Thompson, C. L.: A simple method for measuring the amount of granular materials in sulfur mortars, *MR&S*, May, 242.
Thompson, J. N., *see* Ledbetter, W. B., and Thompson, J. N.
Thurairajah, A., *see* Roscoe, K. H., Schofield, A. N., and Thurairajah, A.
Tiffany, B. E., *see* Bush, G. F., Garwood, W. J., and Tiffany, B. E.

Tiffany, C. F., and Masters, J. N.: Applied fracture mechanics, *STP 381.*
Time-temperature-sensitization
(TTS) diagrams, stainless steels, types 347, 304L, and 316L (Ebling and Scheil), *STP 369.*
roping and intergranular corrosion of 430 stainless steel (Parker), *STP 369.*
Time to failure, effect of test techniques on shear strengths of western Canadian clays (Chan and Rivard), *STP 361.*
Tin telluride, high-pressure, high-temperature treatment on the properties of electronic materials, effects of (Warekois), *STP 374.*
Tiner, N. A.: Electron microscopy of stress-corrosion cracking in AM 350 steel for supersonic transport, *STP 372.*
Tingle, W. H. (discussion), *STP 376.*
Titanium and titanium alloys
effect on corrosion of 18 Cr-8Ni-Ti stainless steels in acids (Streicher), *STP 369.*
evaluation of proposed recommended practice for sharp-notch tension testing (Heyer), *STP 381.*
low-temperature mechanical properties and fracture toughness of Ti-6Al-6V-2Sn (DeSisto and Hickey), 641.
modified alloy 20 stainless steel (Black and Lherbier), *STP 369.*
structural sheet materials, stress corrosion test for (Heimerl and Braski), *MR&S*, January, 18.
Tkac, V. J. (discussion), *STP 389.*
Tobin, J. C., *see* Bement, A. L., Tobin, J. C., and Hoagland, R. G.
see also Holmes, J. J., Williams, J. A., Nyman, D. H., and Tobin, J. C.
see also Bush, S. H., and Tobin, J. C.
Torsion tests
concrete, evaluating tensile strength of (Pincus and Gesund), *MR&S*, September, 454.
hysteresis in plastic clay (Astbury and Moore), *MR&S*, April, 178.
mechanical properties and deformation characteristics of metals and alloys under pressure (Pugh), *STP 374.*
strength of soils (Sowers), *STP 361.*
Toxicity, implants, biological endpoints for compatibility (Woodward), *STP 386.*
Tracking facility, development of a radiation tolerant all solid state (Smith), *STP 384.*
Transducer, measure pore water pressures (Burn), *STP 361.*
Transistors
effects of ionizing radiation on (Taulbee, Nelson, and Southward), *STP 384.*
influence of operating conditions on radiation damage to transistor gain (Frank, Taulbee, and Chambers), *STP 384.*
neutron and neutron spectra contribution to damage in silicon F.E.T.'s (Kaufman), *STP 384.*
proton and electron permanent damage in silicon semiconductor devices (Brown), *STP 384.*
radiation induced surface effects on selected semiconductor devices (Cocca and Koepp-Baker), *STP 384.*
transient radiation effects in semiconductor devices (Crowe and Sauer), *STP 384.*
Transition temperature
molybdenum- and columbium-base alloys effect of radiation on (McCoy and Weir), *STP 380.*
neutron embrittlement and embrittlement relief of reactor pressure vessel steels (Steele and Hawthorne), *STP 380.*
Transmission electron microscopy, application of a conducting mask for thinning metallic foils for (Despres), *STP 372.*
Transmutation
mechanisms of radiation damage in reactor materials (Brinkman and Wiedersich), *STP 380.*
mechanisms of radiation-induced mechanical property changes (Barnes), *STP 380.*
Traveling-wave tubes, transient radiation effects on (Magnuson), *STP 384.*
Treasure, C. R. G., *see* Kaye, B. H., and Treasure, C. R. G.
Tresca theory, evaluation of test data for selecting a yield criterion for soils (Roscoe, Schofield, and Thurairajah), *STP 361.*
Triaxial tests
apparatus for vibration of soil specimens during (Hardin and Music), *STP 392.*
clay, influence of stress history on stress paths in undrained (Henkel and Sowa), *STP 361.*
effect of lateral filter-paper drains on the triaxial shear characteristics of soils (Olson and Kiefer), *STP 361.*
effect of nonuniform pore pressures on laboratory shear strength of soils (Blight), *STP 361.*
effect of test conditions on shear strengths of western Canadian clays (Chan and Rivard), *STP 361.*
graphical approach to the stress-strain relationship of normally consolidated clays (Poorooshasb and Roscoe), *STP 361.*
high-pressure, on a compacted sand and an undisturbed silt (Hirschfeld and Poulos), *STP 361.*
influence of the provisions for boundary drainage on strength and consolidation characteristics (Bishop and Gibson), *STP 361.*
influence of stress path on results (Simons), *STP 361.*
Leda clay, some deficiencies in testing (Coates and McRostie), *STP 361.*
plain strain shear strength, difference in (Leussink and Wittke), *STP 361.*
pore pressure control and evaluation for (Gibbs), *STP 361.*
pore pressures within soil specimens in (Crawford), *STP 361.*
selecting a yield criterion for soils (Roscoe, Schofield, and Thurairajah), *STP 361.*
strength of soil in a general stress field (Finn and Mittal), *STP 361.*
strength of "undisturbed" clay determined

Triaxial tests (*continued*)
from undrained tests (Ladd and Lambe), *STP 361*.
strength testing, soils (Sowers), *STP 361*.
stresses and strains in triaxial specimens (Januskevicius and Vey), *STP 392*.
test methods and new equipment (DeLory), *STP 361*.
void ratio effects on the hyperbolic stress-strain response of a sand (Kondner and Zelasko), *STP 361*.
with large-scale high pressure equipment (Hall and Gordon), *STP 361*.
Trozera, T. A., and Flynn, P. W.: Effects of irradiation on A302-B steel subjected to a multiaxial stress distribution, *STP 380*.
Truesdale, W. B. (discussion), *STP 361*.
Tubing
crack propagation tests on Zircaloy-2 reactor pressure in both the normal and hydrided conditions (Aungst and Defferding), *STP 380*.
secondary standard for eddy current inspection of aluminum alloy (Hoch), 617.
strain-cycle phenomena in thin-wall (Reynolds), *STP 380*.
transient radiation effects on traveling-wave tubes (Magnuson), *STP 384*.
Tungsten, recovery of defects in neutron-irradiated (Moteff and Smith), *STP 380*.
Tulin, L. G., *see* Singh, Awtar, Gerstle, K. H., and Tulin, L. G.
Turkanis, M. M. (discussion), *STP 373*.
Tuttle, H. A. (discussion), *STP 373*.

U

Udd, J. L.: The physical properties of rocks and probable applications, *STP 373*.
Ultracentrifuge, studies, effect of polymer structure on shear stability of polymer-thickened power transfer fluids (Foster and Mueller), *STP 382*.
Ultrasonics
degradation of polymer systems on the basis of reduced viscosity loss, consideration of the (Selby), *STP 382*.
determination of the bulk modulus of hydraulic fluids (Noonan), *MR&S*, December, 615.
effect of high-energy sources on polymer-thickened lubricants (Klaus, Tewksberry, Jolie, Lloyd, and Manning), *STP 382*.
fatigue tests, comparison with conventional axial fatigue tests on aluminum alloy rod (Fox), *MR&S*, February, 60.
spectroscopy, steel (Gericke), *MR&S*, January, 23.
Ultraviolet spectroscopy
identification of impurities in petroleum naphthalene (King and Warren), *STP 389*.
hydrocarbons (LeTourneau), *STP 389*.
Urkan, S., *see* Yaltkaya, E. R., Enüstün, B. V., Urkan, S., Sentürk, H. S., and Köksal, K.

V

Vacuum
annealing, effect on properties of austenitic stainless steels (Roach, Leffingwell, and Hall), *STP 369*.
extractor for bituminous mixtures (Brakey,) *MR&S*, December, 622.
melting, effect on properties of austenitic stainless steels (Roach, Leffingwell, and Hall), *STP 369*.
Valves (heart), artificial, development of (Davila), *STP 386*.
Vane shear test
influence of pore-water stresses (Wilson), *STP 361*.
strength of soils (Sowers), *STP 361*.
Van Horne, B. H. (discussion), *STP 373*.
Van Lint, V. A. J.: Remarks on correlation studies, *STP 384*.
Van Vlack, L. H., *see* Chao, H. C., and van Vlack, L. H.
Varnish, report of Committee D-1, 360.
Veith, A. G.: Viscurometer—a study of variables associated with its use, *STP 383*.
Venard, J. T., and Weir, J. R.: In-reactor stress-rupture properties of a 20Cr-25Ni, columbium-stabilized steel, *STP 380*.
Venkatesan, S., *see* Agarwal, S. L., and Venkatesan, S.
Venuto, C. J. (discussion), *MR&S*, March, 137.
Verrall, A. F. (discussion), *STP 385*.
Verrall, A. F.: Moisture content of wood in buildings, *STP 385*.
Vesic, A. (discussion), *STP 361*.
Vey, E.:
see Januskevicius, C. K., and Vey, E.
see Selig, E. T., and Vey, E.
Vibration
apparatus for vibration of soil specimens during the triaxial test (Hardin and Music), *STP 392*.
damping studies in materials science and materials engineering (Lazan), *STP 378*.
micromechanisms and phenomenology of damping in polymers (Kaelble), *STP 378*.
research on maximum density test for cohesionless soils (Pettibone and Hardin), *STP 377*.
Vick, G. K., and Goodson, R. M.: Viscosity loss in polymer-thickened oils during use, *STP 382*.
Victory, S. P., Jr., *see* Krahl, N. W., Victory, S. P., Jr., Erkmen, E., and Sims, J. R.
Vienna method, shear testing (Borowicka), *STP 361*.
Viscoelasticity, plastic clay (Astbury and Moore), *MR&S*, April, 178.
Viscosimeters predicting workability in masonry mortars (Isenburg), *MR&S*, July, 358.
Viscosity
effect of high-energy sources on polymer-thickened lubricants (Klaus, Tewksbury, Jolie, Lloyd, and Manning), *STP 382*.
loss in polymer-thickened oils during use (Vick and Goodson), *STP 382*.

loss, reduced, degradation of polymer systems on the basis of (Selby), *STP 382*.
Viscurometers, variables associated with (Veith), *STP 383*.
Void ratio, effects on the hyperbolic stress-strain response of a sand (Kondner and Zelasko), *STP 361*.
Volume
change, behavior of plain mortar and concrete under triaxial stress (Krahl et al), 697.
restraint, tensile properties and volume change of structural lightweight concrete (Ledbetter and Thompson), 712.
Von Fuchs, George (discussion), *STP 389*.
Von Mises Theory, evaluation of test data for selecting a yield criterion for soils (Roscoe, Schofield, and Thurairajah), *STP 361*.
Voorhees, H. R., *see* Freeman, J. W., and Voorhees, H. R.
Vulcanization, rubber, continuous measurement with Agfa vulcameter (Gehman and Ogilby), *STP 383*.

W

Wagner, H. J. (discussion), *STP 369*.
Wallace-Shawbury curometer, plasticity, cure control, and cross linking studies of rubber (Norman, Hickman, and Payne), *STP 383*.
Warekois, E. P.: Effects of high-pressure, high-temperature treatment on the properties of electronic materials, *STP 374*.
Warlam, A. A., and Thomas, E. W.: Measurement of hydrostatic-uplift pressure on spillway weirs with air piezometers, *STP 392*.
Warner, R. W., and Marble, D. R.: Materials needs for energy absorption in space-vehicle landings, *STP 379*.
Warren, R. W., *see* King, R. W., and Warren, R. W.
Wartman, L. H. (discussion), *STP 375*.
Water, report of Committee D-19, 449.
Waterproofing, strain gages on reinforcing bars in concrete exposed to the sea (Dryburgh, Peter, and Plewes), *MR&S*, July, 350.
Watson, A., *see* Boot, A. R., and Watson, A.
Wax, report of Committee D-21, 472.
Weathering, comparison of xenon and carbon arcs as radiation sources for laboratory of asphalts (Martin, Campbell, and Wright), 809.
Wehner, Bruno (discussion), *STP 366*.
Wei, R. P.:
Fracture toughness testing in alloy development, *STP 381*.
and Lauta, F. J.: Measuring plane-strain fracture toughness with carbonitrided single-edge-notch specimens, *MR&S*, June, 305.
see also Baker, A. J., Lauta, R. J., and Wei, R. P.
Weight measurement, simple oxidation balance (Ames and Burk), *MR&S*, June, 311.
Weir, J. R., *see* Martin, W. R., and Weir, J. R.
see McCoy, H. E., and Weir, J. R.
see also Venard, J. T., and Weir, J. R.
Weirs, measurement of hydrostatic uplift pressure on spillway weirs with air piezometers (Warlam and Thomas), *STP 392*.
Weiss, V., and Yukawa, S.: Critical appraisal of fracture mechanics, *STP 381*.
Weissmann, G. F.: Measuring the modulus of subgrade soil reaction, *MR&S*, February 71.
Welding
austenitic stainless steels, effect of vacuum melting and vacuum annealing on (Roach, Leffingwell, and Hall), *STP 369*.
effect on corrosion resistance of austenitic stainless steels (Auld), *STP 369*.
3½ and 9 per cent nickel steels and 36 per cent nickel-iron alloy for cryogenic service (discussion), *MR&S*, May, 231.
Weldments
fracture testing (Kies, Smith, Romine, and Bernstein), *STP 381*.
new specimen for fatigue testing longitudinal fillet (Reemsnyder), 729.
West, R. (discussion), *MR&S*, April, 183.
Westgren, R. C., and Dulis, E. J.: Effects of austrolling on the properties of Crucible 422 stainless steel, *STP 369*.
Wettability, and surface properties of plastics (Zisman) (abstract only), *STP 386*.
Wiedersich, H., *see* Brinkman, J. A., and Wiedersich, H.
Wilkins, J. C., Pence, R. E., and Perry, D. C.: Aging mechanisms in precipitation-hardening stainless steels, *STP 369*.
Williams, A. J., *see* Gerberich, W. W., Williams, A. J., Martin, C. F., and Heise, R. E.
Williams, J. A., *see* Holmes, J. J., Williams, J. A., Nyman, D. H., and Tobin, J. C.
Wilson, G. J., *see* Krieger, G. L., and Wilson, G. J.
Wilson, N. E.: Laboratory vane shear tests and the influence of pore-water stresses, *STP 361*.
Wilson, S. D., and Hancock, C. W., Jr.: Instrumentation for movements within rockfill dams, *STP 392*.
Wilson, W. G. (discussion), *STP 369*.
Windows, performance of double-glazed units in accelerated and service tests (Mazzoni and King), *MR&S*, October, 517.
Winnitoy, W. E.: Ultimate densities and strength considerations of base and subgrade soils, *STP 377*.
Winslow, F. H., *see* Matsuoka, S., and Winslow, F. H.
Wise, R. W., and Decker, G. E.: The uses of an oscillating disk rheometer for determining the rheological properties of elastomers during vulcanization, *STP 383*.
Wiseman, Gdalyah, and Teferra, Alemayehu: Relation between liquid limit and shear strength of soils, *MR&S*, November, 579.
Witherell, C. E. (discussion), *MR&S*, May, 231.
Wittke, W. (discussion), *STP 361*.
Wittke, W., *see also* Leussink, H., and Wittke, W.
Wood
in buildings, moisture content of (Verrall), *STP 385*.

Wood (*continued*)
kiln drying of (Rietz), *STP 385*.
properties of, and their evaluation radioactive methods (Youngs), *STP 373*.
report of Committee D-7, 396.
Woodward, S. C.: Biological endpoints for compatibility, *STP 386*.
Workability, masonry mortars, predicting (Isenburg), *MR&S*, July, 358.
Wright, J. R., *see* Martin, K. C., Campbell, P. G., and Wright, J. R.
Wright, W. A. (discussion), *STP 382*.
Wronski, A. S., Sargent, G. A., and Johnson, A. A.: Irradiation hardening and embrittlement in body-centered cubic transition metals, *STP 380*.
Wylie, R. D.: The important materials parameters affecting the performance of nuclear reactor pressure vessels, *STP 380*.

X

Xenon arcs, comparison with carbon as radiation sources for laboratory weathering of asphalts (Martin, Campbell, and Wright), 809.
X-ray
analysis, electron beam microprobe as a tool in materials engineering (Landis, Merchant, and Zemany), *MR&S*, May, 219.
analysis of high temperature alloys (Gillieson, Reed, Milliken, and Young), *STP 376*.
analysis, quantitative emission spectrography (Tabikh), *MR&S*, October, 504.
analysis, spectrochemical, cement and dental alloys (Bean and Mulligan), *STP 373*.
analysis, two new indexes to the powder diffraction file (Bigelow and Smith), *STP 372*.
diffraction, two new indexes to the powder diffraction file (Bigelow and Smith), *STP 372*.
effects, on transistor gain (Taulbee, Nelson, and Southward), *STP 384*.
fluorescence analysis, high temperature alloys (Gillieson, Reed, Milliken, and Young), *STP 376*.
pulsed radiation effects in crystalline polyethylene (Ebeoglu), 777.
spectroscopy, quantitative analysis by X-ray emission spectrography (Tabikh), *MR&S*, October, 504.
stress analysis, determination of magnetic properties by residual stress analysis in soft ferromagnetic alloys (Koves), *MR&S*, November, 573.
transient radiation effects in semiconductor devices (Crowe and Sauer), *STP 384*.

Y

Yaltkaya, E. R., Enüstün, B. V., Urkan, S., Sentürk, H. S., and Köksal, K.: Nondestructive estimation of cement content of hardened concrete, *STP 373*.
Yasuda, H., *see* Stone, W., Jr., Seiderman, M., Yasuda, H., and Ore, S., *STP 386*.
Yeo, R. B. G., and Scott, T. E.: The effect of small columbium additions to type 304 stainless steel, *STP 369*.
Yevich, J. P., *see* Jewell, D. M., Yevich, J. P., and Snyder, R. E.
Yiannos, P. (discussion), *STP 373*.
Yield point, predicting workability in masonry mortars (Isenburg), *MR&S*, July, 358.
Yield strength
elongation and as related to gage length and offset (Stickley and Brownhill), 597.
high-strength stainless steels by deformation at room temperature (Floreen and Mayne), *STP 370*.
molybdenum- and columbium-base alloys, effect of irradiation on (McCoy and Weir), *STP 380*.
selecting a yield criterion for soils (Roscoe, Schofield, and Thurairajah), *STP 361*.
stainless steel, type 304, effect of small columbium additions on (Yeo and Scott), *STP 369*.
use of springback tester with steels having nonlinear stress-strain curves (Bower), *MR&S*, December, 607.
Yong, R. N. and Savage, S. B., *see* McCutcheon, J. O., and Yong, R. N.
Yoshimi, Y. (discussion), *STP 361*.
Young, M. J., *see* Gillieson, A. H., Reed, D. J., and Milliken, K. S.
Young, R. E.: Filament-wound structures, *STP 375*.
Youngs, R. L.: Influence of modern physics on the properties of wood and their evaluation, *STP 373*.
Yttrium, mechanical properties and deformation characteristics under pressure (Pugh), *STP 374*.
Yukawa, S., *see* Weiss, V., and Yukawa, S.

Z

Zack, J. F., Jr., and Berg, S.: Radiation-induced electronic phenomena in polyethylene, *STP 384*.
Zemany, P. D., *see* Landis, F. P., Merchant, R. W., and Zemany, P. D.
Zelasko, J. S., *see* Kondner, R. L., and Zelasko, J. S.
Zeolites, quenchable effects of high-temperature, high-pressure treatment on nonmetallic materials (Roy), *STP 374*.
Zimmerman, J. R.: NMR analysis of hydrocarbons and related molecules, *STP 389*.
Zircaloy, cold-worked, in-reactor creep of (Holmes, Williams, Nyman, and Tobin), *STP 380*.
Zircaloys
crack propagation tests on, in both the normal and hydrided conditions (Aungst and Defferding), *STP 380*.
effects of neutron irradiation on the flow and fracture behavior of (Bement, Tobin, and Hoagland), *STP 380*.

Zirconium and zirconium alloys
effects of neutron irradiation on the flow and fracture behavior of Zircaloy-2 (Bement, Tobin, and Hoagland), *STP 380*.
fatigue and tensile properties of at elevated temperatures (Pedersen and Murphy), 762.
in-reactor creep of cold-worked Zircaloy-2 (Holmes, Williams, Nyman, and Tobin), *STP 380*.
mechanical properties and deformation characteristics under pressure (Pugh), *STP 374*.
Zirconium diboride, intermetallic composite materials for structural applications (Anthony), *STP 379*.
Zisman, W. A.: Surface properties and wettability of plastics (abstract only), *STP 386*.
Zone melting, smooth hydraulic zone melter drive (Lerner), *MR&S*, December, 613.